

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 122.0 PWD: 307
Name: **MacMillan Bloedel, Yellow Bluff Fuel Dock.**
Location: Mile 122.0, right bank, Alabama River, approximately 3.7 miles above Holleys Ferry Datum: NPE
(State Highway 10) Br
Operator: Not operated.
Owner: MacMillan Bloedel Inc.
Address: Highway 10 East. Phone: 334/963-43911
Town: Yellow Bluff State: AL County: Wilcox
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 31.982222
Total Berthing Space (feet): 160 | | Longitude (decimal): -87.46639
Remarks: Facility formerly was used for receipt of fuel oil for plant consumption. One 8-inch pipeline extends from wharf to two steel storage tanks, total capacity 110,000 barrels. At time of survey (1997), the pipeline was blanked and the storage tanks were not operable.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 877 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 14.0 PWD: 300
Name: **Alliance Resources Co., Oswell Loading Facility Dock.**
Location: Mile 14.0, left bank, Alabama River. Datum: NPE
Operator: Alliance Resources Co.
Owner: Alliance Resources Co.
Address: South Carlton, AL Oil Fields. Phone: 918/747-7000
Town: Tensaw State: AL County: Baldwin
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 8 | | Latitude (decimal): 31.225556
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.86222
Remarks: One 6-inch pipeline extends to bank from six steel storage tanks, total capacity 6,000 barrels. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 014 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 14.0 PWD: 299
Name: **Alliance Resources Co., Wall-Loading Facility Dock.**
Location: Mile 14.0, right bank, Alabama River. Datum: NPE
Operator: Alliance Resources Co.
Owner: Alliance Resources Co.
Address: South Carlton, AL Oil Fields. Phone: 918/747-7000
Town: Carlton State: AL County: Clarke
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 8 | | Latitude (decimal): 31.225
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.86361
Remarks: One 6-inch pipeline extends to bank from seven steel storage tanks, total capacity 5,000 barrels. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 014 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 148.6 PWD: 308
Name: **Kimberly-Clark Corp., Monroe Unit Wharf.**
Location: Mile 148.6, left bank, Alabama River. Datum: NPE
Operator: Kimberly-Clark Corp.
Owner: Kimberly-Clark Corp.
Address: 530 Hornady Drive. Phone: 334/575-3243
Town: Camden State: AL County: Wilcox
Railway Connection: None.
Purpose: Shipment of pulpwood.
Depth Alongside (feet): 8 | | Latitude (decimal): 32.039722
Total Berthing Space (feet): 685 | | Longitude (decimal): -87.28806
Remarks: The 1 1/2-acre open storage area with capacity for 10,800 tons of pulpwood is located at rear. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 149 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 15.0 PWD: 301
Name: **Alliance Resources Co., Robinson Loading Facility Dock.**
Location: Mile 15.0, right bank, Alabama River. Datum: NPE
Operator: Alliance Resources Co.
Owner: Alliance Resources Co.
Address: South Carlton, AL Oil Fields. Phone: 918/747-7000
Town: Carlton State: AL County: Clarke
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 8 | | Latitude (decimal): 31.236667
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.85806
Remarks: One 6-inch pipeline extends to bank from eight steel storage tanks, total capacity 8,000 barrels.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 015 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 19.5 PWD: 302
Name: **Alliance Resources Co., North Loading Facility Dock.**
Location: Mile 19.5, right bank, Alabama River. Datum: NPE
Operator: Alliance Resources Co.
Owner: Alliance Resources Co.
Address: South Carlton, AL Oil Fields. Phone: 918/747-7000
Town: Carlton State: AL County: Clarke
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 31.253889
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.84222
Remarks: One 8-inch pipeline extends to loading platform from four steel storage tanks, total capacity 12,000 barrels.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 019 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 196.6 PWD: 309
Name: **Ben Beers Wharf.**
Location: Mile 196.6, left bank, Alabama River, approximately 9 miles below U.S. Highway 80 Datum: NPE Bridge.
Operator: Not operated.
Owner: Ben Beers.
Address: Kings Bend Road. Phone: 334/874-8911
Town: Selma State: AL County: Dallas
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 32.353889
Total Berthing Space (feet): 30 | | Longitude (decimal): -87.03944
Remarks: Facility formerly was used for shipment of sand and gravel. ☐ Open storage area located at rear, with capacity for 550,000 tons, was not in use at time of survey (1997).
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 198 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 197.1 PWD: 310
Name: **U.S. Army Corps of Engineers, Selma Dock.**
Location: Mile 197.1, left bank, Alabama River, approximately 8 miles below U.S. Highway 80 Datum: NPE Bridge.
Operator: Not operated.
Owner: United States Federal Government.
Address: Kings Bend Road. Phone: 334/872-9554
Town: Selma State: AL County: Dallas
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 32.359167
Total Berthing Space (feet): 60 | | Longitude (decimal): -87.04389
Remarks: Facility formerly was used to moor U.S. Coast Guard vessels. One 40- by 3-foot steel walkway approach extends to a 10- by 15-foot mooring float on lower side. Wharf is located approximately 300 feet from river channel in slack-water inlet at mouth of Bethel Branch.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 197 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 206.0 PWD: 311
Name: **Cosby-Carmichael Dock.**
Location: Mile 206.0, right bank, Alabama River, above CSX Transportation Bridge. Datum: NPE
Operator: Not operated.
Owner: Cosby-Carmichael Inc.
Address: Foot of Maxey Road. Phone: 334/874-7411
Town: Selma State: AL County: Dallas
Railway Connection: One surface track at rear; connects with CSX Transportation.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 6 | | Latitude (decimal): 32.401944
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.00806
Remarks: Facility formerly was used for shipment of crushed stone. Mechanical equipment was not operable at time of survey (1997). □ Approximately 1 acre of open storage area is located at rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 206 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 218.8 PWD: 312
Name: **Alabama State Docks, Selma Inland Dock.**
Location: Mile 218.8, right bank, Alabama River, approximately 11 miles above U.S. Highway 80 Bypass Bridge. Datum: NPE
Operator: Alabama State Docks Department.
Owner: Alabama State Docks Department.
Address: River Road. Phone: 334/441-7113
Town: Selma State: AL County: Dallas
Railway Connection: None.
Purpose: Shipment of grain; occasional receipt and shipment of general cargo and miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.414167
Total Berthing Space (feet): 325 | | Longitude (decimal): -86.86944
Remarks: Ref. Nos. 109 and 110 - *NPE (Millers Ferry Dam) = 80 MSL. Ref. No. 111 - *NPE (Robert F. Henry Dam) = 125 MSL. Grain elevator located at rear, consisting of 10 concrete silos with 5 interstices, has total capacity for 302,000 bushels.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 218 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 267.2 PWD: 313
Name: **Montgomery Industrial Development Board, General Electric Plastics**
Location: Mile 267.2, left bank, Alabama River. Datum: NPE
Operator: Not operated.
Owner: Montgomery Industrial Development Board.
Address: Old Selma Road. Phone: 334/832-5638
Town: Burkville State: AL County: Lowndes
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 5 | | Latitude (decimal): 32.338333
Total Berthing Space (feet): 160 | | Longitude (decimal): -86.52361
Remarks: Upstream wingwall of bulkhead was leaning at time of survey (1997). Facility formerly was used for receipt of steel and shipment of fabricated oil field equipment.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 267 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 27.5 PWD: 303
Name: **Kimberly-Clark Corp., Dixie Wood Yard Barge Dock.**
Location: Mile 27.5, left bank, Alabama River. Datum: NPE
Operator: Kimberly-Clark Corp.
Owner: Kimberly-Clark Corp.
Address: Foot of County Road 84. Phone: 334/862-5292
Town: Little River State: AL County: Baldwin
Railway Connection: None.
Purpose: Shipment of pulpwood.
Depth Alongside (feet): 10 - 20 | | 10 - 20 Latitude (decimal): 31.295
Total Berthing Space (feet): 200 | | 4 Longitude (decimal): -87.76472
Remarks: The 600-horsepower towboat, 'Mae J' fleets barges at row of four steel pipe pile breasting dolphins located approximately 1/2 mile upstream. □ Open storage area located at rear has capacity for approximately 5,000 cords.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 028 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 287.5 PWD: 314
Name: **Montgomery Riverboat Landing Wharf.**
Location: Mile 287.5, left bank, Alabama River, approximately 0.6 miles above Interstate 65 Datum: NPE
Bridge.
Operator: Not operated.
Owner: Not owned.
Address: Foot of Commerce Street. Phone:
Town: Montgomery State: AL County: Montgomery
Railway Connection: None.
Purpose: Boarding and disembarking excursion boat passengers; mooring excursion vessel.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 32.381667
Total Berthing Space (feet): 80 | | 60 Longitude (decimal): -86.31278
Remarks: Riverside Park located at rear. Paved recreation, boat-launch ramp located on upstream side of
wharf.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 285

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 287.8 PWD: 315
Name: **Trinity Industries, Montgomery Wharf.**
Location: Mile 287.8, left bank, Alabama River, approximately 0.8 mile above Interstate Datum: NPE
Highway 80 Twin Bridges.
Operator: Trinity Industries Inc.
Owner: Trinity Industries Inc.
Address: Lafayette Ave. & W. Railroad St. Phone: 334/834-1133
Town: Montgomery State: AL County: Montgomery
Railway Connection: None.
Purpose: Shipment of fabricated steel for bridge applications.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.386111
Total Berthing Space (feet): 250 | | Longitude (decimal): -86.3125
Remarks: *NPE (Robert F. Henry Dam) = 125
MSL. Fabricated structural
steel is transported to wharf from fabrication shop via roadway with mobile vehicle, with capacity in
excess of 100 tons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 287 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 288.0 PWD: 316
Name: **Agricultural Services of Alabama, Montgomery Dock.**
Location: Mile 288.0, left bank, Alabama River, approximately 1,500 feet below North Perimeter Road Bridge. Datum: NPE
Operator: Not operated.
Owner: Agricultural Services of Alabama Inc., a division of Farmers Liquid Fertilizer Co.
Address: 825 Walker Street. Phone: 334/262-8198
Town: Montgomery State: AL County: Montgomery
Railway Connection: One surface track serves facility at rear; connects with CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 22 | | Latitude (decimal): 32.39
Total Berthing Space (feet): 100 | | Longitude (decimal): -86.31611
Remarks: Facility formerly was used for receipt of dry bulk fertilizer. Warehouse located at rear has capacity for 20,000 tons. One spout located at warehouse for loading fertilizer into trucks. An additional warehouse is used to store fertilizer to be shipped by rail.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 288 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 289.0 PWD: 317
Name: **Alabama State Docks, Montgomery Inland Dock.**
Location: Mile 289.0, lower side of slip, left bank, Alabama River, approximately 0.7 mile above North Perimeter R Datum: NPE
Operator: Alabama State Docks Department.
Owner: Alabama State Docks Department.
Address: State Docks Road. Phone: 334/441-7113
Town: Montgomery State: AL County: Montgomery
Railway Connection: One surface track serves facility at rear; connects with CSX Transportation.
Purpose: Shipment of grain; occasional receipt and shipment of general cargo and miscellaneous bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.403333
Total Berthing Space (feet): 650 | | Longitude (decimal): -86.32861
Remarks: Grain elevator located at rear, consisting of 10 concrete silos with 5 interstices and 2 steel tanks, has total capacity for 594,000 bushels. One 6-inch pipeline extends from wharf to two steel storage tanks, total capacity 23,800 barrels. Wharf is located in a 2,200- by 150-foot barge slip with a 300- by 400-foot turning basin at upper end.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15500 Dock Code: 289 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 295.3 PWD: 318
Name: **Foshee Trucking, Montgomery Wharf.**
Location: Mile 295.3, left bank, Alabama River, approximately 2 miles above CSX Transportation Bridge. Datum: NPE
Operator: Not operated.
Owner: Foshee Trucking, Inc.
Address: Foot of Ninth Street. Phone: 334/834-5150
Town: Montgomery State: AL County: Montgomery
Railway Connection: One surface track serves facility at rear; connects with CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.410833
Total Berthing Space (feet): 90 | | Longitude (decimal): -86.31222
Remarks: *NPE (Robert F. Henry Dam) = 125 MSL. Facility formerly was used for receipt and shipment of sand and gravel. The lower 200 feet of belt-conveyor-support structure was missing at time of survey (1997). Open storage area located at rear has capacity for 200,000 tons, and an additional 125 acres are available adjacent to facility for open storage.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 295 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 53.9 PWD: 304
Name: **Holnam, Axis Gaillard Quarry Wharf.**
Location: Mile 53.9, left bank, Alabama River. Datum: NPE
Operator: Not operated.
Owner: Holnam Inc.
Address: County Highway 1. Phone: 334/443-1222
Town: Claiborne State: AL County: Monroe
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 31.469444
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.5625
Remarks: Facility formerly was used for shipment of crushed stone. Open storage area at rear has capacity for 40,000 tons and is served by traveling stacker and electric belt-conveyor system from quarry at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 054 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 65.4 PWD: 305
Name: **Alabama State Docks, Claiborne Inland Dock.**
Location: Mile 65.4, left bank, Alabama River, approximately 1.4 miles below U.S. Highway 84 Datum: NPE Bridge.
Operator: Alabama State Docks Department.
Owner: Alabama State Docks Department.
Address: U.S. Highway 84. Phone: 334/441-7113
Town: Claiborne State: AL County: Monroe
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 31.544722
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.5375
Remarks: Grain elevator located at rear, consisting of 4 concrete silos and 2 steel bins, has total capacity for 427,600 bushels.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 066 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Alabama River** Mile: 71.8 PWD: 306
Name: **Alabama River Pulp Co., Gosport Dock.**
Location: Mile 71.8, right bank, Alabama River, approximately 0.7 miles below Claiborne Lock Datum: NPE and Dam.
Operator: Alabama River Pulp Co. Inc.
Owner: Alabama River Pulp Co. Inc.
Address: County Road 31. Phone: 334/743-8293
Town: Gosport State: AL County: Monroe
Railway Connection: Surface tracks serving plant in rear; connect with Alabama & Gulf Coast Railroad.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 31.576667
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.51889
Remarks: One 8-inch pipeline extends from wharf to one 40,000-barrel steel storage tank.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15500 Dock Code: 069 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Black Warrior River** Mile: 222.0 PWD: 258
 Name: **Citadel Cement, Demopolis Dock.**
 Location: Mile 222.0, left bank, Black Warrior River, approximately 3 miles above Burlington Northern Railroad bri Datum: NPE
 Operator: Citadel Cement, a division of Medusa Corp.
 Owner: Citadel Cement, a division of Medusa Corp.
 Address: Arcola Road. Phone: 334/289-4400 Ex
 Town: Demopolis State: AL County: Marengo
 Railway Connection: Trackage serving plant at rear; connects with Norfolk Southern Railway.
 Purpose: Shipment of cement.
 Depth Alongside (feet): 15 | | Latitude (decimal): 32.517778
 Total Berthing Space (feet): 390 | | Longitude (decimal): -87.81556
 Remarks: Four 8-inch pneumatic pipelines extend to wharf from cement storage silos located at rear, total storage capacity 5,500 tons. Loading rate of each pipeline is 600 tons per hour.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 188 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Black Warrior River** Mile: 227.7 PWD: 259
 Name: **Alabama Power Co., Greene County Steam Plant Dock.**
 Location: Slip, mile 227.7, right bank, Black Warrior River. Datum: NPE
 Operator: Alabama Power Co., a division of Southern Co.
 Owner: Alabama Power Co., a division of Southern Co.
 Address: Birdeye Road. Phone: 205/289-6120
 Town: Forkland State: AL County: Greene
 Railway Connection: One surface track with several sidings, one serving rotary car dumper, connects with Burlington Northern Railroad.
 Purpose: Receipt of coal for plant consumption.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.597222
 Total Berthing Space (feet): 2,600 | | Longitude (decimal): -87.78111
 Remarks: Plant has 500,000-ton-capacity storage area located at rear, total capacity of 1,000,000 tons. Wharf is located on lower side of a 4,000- by 200-foot, rectangular dredged slip.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 774 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 337.0 PWD: 260
Name: **Hunt Refining Co., Tuscaloosa Dock.**
Location: Mile 337.0, left bank, Black Warrior River, approximately 0.7 miles below William Bacon Oliver Lock and Datum: NPE
Operator: Hunt Refining Co., Subsidiary of Hunt Oil Co.
Owner: Hunt Refining Co., Subsidiary of Hunt Oil Co.
Address: Fairlawn Road. Phone: 205/391-3335
Town: Tuscaloosa State: AL County: Tuscaloosa
Railway Connection: Surface tracks serving refinery at rear; connect with Norfolk Southern Railway.
Purpose: Receipt of crude oil; shipment of petroleum products; fueling towboats.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 33.205
Total Berthing Space (feet): 372 | | Longitude (decimal): -87.60389
Remarks: One 12-inch, crude oil pipeline extends from wharf to two storage tanks, total capacity 210,000 barrels. Two 10-inch, two 8-inch, and one 4-inch petroleum products pipelines extend to storage tanks, total capacity 222,500 barrels.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 295 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 338.5 PWD: 262
Name: **Alabama State Docks Department, Tuscaloosa- Northport Dock.**
Location: Mile 338.5, right bank, Black Warrior River, approximately 0.8 miles above William Bacon Oliver Lock and Datum: NPE
Operator: Alabama State Docks Department.
Owner: Alabama State Docks Department.
Address: Foot of Fifth Street. Phone: 334/441-7113
Town: Northport State: AL County: Tuscaloosa
Railway Connection: None.
Purpose: Shipment of grain; receipt of fish meal; and occasionally receipt and shipment of general cargo and miscellaneous dry bulk materials.
Depth Alongside (feet): 13 | | Latitude (decimal): 33.213889
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.58056
Remarks: Wharf is on lower side of a 670- by 150-foot dredged slip. Grain elevator located at rear, consisting of 4 concrete silos and 3 steel bins, has capacity for 572,150 bushels. One 200- by 120-foot steel frame, metal-covered concrete-floored building at rear is available for covered storage.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 644 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Black Warrior River** Mile: 338.5 PWD: 261
 Name: **Powell Sales, Port of Tuscaloosa Wharf.**
 Location: Mile 338.5, left bank, Black Warrior River, approximately 0.8 miles above William Bacon Oliver Lock and Datum: NPE
 Operator: Powell Sales Inc.
 Owner: U.S. Federal Government and City of Tuscaloosa.
 Address: River Road. Phone: 205/823-0939
 Town: Tuscaloosa State: AL County: Tuscaloosa
 Railway Connection: None.
 Purpose: Shipment of dry bulk commodities, including coal and coke.
 Depth Alongside (feet): 9 | | Latitude (decimal): 33.211944
 Total Berthing Space (feet): 200 | | Longitude (decimal): -87.57944
 Remarks: Open storage area located at rear has capacity for approximately 40,000 tons of material. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 303 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Black Warrior River** Mile: 338.9 PWD: 263
 Name: **Parker Towing Co., Tuscaloosa Dock.**
 Location: Mile 338.9, left bank, Black Warrior River, approximately 1.2 miles above William Bacon Oliver Lock and Datum: NPE
 Operator: Parker Towing Co. Inc.
 Owner: Parker Towing Co. Inc.
 Address: 24th Avenue. Phone: 205/349-1677
 Town: Tuscaloosa State: AL County: Tuscaloosa
 Railway Connection: None.
 Purpose: Mooring and fueling company-owned towboats.
 Depth Alongside (feet): 9 | | Latitude (decimal): 33.213333
 Total Berthing Space (feet): 158 | | Longitude (decimal): -87.57722
 Remarks: One 2-inch fueling hose extends to wharf from three diesel fuel storage tanks, total capacity 27,000 gallons. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 299 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Black Warrior River** Mile: 339.4 PWD: 264
 Name: **Findlay Towing Co., Tuscaloosa Wharf.**
 Location: Mile 338.9, right bank, Black Warrior River, approximately 1.7 miles above William Bacon Oliver Lock and Datum: NPE
 Operator: Not operated.
 Owner: Findlay Towing Co. Inc.
 Address: Foot of Third Street. Phone: 205-752-5361
 Town: Northport State: AL County: Tuscaloosa
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 30 | 9 | Latitude (decimal): 33.2175
 Total Berthing Space (feet): 150 | 4 | Longitude (decimal): -87.56556
 Remarks: Facility formerly was used for mooring and fueling company-owned towboats, and mooring barges for fleet. Barges were moored in tiers 2-wide. 2-inch fuel lines extend to wharf from 3 diesel, fuel storage tanks, total capacity 60,000 gallons.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 648 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Black Warrior River** Mile: 339.4 PWD: 265
 Name: **U.S. Army Corps of Engineers, Tuscaloosa Area Office and Repair Fa**
 Location: Mile 339.4, left bank, Black Warrior River, approximately 1.7 miles above William Bacon Oliver Lock and Datum: NPE
 Operator: U.S. Army Corps of Engineers.
 Owner: U.S. Federal Government.
 Address: Foot of 21st Avenue. Phone: 205/752-3571
 Town: Tuscaloosa State: AL County: Tuscaloosa
 Railway Connection: None.
 Purpose: Mooring and repairing government-owned floating equipment.
 Depth Alongside (feet): 9 | | Latitude (decimal): 33.216667
 Total Berthing Space (feet): 2,000 | | Longitude (decimal): -87.56333
 Remarks: -□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 302 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 343.0 PWD: 266
Name: **SRA Mill Services, River Dock.**
Location: Mile 343.0, left bank, Black Warrior River, approximately 4 miles below Holt Lock and Datum: NPE Dam..
Operator: SRA Mill Services Inc.
Owner: Tuscaloosa Steel Corp.
Address: 1700 Holt Road. Phone: 205/556-1310 Ex
Town: Tuscaloosa State: AL County: Tuscaloosa
Railway Connection: Trackage serving plant at rear; connects with Kansas City Southern Railroad.
Purpose: Receipt of scrap metal, direct reduced iron, and occasional pig iron.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.235
Total Berthing Space (feet): 720 | | Longitude (decimal): -87.50833
Remarks: Storage area located at rear has capacity for 30,000 tons.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 321

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 343.2 PWD: 267
Name: **Tuscaloosa Steel Corp. Slip.**
Location: Mile 343.2, left bank, Black Warrior River, approximately 3.8 miles below Holt Lock Datum: NPE and Dam..
Operator: Tuscaloosa Steel Corp.
Owner: Tuscaloosa Steel Corp.
Address: 1700 Holt Road. Phone: 205/556-1310 Ex
Town: Tuscaloosa State: AL County: Tuscaloosa
Railway Connection: Trackage serving plant at rear; connects with Kansas City Southern Railroad.
Purpose: Receipt of steel slabs; shipment of steel plate and coils.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 33.236944
Total Berthing Space (feet): 100 | 261 | 200 Longitude (decimal): -87.50778
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 309 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 344.6 PWD: 268
Name: **Warrior Asphalt Refining Corp., Tuscaloosa Dock.**
Location: Mile 344.6, left bank, Black Warrior River, approximately 2.4 miles below Holt Lock and Dam. Datum: NPE
Operator: Warrior Asphalt Refining Corp.
Owner: Warrior Asphalt Refining Corp.
Address: 3100 Warrior Road. Phone: 205/553-2060
Town: Tuscaloosa State: AL County: Tuscaloosa
Railway Connection: Surface track serving plant; connects with Norfolk Southern Railway.
Purpose: Receipt of asphalt and occasional crude (???) oil (???).
Depth Alongside (feet): 9 | | Latitude (decimal): 33.249444
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.49028
Remarks: One 10- and one 6-inch steam-traced pipeline extends to wharf from eight steel storage tanks, total capacity 100,000 barrels.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 312 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 345.1 PWD: 269
Name: **Merichem Co., Tuscaloosa Dock.**
Location: Mile 345.1, left bank, Black Warrior River, approximately 1.9 miles below Holt Lock and Dam. Datum: NPE
Operator: Merichem Co. Inc.
Owner: Merichem Co. Inc.
Address: 2701 Warrior Road. Phone: 205/556-1556
Town: Tuscaloosa State: AL County: Tuscaloosa
Railway Connection: Surface track serving plant; connects with Norfolk Southern Railway.
Purpose: Receipt of sodium naphthanate solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.251111
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.47778
Remarks: One 6-inch pipeline extends from wharf to three storage tanks, total capacity 1,500,000 gallons.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 315 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 345.9 PWD: 270
Name: **Southern Ionics, Tuscaloosa Plant Dock.**
Location: Mile 345.9, left bank, Black Warrior River, approximately 1 mile below Holt Lock and Datum: NPE Dam..
Operator: Southern Ionics Inc. and Wenoha Storage Co.
Owner: Southern Ionics Inc. and Wenoha Storage Co.
Address: 5400 Reichold Road. Phone: 205/553-0103
Town: Tuscaloosa State: Al County: Tuscaloosa
Railway Connection: Single surface rail serves plant at rear; connects with Kansas City Southern Railroad.
Purpose: Receipt of caustic soda and sodium naphthanate.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 33.253333
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.46722
Remarks: Breasting dolphins provide barge mooring for access to shipments to either Southern Ionics (upper catwalk and pipeline gallery) or Wenoha Storage (lower catwalk and pipeline gallery). Southern Ionics Inc: One 14-inch pipeline extends from dock to seven steel storage tanks, total capacity 3,714,000 gallons. □ Wenoha Storage Inc: One 6- and two 4-inch pipelines extend from dock to threesteel storage tanks, total capacity 2,100,000 gallons.
Year of Last Survey: 1997 Corps of Engrns Waterway Code: 15504 Dock Code: 320

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 349.2 PWD: 271
Name: **Abston Construction Co., Black Warrior River Loading Dock.**
Location: Mile 349.2, left bank, Black Warrior River, approximately 2.2 miles above Holt Lock Datum: NPE and Dam.
Operator: Abston Construction Co. Inc.
Owner: Abston Construction Co. Inc.
Address: State Highway 216. Phone: 205-553-3352
Town: Holt State: AL County: Tuscaloosa
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.266389
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.41917
Remarks: Open storage area has capacity for approximately 20,000 tons of coal. □ □
Year of Last Survey: 1997 Corps of Engrns Waterway Code: 15504 Dock Code: 327 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 353.9 PWD: 272
Name: **Drummond Coal Co., Kellerman Preparation Plant Dock.**
Location: Mile 353.9, left bank, Black Warrior River, approximately 6 miles above Holt Lock Datum: NPE
and Dam.
Operator: Drummond Coal Co. Inc.
Owner: Drummond Coal Co. Inc.
Address: State Highway 59. Phone: 205/387-0501
Town: Holt State: AL County: Tuscaloosa
Railway Connection: None.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.312222
Total Berthing Space (feet): 660 | | Longitude (decimal): -87.40278
Remarks: Open storage area has capacity for approximately 200,000 tons of coal.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 334 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 372.0 PWD: 273
Name: **Drummond Coal Co., Big Shoal Creek Coal Dock.**
Location: Right bank, Big Shoal Creek, at mile 372.0, left bank, Black Warrior River. Datum: NPE
Operator: Drummond Coal Co. Inc.
Owner: Drummond Coal Co. Inc.
Address: Foot of Nancy Ann Bend Road. Phone: 205/917-3012
Town: Oak Grove State: AL County: Jefferson
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 33.481667
Total Berthing Space (feet): 680 | | Longitude (decimal): -87.28111
Remarks: Open storage area located at rear has capacity for approximately 200,000 tons of coal.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 350 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Black Warrior River** Mile: 382.2 PWD: 274
Name: **Warrior and Gulf Navigation Co., Frileys Creek Fleet Mooring.**
Location: Mile 382.2, right bank, Black Warrior River, on each bank of Frileys Creek. Datum: NPE
Operator: Warrior and Gulf Navigation Co. and Parker Towing Co.
Owner: United States Steel Corp.
Address: Phone: 205-349-1677
Town: Gorgas State: AL County: Walker
Railway Connection: None.
Purpose: Mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 - 12 | 9 - 12 | Latitude (decimal): 33.546667
Total Berthing Space (feet): 40 | 40 | Longitude (decimal): -87.22806
Remarks: Fleet mooring has capacity for approximately 80 barges arranged in 20 tiers, each 2 barges wide, on each bank. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 357 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 391.5 PWD: 275
Name: **Kimberly-Clark Corp., Maxine Wharf.**
Location: Mile 391.5, right bank, Locust Fork, approximately 0.8 miles below Maxine Bridge. Datum: NPE
Operator: Not operated.
Owner: Kimberly-Clark Corp.
Address: 2202 Alliance Road. Phone: 205/436-3331
Town: Maxine State: AL County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 33.570833
Total Berthing Space (feet): 175 | (See | Longitude (decimal): -87.14917
Remarks: Wharf previously used for shipment of logs and receipt of steel wire. □ Face of wharf in line with face of platform and dolphins described in Ref. No. 277, providing for 2,000 feet on continuous berth.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 386

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 391.7 PWD: 276
Name: **Kimberly-Clark Corp., Maxine Chip Mill Wharf.**
Location: Mile 391.7, right bank, Locust Fork, approximately 0.6 miles below Maxine Bridge. Datum: NPE
Operator: Kimberly-Clark Corp.
Owner: Kimberly-Clark Corp.
Address: 2202 Alliance Road. Phone: 205/436-3331
Town: Maxine State: AL County: Jefferson
Railway Connection: None.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 33.569444
Total Berthing Space (feet): 1,825 | (See | Longitude (decimal): -87.14833
Remarks: Open storage area located at rear has capacity for 8,000 tons of wood chips. □ Face of platform and breasting dolphins in line with face of wharf, described in Ref. No. 276, provide 2,000 feet on continuous berth.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 386

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 396.5 PWD: 277
Name: **Ergon, Port Birmingham Terminal Dock.**
Location: Mile 396.4, left bank, Short Creek; at mile 396.4, left bank, Locust Fork, Datum: NPE
approximately 2.2 miles below
Operator: Not operated.
Owner: Ergon Inc.
Address: State Highway 269. Phone: 205-436-3413
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 33.560833
Total Berthing Space (feet): 330 | | Longitude (decimal): -87.10806
Remarks: Facility formerly was used for receipt of asphalt. Two 8- and two 6-inch pipelines extend from wharf to four steel storage tanks, total capacity 50,000 barrels.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 409

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 396.7 PWD: 278
Name: **Warrior & Gulf Navigation Co., Lower Mooring.**
Location: Mile 396.7, left bank, Locust Fork, approximately 2.2 miles below Atwood Ferry Datum: NPE
(State Highway 269) Bridg
Operator: Warrior & Gulf Navigation Co.
Owner: Birmingham Southern Railroad Co.
Address: Birmingport Road. Phone: 205/436-3601 Ex
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: Three surface tracks at rear; connects with Birmingham Southern Railroad.
Purpose: Occasional use of fleeting barges.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.562778
Total Berthing Space (feet): 330 | | Longitude (decimal): -87.11028
Remarks: Operator's open storage areas are described under Ref. No. 282.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 391 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 396.9 PWD: 279
Name: **Warrior & Gulf Navigation Co., Birmingport Lower Wharf.**
Location: Mile 396.9, left bank, Locust Fork, approximately 2.0 miles below Atwood Ferry Datum: NPE
(State Highway 269) Bridg
Operator: Warrior & Gulf Navigation Co.
Owner: Warrior & Gulf Navigation Co.
Address: Birmingport Road. Phone: 205/436-3601 Ex
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: One surface track along face and two under crane, total capacity 50 hopper or 25 gondola
cars; connect with Birmingham Southern Railroad.
Purpose: Shipment of steel products, including pipe and structural shapes; receipt and shipment of
miscellaneous dry bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.567778
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.11167
Remarks: Operator's open storage areas are described under Ref. No. 282.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 391 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Locust Fork** Mile: 397.2 PWD: 280
 Name: **Warrior & Gulf Navigation Co., Bristol Wharf.**
 Location: Mile 397.2, left bank, Locust Fork, approximately 1.7 miles below Atwood Ferry Datum: NPE
 (State Highway 269) Bridg
 Operator: Warrior & Gulf Navigation Co.
 Owner: Warrior & Gulf Navigation Co.
 Address: Birmingham Road. Phone: 205/436-3601 Ex
 Town: Port Birmingham State: AL County: Jefferson
 Railway Connection: One surface track at rear; connects with Birmingham Southern Railroad.
 Purpose: Shipment of heavy-lift items, including steel fabrications.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.570556
 Total Berthing Space (feet): 300 | | Longitude (decimal): -87.11361
 Remarks: Operator's open storage areas are described under Ref. No. 282.□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 391 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Locust Fork** Mile: 397.4 PWD: 281
 Name: **Warrior & Gulf Navigation Co., Birmingham Bulk Commodities Wharf.**
 Location: Mile 397.4, left bank, Locust Fork, approximately 1.5 miles below Atwood Ferry Datum: NPE
 (State Highway 269) Bridg
 Operator: Warrior & Gulf Navigation Co.
 Owner: Warrior & Gulf Navigation Co.
 Address: Birmingham Road. Phone: 205/436-3601 Ex
 Town: Port Birmingham State: AL County: Jefferson
 Railway Connection: One 52-car and one 60-car tracks serve crane and barge-loading spout, respectively;
 connect with Birmingham Southern Railroad.
 Purpose: Receipt and shipment of dry bulk materials, including shipment of coal, and receipt of iron ore and iron
 ore pellets.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.573889
 Total Berthing Space (feet): 800 | | Longitude (decimal): -87.11583
 Remarks: Open storage areas located at rear have capacity for approximately 200,000 tons of coal and 200,000
 tons of iron ore. In addition, 44,000 square feet of concrete pads are available for open storage.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 391 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Locust Fork** Mile: 397.6 PWD: 282
 Name: **Warrior & Gulf Navigation Co., Birmingport Coal-Loading Wharf.**
 Location: Mile 397.6, left bank, Locust Fork, approximately 1.3 miles below Atwood Ferry Datum: NPE
 (State Highway 269) Bridg
 Operator: Warrior & Gulf Navigation Co.
 Owner: Warrior & Gulf Navigation Co.
 Address: Birmingport Road. Phone: 205/436-3601 Ex
 Town: Port Birmingham State: AL County: Jefferson
 Railway Connection: Trackage serving facility at rear; connects with Birmingham Southern Railroad.
 Purpose: Shipment of coal.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.576667
 Total Berthing Space (feet): 400 | | Longitude (decimal): -87.11778
 Remarks: Operator's open storage areas are described under Ref. No. 282.□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 391 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Locust Fork** Mile: 398.2 PWD: 283
 Name: **APAC-Alabama, Port Birmingham Terminal Dock.**
 Location: Mile 398.2, left bank, Locust Fork, approximately 0.7 mile below Atwood Ferry (State Datum: NPE
 Highway 269) Bridge
 Operator: APAC-Alabama Inc.
 Owner: APAC-Alabama Inc.
 Address: 2450 Atwood Ferry Road. Phone: 205-436-9955
 Town: Port Birmingham State: AL County: Jefferson
 Railway Connection: None.
 Purpose: Receipt of asphalt.
 Depth Alongside (feet): 10 | | Latitude (decimal): 33.581667
 Total Berthing Space (feet): 200 | | Longitude (decimal): -87.11972
 Remarks: One 8- and one 6-inch pipelines extend from wharf to four steel storage tanks, total capacity 150,000
 barrels.□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 397 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Locust Fork** Mile: 398.6 PWD: 284
 Name: **Liberty Stevedoring Co., Port Western Lower Barge-Loading Dock.**
 Location: Mile 398.6, right bank, Locust Fork, approximately 0.2 mile below Atwood Ferry (State Highway 269) Bridge Datum: NPE
 Operator: Liberty Stevedoring Co. Inc.
 Owner: William Cashion.
 Address: 8700 Birminghamport Road. Phone: 205-436-3651
 Town: Port Birmingham State: AL County: Jefferson
 Railway Connection: None.
 Purpose: Shipment of coal, petroleum coke, steel products, and other dry bulk materials.
 Depth Alongside (feet): 15 | | Latitude (decimal): 33.587778
 Total Berthing Space (feet): 400 | | Longitude (decimal): -87.11306
 Remarks: A 5-acre, paved open storage area has capacity for 50,000 tons of coal. The 200 horsepower shift boat 'Expediter' handles barges to and from loading facilities.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 428 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Locust Fork** Mile: 398.6 PWD: 287
 Name: **Lyondell Lubricants, Birminghamport Dock.**
 Location: Mile 398.6, left bank, Locust Fork, approximately 0.7 mile below Atwood Ferry (State Highway 269) Bridge Datum: NPE
 Operator: Lyondell Lubricants.
 Owner: Lyondell Lubricants.
 Address: 2530 Atwood Ferry Road. Phone: 205/436-3641
 Town: Port Birmingham State: AL County: Jefferson
 Railway Connection: None.
 Purpose: Receipt of petroleum products.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 33.587222
 Total Berthing Space (feet): 240 | | Longitude (decimal): -87.11278
 Remarks: One 4- and seventeen 3-inch pipelines extend from wharf to 38 steel storage tanks, total capacity 27,400 barrels. □
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 405 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 398.7 PWD: 285
Name: **Liberty Stevedoring Co., Port Western Wharf.**
Location: Mile 398.7, right bank, Locust Fork, approximately 0.2 mile below Atwood Ferry Datum: NPE
(State Highway 269) Bridg
Operator: Liberty Stevedoring Co. Inc.
Owner: William Cashion.
Address: 8700 Birminghamport Road. Phone: 205-436-3651
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: None.
Purpose: Receipt of steel products, coils, and shapes, and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.587778
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.11139
Remarks: One 150- by 60-foot covered shed, located at rear, is available for commodities requiring protection
from weather. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 428 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 398.8 PWD: 286
Name: **Liberty Stevedoring Co., Port Western Upper Barge-Loading Dock.**
Location: Mile 398.8, right bank, Locust Fork, approximately 0.1 mile below Atwood Ferry Datum: NPE
(State Highway 269) Bridg
Operator: Liberty Stevedoring Co. Inc.
Owner: William Cashion.
Address: 8700 Birminghamport Road. Phone: 205-436-3651
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: None.
Purpose: Shipment of coal, petroleum coke, and occasional shipment of crushed stone.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.587778
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.11028
Remarks: A 12-acre, unpaved open storage area located at rear has capacity for 150,000 tons of coal. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 428 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 399.2 PWD: 288
Name: **COVOL Technologies, Birmingport Coal-Loading Wharf.**
Location: Mile 399.2, right bank, Locust Fork, approximately 0.3 mile above State Route 269 Datum: NPE
Bridge.
Operator: COVAL Technologies Inc.
Owner: COVAL Technologies Inc.
Address: State Highway 269. Phone: 205/436-3099
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.586667
Total Berthing Space (feet): 188 | | Longitude (decimal): -87.10389
Remarks: A coal fines pelletization plant is being constructed at site located at rear, which will also use barge-loading facility when completed. □ Open storage area located at rear has capacity for 15,000 tons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 430

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 400.8 PWD: 289
Name: **Drummond Coal Co., Short Creek Preparation Plant Dock.**
Location: Mile 400.8, left bank, Locust Fork, approximately 2.0 miles above Atwood Ferry Datum: NPE
(State Highway 269) Bridg
Operator: Not operated.
Owner: Drummond Coal Co. Inc.
Address: 2252 Short Creek Road. Phone: 205/387-0501
Town: Port Birmingham State: AL County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 33.578333
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.08111
Remarks: Facility formerly was used for shipment of coal. Breasting dolphins are connected by catwalks. □ Open storage area located at rear has maximum capacity for 150,000 tons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 413 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Locust Fork** Mile: 405.6 PWD: 290
Name: **Alabama Power Co., James H. Miller Jr. Steam Plant Dock.**
Location: Slip, Mile 405.6, left bank, Locust Fork, approximately 0.9 miles below West Jefferson New Bridge. Datum: NPE
Operator: Alabama Power Co., a division of Southern Co.
Owner: Alabama Power Co., a division of Southern Co.
Address: 4250 Porter Road. Phone: 205-674-1207 Ex
Town: Porter State: AL County: Jefferson
Railway Connection: Trackage serving rotary car dumper at plant in rear; connects with CSX Transportation and Burlington Northern Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 33.626667
Total Berthing Space (feet): 1,800 | | Longitude (decimal): -87.06806
Remarks: Barge-loading chute formerly served by 72-inch belt conveyor and storage reclamation system was not in use at time of survey (1997). □ Open storage area located at rear has capacity for approximately 600,000 tons of coal. At time of survey (1997), plans were to convert to Western coal by rail only after 1999.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 425 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mobile River** Mile: 25.6 PWD: 255
Name: **Courtaulds Fibers, Axis Dock.**
Location: Mile 25.6, right bank, Mobile River, approximately 5 miles above Interstate Highway 65 twin bridges. Datum: NPE
Operator: Courtaulds Fibers Inc.
Owner: Courtaulds Fibers Inc.
Address: U.S. Highway 43. Phone: 205-679-2278
Town: Axis State: AL County: Mobile
Railway Connection: Trackage serving plant at rear; connects with Norfolk Southern Railway.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.967222
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.99111
Remarks: One 6-inch pipeline extends to wharf from six steel storage tanks, total capacity of 1,200,000 gallons. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15495 Dock Code: 976

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mobile River** Mile: 25.8 PWD: 254
Name: **Akzo Nobel Chemicals Co., LeMoyne Plant Salt Dock.**
Location: Mile 25.8, right bank, Mobile River, approximately 5 miles above Interstate Highway 65 twin bridges. Datum: NPE
Operator: Not operated.
Owner: Akzo Nobel Chemicals Co.
Address: U.S. Highway 43. Phone: 334/679-4217
Town: Axis State: AL County: Mobile
Railway Connection: Trackage serving plant at rear; connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 30.969167
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.99306
Remarks: Facility formerly was used for receipt of rock salt.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15495 Dock Code: 974

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mobile River** Mile: 25.9 PWD: 253
Name: **Akzo Nobel Chemicals Co., LeMoyne Plant Chemical Dock.**
Location: Slip, mile 25.9, right bank, Mobile River, approximately 5 miles above Interstate Highway 65 twin bridge Datum: NPE
Operator: Not operated.
Owner: Akzo Nobel Chemicals Co.
Address: U.S. Highway 43. Phone: 334/679-4217
Town: Axis State: AL County: Mobile
Railway Connection: Trackage serving plant at rear; connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 30.97
Total Berthing Space (feet): 200 + | | Longitude (decimal): -87.99417
Remarks: Facility formerly was used for receipt and shipment of sulfuric acid and shipment of carbon tetrachloride.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15495 Dock Code: 974

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mobile River** Mile: 30.4 PWD: 252
Name: **Alabama Power Co., Barry Electric Generating Plant Fuel Oil Dock.**
Location: Mile 30.4, right bank, Mobile River, approximately 10 miles above Interstate Highway 65 twin bridges. Datum: NPE
Operator: Not operated.
Owner: Alabama Power Co.
Address: U.S. Highway 43. Phone:
Town: Bucks State: AL County: Mobile
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 31.014167
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.00972
Remarks: Facility formerly was used for receipt of fuel oil for plant consumption. One 8-inch pipeline extends from wharf to three steel storage tanks, total capacity 40,500 barrels. At time of survey (1997), pipeline was blanked and tanks were used to store water.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15495 Dock Code: 029

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mobile River** Mile: 30.5 PWD: 251
Name: **Alabama Power Co., Barry Electric Generating Plant Coal Dock.**
Location: Mile 30.5, rectangular slip, right bank, Mobile River, approximately 10 miles above Interstate Highway 6 Datum: NPE
Operator: Alabama Power Co.
Owner: Alabama Power Co.
Address: U.S. Highway 43. Phone: 334/829-2604
Town: Bucks State: AL County: Mobile
Railway Connection: None.
Purpose: Receipt of coal for plant consumption; mooring barges.
Depth Alongside (feet): 13 | 13 | 13 Latitude (decimal): 31.016111
Total Berthing Space (feet): 2,000 | | 1,600 Longitude (decimal): -88.01389
Remarks: Open storage areas located at rear have capacity for approximately 1,300,000 tons of coal. Coal is reclaimed via stacker reclaimer; via four diesel, mobile coal pushers; and via bulldozers. At time of survey (1997), the rail spur was not operable.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15495 Dock Code: 029

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Mobile River** Mile: 31.8 PWD: 250
 Name: **Ergon Oil Purchasing Co., Bucks Dock.**
 Location: Mile 31.8, right bank, Mobile River, approximately 8 miles below entrance to Tensaw River. Datum: NPE
 Operator: Ergon Oil Purchasing Co., Division of Ergon Inc.
 Owner: Ergon Oil Purchasing Co., Division of Ergon Inc.
 Address: U.S. Highway 43. Phone: 334/829-9933
 Town: Bucks State: AL County: Mobile
 Railway Connection: None.
 Purpose: Shipment of crude oil by barge.
 Depth Alongside (feet): 10 | | Latitude (decimal): 31.031944
 Total Berthing Space (feet): 200 | | Longitude (decimal): -88.01194
 Remarks: One 12-inch pipeline extends to wharf from one 80,000-barrel crude oil tank.□□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15495 Dock Code: 972

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Mobile River** Mile: 41.4 PWD: 249
 Name: **Mitternight Boiler Works, Barge Slip.**
 Location: On David Lake, opposite mile 41.4, right bank, Mobile River, approximately 3.6 miles below junction with Datum: NPE
 Operator: Mitternight Boiler Works Inc.
 Owner: Mitternight Boiler Works Inc.
 Address: County Road 96. Phone: 334/675-2671
 Town: Mount Vernon State: AL County: Mobile
 Railway Connection: None.
 Purpose: Shipment of fabricated steel structures, tanks, and boilers.
 Depth Alongside (feet): 5 | | Latitude (decimal): 31.095556
 Total Berthing Space (feet): 200 | | Longitude (decimal): -87.97611
 Remarks: Plant has capacity to roll plates 2-inches thick by 10-foot wide.□□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15495 Dock Code: 960

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mobile River** Mile: 5.4 PWD: 256
Name: **National Marine, Spanish River Fleet Mooring.**
Location: Mile 4, left bank, Mobile River, below junction with Spanish River. Datum: MLW
Operator: National Marine Inc., member of Vectura Group.
Owner: National Marine Inc., member of Vectura Group.
Address: - Phone: 334/438-9851
Town: Chickasaw State: AL County: Mobile
Railway Connection: None.
Purpose: Mooring barges for fleet
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 30.7625
Total Berthing Space (feet): 2,600 | | Longitude (decimal): -88.03111
Remarks: Fleet mooring has capacity for approximately 104 barges arranged in 13 tiers, each 8 barges wide. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15495 Dock Code: 900

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 397.8 PWD: 291
Name: **Alabama Power Co., Gorgas Steam Plant Transloader Dock.**
Location: Mile 397.8, right bank, Mulberry Fork, approximately 4 miles below Copeland Ferry Datum: NPE
(State Highway 269) Br
Operator: Alabama Power Co.
Owner: Alabama Power Co.
Address: 460 Gorgas Road. Phone: 205-686-5029
Town: Gorgas State: AL County: Walker
Railway Connection: Alabama Power Co.: Railroad serving plant at rear extends to company mine.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.647778
Total Berthing Space (feet): 420 | | Longitude (decimal): -87.21139
Remarks: Open storage located at rear and stacking-tube open storage area have total capacity for 1,000,000 tons of coal. Barges are moored along both banks as required.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 563 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 415.2 PWD: 292
Name: **Warrior River Steel, Cordova Barge Slip.**
Location: Mile 415.2, left bank, Mulberry Fork, approximately 0.8 mile below State Highway 22 Datum: NPE Bridge.
Operator: Warrior River Steel, L.L.C.
Owner: Warrior River Steel, L.L.C.
Address: 6275 Horse Creek Blvd. Phone: 205/483-6200
Town: Cordova State: AL County: Walker
Railway Connection: None.
Purpose: Shipment of fabricated steel structures.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.75
Total Berthing Space (feet): 290 | | Longitude (decimal): -87.16167
Remarks: Inner end of slip is covered. ☐ ☐
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 540 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 416.3 PWD: 294
Name: **Vulcan Asphalt Refining Co., Cordova East Dock.**
Location: Right bank, Cove Creek, at mile 416.3, right bank, Mulberry Fork, approximately 0.2 mile above State Hig Datum: NPE
Operator: Vulcan Asphalt Refining Co.
Owner: Vulcan Asphalt Refining Co.
Address: 4215 River Road. Phone: 205-483-9262
Town: Cordova State: AL County: Walker
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.759444
Total Berthing Space (feet): 350 | | Longitude (decimal): -87.16861
Remarks: One 12-, one 10-, and one 6-inch pipeline extend from wharf to eleven steel storage tanks, total capacity 315,000 barrels. ☐
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 543 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 416.3 PWD: 293
Name: **Vulcan Asphalt Refining Co., Cordova West Dock.**
Location: Left bank, Cove Creek, at mile 416.3, right bank, Mulberry Fork, approximately 0.2 mile above State High Datum: NPE
Operator: Vulcan Asphalt Refining Co.
Owner: Vulcan Asphalt Refining Co.
Address: 4215 River Road. Phone: 205-483-9262
Town: Cordova State: AL County: Walker
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.758611
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.16917
Remarks: Barges moor on Cove Creek portion of bulkhead. One 10-inch pipeline extends to six steel storage tanks, total capacity 70,000 barrels.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 543 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 416.5 PWD: 295
Name: **Alabama State Docks, Cordova Wharf.**
Location: Mile 416.5, right bank, Mulberry Fork, approximately 0.4 mile above State Highway 22 Bridge. Datum: NPE
Operator: Alabama State Docks Department.
Owner: Alabama State Docks Department.
Address: River Road. Phone: 334/441-7113
Town: Cordova State: AL County: Walker
Railway Connection: One 22-car-capacity surface track extends to face of wharf on lower side; connects with Burlington Northern Railroad.
Purpose: Receipt of petroleum coke; shipment of coal and timber.
Depth Alongside (feet): 12 | 9 | Latitude (decimal): 33.759167
Total Berthing Space (feet): 200 | 200 | Longitude (decimal): -87.16556
Remarks: Facility occupies 50 acres, including open storage area with capacity for approximately 150,000 tons of coal. One 200- by 100-foot steel frame, metal-covered concrete floor building located at rear is available for storing commodities requiring protection from weather.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 541 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 421.2 PWD: 296
Name: **Alabama Land and Mineral, Port Walker Docks.**
Location: Mile 421.2, left bank, Mulberry Fork, approximately 0.6 mile below U.S. Highway 78 Datum: NPE Bridge.
Operator: Alabama Land and Mineral Inc.
Owner: Alabama Land and Mineral Inc.
Address: U.S. Highway 78. Phone: 205/648-6013
Town: Lynn Park State: AL County: Walker
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.798889
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -87.14222
Remarks: Port Walker occupies 100 acres with storage capacity for 150,000 tons of coal. At time of survey (1997), upper wharf was to be developed for handling coal or other bulk commodities, or for handling general cargo.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 531 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 421.6 PWD: 297
Name: **Lynn Park Terminal Dock.**
Location: Mile 421.6, left bank, Mulberry Fork, approximately 0.2 mile below U.S. Highway 78 Datum: NPE Bridge.
Operator: Lynn Park Terminal Inc., a division of McNabb Realty Co.
Owner: Lynn Park Terminal Inc., a division of McNabb Realty Co.
Address: County Road 22. Phone: 205-956-3128
Town: Lynn Park State: AL County: Walker
Railway Connection: None.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.803889
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.14167
Remarks: Eight 6-inch pipelines extend from six steel storage tanks, total capacity 2,520,000 gallons. At time of survey (1997), only one of the pipelines and two of the tanks were in use, total capacity 840,000 gallons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 532 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Mulberry Fork** Mile: 429.2 PWD: 298
Name: **Empire Coke Co., Sipsey Dock.**
Location: Mile 429.2, right bank, Mulberry Fork, below Burlington Northern Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: Empire Coke Co. Inc.
Address: County Road 22. Phone: 205/323-2400
Town: Sipsey State: AL County: Walker
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.811667
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.05389
Remarks: Facility formerly was used for shipment of coal. □ Open storage area located at rear has capacity for approximately 100,000 tons. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 517 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 223.2 PWD: 230
Name: **Alabama Farmers Cooperative, Demopolis Wharf.**
Location: Left bank, Old Tombigbee River Channel, approximately 5 miles above mile 223.2, Datum: NPE
left bank, Tombigbee Riv
Operator: Alabama Farmers Cooperative Inc. and Tombigbee Fleeting Service Inc. (See Remarks.)
Owner: Alabama Farmers Cooperative Inc.
Address: U.S. Highway 43 North. Phone: 334/289-2232
Town: Demopolis State: AL County: Marengo
Railway Connection: One surface track at rear; connects with Burlington Northern Railroad.
Purpose: Receipt of dry bulk fertilizer and occasional grain; mooring barges for fleeting.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.608611
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.83417
Remarks: Steel flat storage building located at rear has capacity for 1,000,000 bushels of grain. At time of survey (1997), the wharf was deteriorated and repairs were planned. Tombigbee Fleeting Service Inc.: Operates a fleeting area with capacity for 117 barges arranged in 39 tiers, each 3 barges wide, along Old Tombigbee River Channel between wharf and main channel.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 219 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tennessee-Tombigbee** Mile: 247.3 PWD: 229
 Name: **Mannington Corp., Port of Epes Dock and Slip.**
 Location: Mile 247.0, right bank, Tennessee-Tombigbee Waterway, approximately 1.1 miles below U.S. Highway 11 Brid Datum: NPE
 Operator: Mannington Corp. and Parker Towing Co. Inc. (See Remarks.)
 Owner: Sumter County Industrial Board.
 Address: Foot of Epes Port Road. Phone: 205-652-2090 X
 Town: Epes State: AL County: Sumter
 Railway Connection: One surface track parallel to slip extends to river dock; connects with Norfolk Southern Railway.
 Purpose: Shipment of wood chips and lightweight aggregate.
 Depth Alongside (feet): 10 | | Latitude (decimal): 32.685
 Total Berthing Space (feet): 2,000 | | Longitude (decimal): -88.09917
 Remarks: Planned dock on rock bank of Waterway above slip not constructed at time of survey (1997). ☐ Parker Towing Company: Operates wharf and 17-acre open storage area on space leased from Mannington.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 220 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tennessee-Tombigbee** Mile: 259.5 PWD: 228
 Name: **Kimberly-Clark Corp., Boligee Wood Yard Dock.**
 Location: Mile 259.5, left bank, Tennessee-Tombigbee Waterway, above Gladys Landing. Datum: NPE
 Operator: Kimberly-Clark Corp.
 Owner: Kimberly-Clark Corp.
 Address: County Road 59. Phone: 205/373-8872
 Town: Boligee State: AL County: Greene
 Railway Connection: One surface track at rear; connects with Burlington Northern Railroad.
 Purpose: Shipment of logs.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.7875
 Total Berthing Space (feet): 470 | | Longitude (decimal): -88.065
 Remarks: The height of the 470-foot section of bulkhead is at approximately +40.0, the lower section ranges from +40.0 to +17.0 to +13.0 NPE. Open storage area located at rear has capacity for 50,000 tons of logs.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 240 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 292.3 PWD: 227
Name: **Kimberly-Clark Corp., Ala-Miss Unit Chip Mill Dock.**
Location: Mile 292.3, left bank, Tennessee-Tombigbee Waterway, approximately 0.5 mile below State Highway 17 Bridge Datum: NPE
Operator: Kimberly-Clark Corp.
Owner: Kimberly-Clark Corp.
Address: State Highway 17. Phone: 205/373-8872
Town: Aliceville State: AL County: Pickens
Railway Connection: None.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.078889
Total Berthing Space (feet): 700 | | Longitude (decimal): -88.2275
Remarks: Approximately 90 acres of open storage area have capacity for 10,000 tons of wood chips and 75,000 tons of logs. Barges awaiting loading or shipment are moored to shore mooring up to 3 abreast at inner end of slip, opposite loading area.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 258

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 292.3 PWD: 226
Name: **Materials Marketing, Aliceville Barge-Loading Wharf.**
Location: Mile 292.3, left bank, Tennessee-Tombigbee Waterway, approximately 0.5 mile below State Highway 17 Bridge Datum: NPE
Operator: Materials Marketing Inc.
Owner: Kimberly-Clark Corp.
Address: State Highway 17. Phone: 205/759-9010
Town: Aliceville State: AL County: Pickens
Railway Connection: None.
Purpose: Shipment of wood bark.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.079444
Total Berthing Space (feet): 900 | | Longitude (decimal): -88.22778
Remarks: Approximately 7 acres of open storage area are located at rear, capacity 7,000 tons of bark. Barges awaiting loading or shipment are moored in single file along outer portion of dolphins.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 259

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 292.7 PWD: 225
Name: **Tom Soya Grain Co., Aliceville River Terminal.**
Location: Mile 292.7, right bank, Tennessee-Tombigbee Waterway, approximately 500 feet below State Highway 17 Brid Datum: NPE
Operator: Tom Soya Grain Co.
Owner: Robert Johnston.
Address: State Highway 17. Phone: 205-373-8761
Town: Aliceville State: AL County: Pickens
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 33.078611
Total Berthing Space (feet): 210 | 210 | Longitude (decimal): -88.23556
Remarks: Barges can berth 3-wide in slip. Grain elevator located at rear, consisting of 3 steel bins, has capacity for 135,000 bushels.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 261 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 308.0 PWD: 224
Name: **Parker Towing Co., Pickens County Port Slip.**
Location: On Old Tombigbee River Channel, opposite mile 308.0, Tennessee-Tombigbee Waterway, approximately 1.2 mil Datum: NPE
Operator: Parker Towing Co. Inc.
Owner: Pickens County Port Inc.
Address: Brooksville Road. Phone: 205/349-1677
Town: Pickensville State: AL County: Pickens
Railway Connection: One 6-car-capacity surface track on lower wharf serving railcar pit; connects with Burlington Northern Railroad.
Purpose: Receipt and shipment of potash, gypsum, and occasional crushed limestone.
Depth Alongside (feet): 11 | 11 | Latitude (decimal): 33.228333
Total Berthing Space (feet): 385 | 385 | Longitude (decimal): -88.27444
Remarks: Approximately 8 acres of open storage area is available on lower side of slip, capacity 12,000 tons.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 268 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 310.1 PWD: 223
Name: **Tom Soya Grain Co., Brooksville Dock.**
Location: Right bank, mile 310.1, Tennessee-Tombigbee Waterway, approximately 3.3 miles above Bevill Lock and Dam. Datum: NPE
Operator: Tom Soya Grain Co.
Owner: Tom Soya Grain Co.
Address: 12700 Hwy. 388 Phone: 205/373-2461
Town: Bigbee Valley State: MS County: Lowndes
Railway Connection: None.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 9 - 10 | 9 - 10 | Latitude (decimal): 33.253611
Total Berthing Space (feet): 200 | 300 | Longitude (decimal): -88.30556
Remarks: Grain elevator located at rear, consisting of seven steel bins, has capacity for 730,000 bushels. A total of 6 barges can be moored along natural bank above and below wharf.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 270 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 330.0 PWD: 222
Name: **Southern Wood Fibre, Columbus Chip Mill Dock.**
Location: On Old Tombigbee River Channel, at mile 330.0, Tenn-Tom Waterway, 0.9 mile below Burlington Northern/Nor Datum: NPE
Operator: Southern Wood Fibre Inc.
Owner: Southern Wood Fiber Inc.
Address: Foot of Port Access Road. Phone: 601/328-5468
Town: Columbus State: MS County: Lowndes
Railway Connection: None.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 11 - 17 | | Latitude (decimal): 33.473611
Total Berthing Space (feet): 500 | | Longitude (decimal): -88.43444
Remarks: Average chip loading rate is 160 tons per hour. □□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 615

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 330.2 PWD: 221
Name: **Logistics Services, Port of Lowndes County Break Bulk Dock.**
Location: On Old Tombigbee River Channel, at mile 330.2, Tenn-Tom Waterway, 0.7 mile below Burlington Northern/Nor Datum: NPE
Operator: Logistics Services Inc.
Owner: Lowndes County Port Authority.
Address: Foot of Port Access Road. Phone: 601/328-3263
Town: Columbus State: MS County: Lowndes
Railway Connection: One rail spur located at rear; connects with Burlington Northern and Norfolk Southern Railway.
Purpose: Receipt and shipment of break-bulk cargo, primarily paper products.
Depth Alongside (feet): 11 - 16 | | Latitude (decimal): 33.475
Total Berthing Space (feet): 270 | | Longitude (decimal): -88.43556
Remarks: Approximately 1,000 square feet of protected storage space is available in wings adjacent to bridge crane; an additional 22,000 square feet of protected storage is available in warehouse.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 273

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 330.4 PWD: 220
Name: **Logistics Services, Port of Lowndes County Dry Bulk Dock.**
Location: On Old Tombigbee River Channel, at mile 330.4, Tenn-Tom Waterway, 0.5 mile below Burlington Northern/Nor Datum: NPE
Operator: Logistics Services Inc.
Owner: Lowndes County Port Authority.
Address: Foot of Port Access Road. Phone: 601/328-3263
Town: Columbus State: MS County: Lowndes
Railway Connection: One rail spur located at rear; connects with Burlington Northern and Norfolk Southern Railway.
Purpose: Receipt of aggregate; occasional shipment of clinker and wood bark.
Depth Alongside (feet): 11 - 14 | | Latitude (decimal): 33.476667
Total Berthing Space (feet): 110 | | Longitude (decimal): -88.43611
Remarks: No storage space is available. Transfer of cargo is direct to/from barge to truck or railcar. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 273

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 330.5 PWD: 219
Name: **Southern Ionics, Port of Lowndes County Liquid Bulk Dock.**
Location: On Old Tombigbee River Channel, at mile 330.5, Tenn-Tom Waterway, 0.4 mile below Burlington Northern/Nor Datum: NPE
Operator: Southern Ionics Inc.
Owner: Lowndes County Port Authority.
Address: Foot of Port Access Road. Phone: 601/494-3055
Town: Columbus State: MS County: Lowndes
Railway Connection: One rail spur located at rear; connects with Burlington Northern and Norfolk Southern Railway.
Purpose: Receipt of liquid caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.479722
Total Berthing Space (feet): 190 | | Longitude (decimal): -88.43667
Remarks: One 6-inch caustic pipeline and one 4-inch condensate pipeline extend to two 50 percent caustic soda storage tanks, total capacity 750,000 gallons; to one 20,000-gallon dilute caustic soda storage tank; and to rail-/truck-loading platform at rear. One 2-inch steam line and one 2-inch compressed air line also extend from platform to tank farm located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 610

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 335.6 PWD: 218
Name: **Ralph E. Williamson, Columbus Dock.**
Location: Mile 335.8, left bank, Tennessee-Tombigbee Waterway, approximately 1.6 miles above Columbus Lock and Dam Datum: NPE
Operator: Not operated.
Owner: Mr. Ralph E. Williamson.
Address: Wilkins Wise Road. Phone: 601/328-6355
Town: Columbus State: MS County: Lowndes
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.526389
Total Berthing Space (feet): 460 | | Longitude (decimal): -88.47083
Remarks: Facility formerly was used for the receipt of machinery and steel products, and shipment of sand and gravel. At time of survey (1997), heavy equipment was awaiting shipment off-site by barge. Approximately 800 acres at rear are available for storage and development.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 276

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 338.6 PWD: 217
Name: **County of Clay, General Cargo Wharf.**
Location: Mile 338.6, right bank, Tennessee-Tombigbee Waterway, approximately 0.7 mile below State Highway 50 Brid Datum: NPE
Operator: Not operated.
Owner: Clay County, MS.
Address: Foot of Waverly Road. Phone: 601/494-3124
Town: West Point State: MS County: Clay
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 33.572222
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.49194
Remarks: Facility was established for receipt and shipment of general cargo and miscellaneous dry bulk materials. ☐ Approximately 3 acres of open storage area are located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 278

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 338.7 PWD: 216
Name: **Tom Soya Grain Co., Port of Clay Dry Bulk Wharf.**
Location: Mile 338.7, right bank, Tennessee-Tombigbee Waterway, approximately 0.6 mile below State Highway 50 Brid Datum: NPE
Operator: Tom Soya Grain Co.
Owner: Tom Soya Grain Co.
Address: Foot of Waverly Road. Phone: 601/494-3754
Town: West Point State: MS County: Clay
Railway Connection: None.
Purpose: Receipt of dry bulk commodities, primarily salt.
Depth Alongside (feet): 28 | | Latitude (decimal): 33.574444
Total Berthing Space (feet): 190 | | Longitude (decimal): -88.49278
Remarks: Covered storage building has capacity for 5,000 tons of salt. ☐☐
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 280 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 338.7 PWD: 215
Name: **Tom Soya Grain Co., Port of Clay Grain-Loading Wharf.**
Location: Right bank, Old Tombigbee River Channel, opposite mile 338.7, Tennessee-Tombigbee Waterway. Datum: NPE
Operator: Tom Soya Grain Co.
Owner: Tom Soya Grain Co.
Address: Foot of Waverly Road. Phone: 601/494-3754
Town: West Point State: MS County: Clay
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 28 | | Latitude (decimal): 33.576389
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.49361
Remarks: Grain elevator located at rear, consisting of 6 steel bins, has capacity for 507,000 bushels. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 280 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 355.7 PWD: 214
Name: **Mieco Terminal and Marketing Co., Port of Aberdeen Petroleum Produ**
Location: Mile 355.7, right bank, Tennessee-Tombigbee Waterway, approximately 1.0 mile below U.S. Hwy. 45 Bridge. Datum:
Operator: Mieco Terminal and Marketing Co.
Owner: City of Aberdeen, MS.
Address: Foot of Norm Connell Drive. Phone: 601/369-6561
Town: Aberdeen State: MS County: Monroe
Railway Connection: None.
Purpose: Receipt of gasoline and diesel fuel by barge.
Depth Alongside (feet): | | Latitude (decimal): 33.809722
Total Berthing Space (feet): 12 | | Longitude (decimal): -88.51444
Remarks: Four 6-inch pipelines extend to three steel, gasoline storage tanks, total capacity 130,000 barrels, and one 20,000-barrel diesel fuel storage tank. □ Face of platform and dolphins are contiguous to and in line with Ref. Nos. 212 and 213, providing for approximately 1,000 feet of continuous berthing space.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 301

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 355.8 PWD: 213
Name: **Texaco Trading and Transportation, Port of Aberdeen Crude Oil Pier**
Location: Mile 355.8, right bank, Tennessee-Tombigbee Waterway, approximately 0.9 mile below U.S. Hwy. 45 Bridge. Datum: NPE
Operator: Texaco Trading and Transportation Inc.
Owner: City of Aberdeen, MS.
Address: Foot of Norm Connell Drive. Phone: 601/425-3782
Town: Aberdeen State: MS County: Monroe
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 33.811111
Total Berthing Space (feet): 16 | | Longitude (decimal): -88.515
Remarks: Face of platform and breasting dolphin is contiguous to and in line with Ref. Nos. 212 and 214, providing approximately 1,000 feet of continuous berthing space. One 10-inch pipeline extends to platform from one steel, 5,000-barrel crude oil storage tank.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 638

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 356.0 PWD: 212
Name: **Tom Soya Grain Co., Port of Aberdeen Dry Bulk Wharf.**
Location: Mile 356.0, right bank, Tennessee-Tombigbee Waterway, approximately 0.7 mile below U.S. Hwy. 45 Bridge. Datum: NPE
Operator: Tom Soya Grain Co.
Owner: City of Aberdeen, MS.
Address: Foot of Norm Connell Drive. Phone: 601/494-3754
Town: Aberdeen State: MS County: Monroe
Railway Connection: None.
Purpose: Shipment of logs; receipt of miscellaneous bulk materials.
Depth Alongside (feet): 14 - 16 | | Latitude (decimal): 33.8125
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.51528
Remarks: Face of bulkhead and breasting dolphins are continuous to and in line with dolphins at Ref. Nos. 213 and 214, providing approximately 1,000 feet of continuous berthing space. Approximately 6 1/2 acres of open storage area have capacity for 20,000 tons of logs.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 639

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 356.8 PWD: 211
Name: **Tom Soya Grain Co., Old U.S. 45 Bridge Pier Wharf.**
Location: Mile 356.8, right bank, Old Tombigbee River Channel, approximately 0.1 mile above U.S. 45 Bridge. Datum: NPE
Operator: Tom Soya Grain Co.
Owner: State of Mississippi.
Address: Foot of Utility Road. Phone: 601/494-3754
Town: Aberdeen State: MS County: Monroe
Railway Connection: None.
Purpose: Occasional shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.820833
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.5175
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrns Waterway Code: 15506 Dock Code: 639

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 369.2 PWD: 210
Name: **Weyerhaeuser Co., Amory Plant Wharf.**
Location: Mile 369.2, left bank, Tennessee-Tombigbee Waterway, approximately 0.6 mile below Burlington Northern R Datum: NPE
Operator: Weyerhaeuser Co.
Owner: Weyerhaeuser Co.
Address: Foot of Fifth Avenue. Phone: 601/257-0400
Town: Amory State: MS County: Monroe
Railway Connection: Tracks of Mississippian Railroad located at rear of property; connect with Burlington Northern Railroad.
Purpose: Shipment of wood chips and (wood)?? bark.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.991667
Total Berthing Space (feet): 950 | | Longitude (decimal): -88.50556
Remarks: Approximately 40 acres of open storage area located at rear have capacity for 40,000 green tons of wood chips and 3,000 green tons of wood bark.□
Year of Last Survey: 1997 Corps of Engrns Waterway Code: 15506 Dock Code: 307 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 369.5 PWD: 209
Name: **City of Amory, General Cargo Wharf.**
Location: Mile 369.5, left bank, Tennessee-Tombigbee Waterway, approximately 0.3 mile below Burlington Northern R Datum: NPE
Operator: Not operated.
Owner: City of Amory.
Address: Foot of Fifth Avenue. Phone: 601-256-5635
Town: Amory State: MS County: Monroe
Railway Connection: Tracks of Mississippian Railroad located at rear of property; connect with Burlington Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.994444
Total Berthing Space (feet): 866 | | Longitude (decimal): -88.50278
Remarks: Rail spur was not operable at time of survey (1997).☐☐
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 652 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 369.9 PWD: 208
Name: **City of Amory, Grain Wharf.**
Location: Mile 369.9, left bank, Tennessee-Tombigbee Waterway, between State Highway 6 Bridge and Burlington North Datum: NPE
Operator: Not operated.
Owner: City of Amory.
Address: Foot of Fifth Avenue. Phone: 601/494-3754
Town: Amory State: MS County: Monroe
Railway Connection: Tracks of Mississippian Railroad located at rear of property; connect with Burlington Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 33.997222
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.49861
Remarks: Facility formerly was used for shipment of grain. Rail spur was not operable at time of survey (1997).☐
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 652 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 389.8 PWD: 207
Name: **American Cellulose Corp., Port of Itawamba County Lower Slip Wharf**
Location: Mile 389.8, left bank, Tennessee-Tombigbee Waterway, approximately 0.2 mile above U.S. Highway 78 Bridge Datum: NPE
Operator: American Cellulose Corp.
Owner: Itawamba County Development Council.
Address: Foot of Access Road, Port Itawamba. Phone: 601/862-4733
Town: Fulton State: MS County: Itawamba
Railway Connection: Tracks of Mississippian Railroad located at rear of property; connect with Burlington Northern Railroad.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.241667
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -88.4125
Remarks: Approximately 10 acres of open storage area located at rear have capacity for 50,000 tons of wood chips. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 673

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 389.8 PWD: 206
Name: **Ramsey, Scarlett and Co., Port of Itawamba County Upper Slip Wharf**
Location: Mile 389.8, left bank, Tennessee-Tombigbee Waterway, approximately 0.2 mile above U.S. Highway 78 Bridge Datum: NPE
Operator: Ramsey, Scarlett and Co. Inc.
Owner: Itawamba County Development Council.
Address: Foot of Access Road, Port Itawamba. Phone: 601/862-7755
Town: Fulton State: MS County: Itawamba
Railway Connection: Tracks of Mississippian Railroad located at rear of property; connect with Burlington Northern Railroad.
Purpose: Receipt and shipment of miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.241667
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -88.4125
Remarks: Transit shed is available for storing material requiring protection from weather. □ Approximately 11 acres of open storage area are located at rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 675 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 389.9 PWD: 205
Name: **Ramsey, Scarlett and Co., Port of Itawamba County River Wharf.**
Location: Mile 389.9, left bank, Tennessee-Tombigbee Waterway, approximately 0.3 mile above U.S. Highway 78 Bridge Datum: NPE
Operator: Ramsey, Scarlett and Co. Inc.
Owner: Itawamba County Development Council.
Address: Foot of Access Road, Port Itawamba. Phone: 601/862-7755
Town: Fulton State: MS County: Itawamba
Railway Connection: Tracks of Mississippian Railroad located at rear of property.
Purpose: Receipt of pine saw logs and shipment of hardwood pulp.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 34.244444
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -88.41278
Remarks: Approximately 5 acres of open storage area are located at rear. □ □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 675 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 409.8 PWD: 204
Name: **Kimberly-Clark Corp., Tenn-Tom Unit Wharf.**
Location: Mile 409.8, left bank, Tennessee-Tombigbee Waterway, approximately 1.4 miles below Jamie Whitten Lock an Datum: NPE
Operator: Kimberly-Clark Corp.
Owner: Kimberly-Clark Corp.
Address: 183 County Road 1. Phone: 601/454-9274
Town: Dennis State: MS County: Tishomingo
Railway Connection: None.
Purpose: Shipment of wood chips and wood bark.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 34.497222
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -88.32222
Remarks: Barges are moored in tiers 3 wide. □ Open storage yard has capacity for approximately 8,000 tons of wood chips and 5,000 tons of wood bark.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 694

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tennessee-Tombigbee** Mile: 412.0 PWD: 203
 Name: **F.E. Mills Enterprises, Bay Springs Marina Fuel Station.**
 Location: Right bank, Bay Springs Inlet, approximately 1 mile above mile 412.0, right bank, Datum: NPE
 Tennessee-Tombigbee Wa
 Operator: F.E. Mills Enterprises Inc.
 Owner: F.E. Mills Enterprises Inc.
 Address: Foot of West Bank Recreation Access R Phone: 601/728-2449
 Town: New Site State: MS County: Tishomingo
 Railway Connection: None.
 Purpose: Occasional fueling of towboats.
 Depth Alongside (feet): 25 | 10 | Latitude (decimal): 34.538889
 Total Berthing Space (feet): 120 | 135 | Longitude (decimal): -88.27361
 Remarks: Towboats receive fuel from tanker truck.□□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 310

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tennessee-Tombigbee** Mile: 446.1 PWD: 202
 Name: **State of Mississippi, Yellow Creek Tri-State Commerce Park Dock.**
 Location: Mile 446.1, right bank, Yellow Creek Embayment, Tishomingo County. Datum: NPE
 Operator: Not operated.
 Owner: State of Mississippi, Department of Economic and Community Development.
 Address: Foot of County Road 989. Phone: 601/423-0805
 Town: Iuka State: MS County: Tishomingo
 Railway Connection: Trackage at plant located in rear; connect with Norfolk Southern Railway.
 Purpose: Not used.
 Depth Alongside (feet): 12 - 14 | 12 | 12 Latitude (decimal): 34.945556
 Total Berthing Space (feet): 200 | | 200 Longitude (decimal): -88.21917
 Remarks: Facility formerly was used for the receipt and shipment of electric-power-generating equipment. A gravel ramp for roll-on/roll-off cargo is located adjacent to southern end of bulkhead.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 319

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 447.6 PWD: 201
Name: **Muscle Shoals Marine Service, Yellow Creek Fleet Mooring.**
Location: Mile 447.6, right bank, Yellow Creek Embayment, Tishomingo County. Datum: NPE
Operator: Muscle Shoals Marine Service Inc.
Owner: Muscle Shoals Marine Service Inc.
Address: Phone: 205/766-7635
Town: Iuka State: MS County: Tishomingo
Railway Connection: None.
Purpose: Mooring barges for fleetling. (See Remarks.)
Depth Alongside (feet): 9 - 15 | | Latitude (decimal): 34.977778
Total Berthing Space (feet): 800 | | Longitude (decimal): -88.22639
Remarks: Fleet mooring has capacity for approximately 12 barges arranged in 4 tiers, each 3 barges wide.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 322

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 448.2 PWD: 198
Name: **Ergon Inc., Yellow Creek Wharf.**
Location: Mile 448.2, left bank, Yellow Creek Embayment, inner end of west side of Yellow Creek Port Point. Datum: NPE
Operator: Ergon Inc.
Owner: Ergon Inc.
Address: Foot of Yellow Creek Port Road. Phone: 601/933-3128
Town: Iuka State: MS County: Tishomingo
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 34.981944
Total Berthing Space (feet): 360 | | Longitude (decimal): -88.24028
Remarks: One 10-inch, electric-traced pipeline, unloading rate 1,500 barrels per hour, extends from wharf to five steel asphalt storage tanks, total capacity 200,000 barrels. One unused, 8-inch pipeline extends from wharf to terminal located at rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 335 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tennessee-Tombigbee** Mile: 448.2 PWD: 199
Name: **Yellow Creek State Inland Port Authority, Main Dock.**
Location: Mile 448.2, left bank, Yellow Creek Embayment, outer end of west side of Yellow Creek Port Point. Datum: NPE
Operator: Yellow Creek State Inland Port Authority.
Owner: Yellow Creek State Inland Port Authority.
Address: 43 County Road 370. Phone: 601/423-6088
Town: Iuka State: MS County: Tishomingo
Railway Connection: Two 575- and 540-foot-long surface tracks, located along rear of wharf, extend into open storage area; connect with Corinth and Counce Railroad.
Purpose: Receipt and shipment of conventional general cargo, including steel billets, structural shapes, coiled strip, paper, steel, ore, bridge beams, and miscellaneous dry bulk materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.983333
Total Berthing Space (feet): 414 | | Longitude (decimal): -88.23833
Remarks: Approximately 6 acres of open storage area and three transit sheds, described under Ref. No. 200, are located at rear. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15506 Dock Code: 330 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tennessee-Tombigbee** Mile: 448.2 PWD: 200
 Name: **Yellow Creek State Inland Port Authority, Secondary Dock.**
 Location: Mile 448.2, left bank, Yellow Creek Embayment, outer end of east side of Yellow Creek Port Point. Datum: NPE
 Operator: Yellow Creek State Inland Port Authority.
 Owner: Yellow Creek State Inland Port Authority.
 Address: 43 County Road 370. Phone: 601/423-6088
 Town: Iuka State: MS County: Tishomingo
 Railway Connection: One 600-foot surface track on apron and one 610-foot part platform-level track on apron and dock side of Transit Shed No. 1; connect with 21-car-capacity yard and with the Corinth and Counce Railroad.Railroad.
 Purpose: Receipt and shipment of conventional general cargo, steel I-beams, and miscellaneous dry bulk materials, including receipt of coal; shipment of grain.
 Depth Alongside (feet): 14 | | Latitude (decimal): 34.981944
 Total Berthing Space (feet): 1,000 | | Longitude (decimal): -88.23639
 Remarks: Transit Shed No. 1.: Steel frame, metal-covered; concrete floor, 200- by 100-foot, 16,000-square-foot net, 16- by 25-foot doors dockside and rear. One rail-car-loading platform located at dock side. Transit Shed No. 2.: Steel frame, metal-covered; concrete floor, 150- by 100-foot, 12,000-square-foot net, 16- by 16-foot door and 16- by 12-foot door east side, shed is humidity-controlled.Transit shed No. 3.: Steel frame, metal-covered; concrete floor, 200- by 100- foot, 16,800-square-foot net, 16- by 16-foot doors both sides for interior truck-loading/unloading ramp and 16- by 16-foot doors both sides for interiorrail-loading/uloading ramp; two bridge cranes on rafters for handling stored material.□Approximately 6 acres of paved open storage area are located adjacent toTransit Shed No. 2.

Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15506 Dock Code: 330 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tensaw River** Mile: PWD: 257
 Name: **Tensaw River Docks and Storage Yard Wharf.**
 Location: Left bank, Tensaw River, approximately 1.8 miles above CSX Transportation Bridge. Datum: MLW
 Operator: Not operated.
 Owner: Katherine Roland.
 Address: Foot of County Road 7. Phone: 334/222-1168
 Town: Bay Minette State: AL County: Baldwin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 20 | 13 - 18 | Latitude (decimal): 30.863611
 Total Berthing Space (feet): 390 | 230 + | Longitude (decimal): -87.89528
 Remarks: Facility was formerly used for receipt and shipment of general cargo and miscellaneous bulk materials. Two covered, 16- by 2-foot timber piers, formerly used for mooring line boats, extend from upper side of approach. A 300- square foot, steel frame, metal-covered storage building, and 3 paved and 40 unpaved acres of open storage are located in rear. Tensaw River fleeting area above wharf has capacity for approximately 350 barges in 35 tiers, each 10barges wide.

Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15495 Dock Code: 901

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 125.1 PWD: 242
Name: **Hunt Refining Co., Naheola Dock.**
Location: Mile 125.1, right bank, Tombigbee River, approximately 0.6 mile below Lenoir Datum: NPE
Landing.
Operator: Hunt Refining Co., Subsidiary of Hunt Oil Co.
Owner: Hunt Refining Co., Subsidiary of Hunt Oil Co.
Address: County Road 14. Phone: 334/771-6153
Town: Naheola State: AL County: Choctaw
Railway Connection: None.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 30 | | Latitude (decimal): 31.842778
Total Berthing Space (feet): 212 | | Longitude (decimal): -88.1625
Remarks: One 12-inch pipeline extends from wharf to one 80,000-barrel storage tank located approximately 1 1/2
mile at rear.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 873 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 126.5 PWD: 241
Name: **International Paper Co., Osage Woodyard Dock.**
Location: Mile 126.5, left bank, Tombigbee River, approximately 0.6 miles above Lenoir Datum: NPE
Landing.
Operator: International Paper Co.
Owner: International Paper Co.
Address: County Road 21. Phone: 334/276-3741
Town: Naheola State: AL County: Marengo
Railway Connection: None.
Purpose: Shipment of logs.
Depth Alongside (feet): 32 | | Latitude (decimal): 31.858056
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.14806
Remarks: Open storage area located at rear has capacity for approximately 7,000 cords of logs.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 876 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 172.7 PWD: 240
Name: **Fort James Corp., Naheola Mill Fuel Dock**
Location: Mile 172.7, right bank, Tombigbee river, approximately 0.7 mile below Meridian and Datum: NPE
Bigbee Railroad and S
Operator: Fort James Corp.
Owner: Fort James Corp.
Address: 7530 Highway 114. Phone: 205-459-1135
Town: Pennington State: AL County: Choctaw
Railway Connection: Fort James Corp.'s Meridian and Bigbee Railroad tracks serving plant; connect with CSX
Transportation.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.225833
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.01056
Remarks: One 8-inch pipeline extends from wharf to one 137,700-barrel steel storage tank. Two oil spill
containment booms, total length 200 feet, are available.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 141 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 173.6 PWD: 239
Name: **Fort James Corp., Naheola Mill Wood Chip Slip.**
Location: Mile 173.6, right bank, Tombigbee river, approximately 0.1 mile above Meridian and Datum: NPE
Bigbee Railroad and S
Operator: Fort James Corp.
Owner: Fort James Corp.
Address: 7530 Highway 114. Phone: 205-459-1135
Town: Pennington State: AL County: Choctaw
Railway Connection: Fort James Corp.'s Meridian and Bigbee Railroad tracks serving plant; connect with CSX
Transportation.
Purpose: Receipt of wood chips by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 32.241667
Total Berthing Space (feet): 600 | | Longitude (decimal): -88.01528
Remarks: -□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 830

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 201.9 PWD: 238
Name: **Canal Chip Corp., Rooster Bridge Wharf.**
Location: Mile 201.9, right bank, Tombigbee River, approximately 2.2 miles below U.S. Highway 80 Bridge. Datum: NPE
Operator: Canal Chip Corp.
Owner: Canal Chip Corp.
Address: U.S. Highway 80 West. Phone: 205/652-2224
Town: Demopolis State: AL County: Marengo
Railway Connection: None.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 7 - 12 | | Latitude (decimal): 32.433333
Total Berthing Space (feet): 600 | | Longitude (decimal): -88.03278
Remarks: Open storage area located at rear has capacity for 5,000 tons of wood chips. Barges awaiting loading or shipment are moored three abreast along row of dolphins.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 169 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 205.6 PWD: 237
Name: **Gulf States Paper Corp., Demopolis Dock.**
Location: Mile 205.6, left bank, Tombigbee River, approximately 1.6 miles above U.S. Highway 80 Twin Bridges. Datum: NPE
Operator: Not operated.
Owner: Gulf States Paper Corp.
Address: U.S. Highway 80 West. Phone: 334/289-1242
Town: Demopolis State: AL County: Marengo
Railway Connection: Surface tracks serving plant at rear; connect with Burlington Northern Railroad and Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 7 - 9 | | Latitude (decimal): 32.455833
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.97722
Remarks: Facility formerly was used for shipment of caustic soda. Waterside facilities and pipeline were demolished in 1994. One remaining 280,000-gallon, caustic soda storage tank is now serviced by rail.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 170 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tombigbee River** Mile: 214.2 PWD: 235
 Name: **Borden Chemical, Demopolis Wharf.**
 Location: Mile 214.2, Tombigbee River, approximately 0.8 miles above Demopolis Lock and Dam. Datum: NPE
 Operator: Not operated.
 Owner: Borden Chemical Inc.
 Address: Lock and Dam Road. Phone: 334/289-0840
 Town: Demopolis State: AL County: Marengo
 Railway Connection: Surface tracks serving plant at rear; connect with Norfolk Southern Railway.
 Purpose: Not used.
 Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 32.516667
 Total Berthing Space (feet): 400 | | Longitude (decimal): -87.86611
 Remarks: Facility formerly was used for occasional shipment of methanol. □ □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 179 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tombigbee River** Mile: 214.4 PWD: 236
 Name: **U.S. Coast Guard, Demopolis Wharf.**
 Location: Left bank of cove (Foscue Creek), opposite mile 213.5, Tombigbee River, entrance approximately 0.6 mile Datum: NPE
 Operator: U.S. Coast Guard Cutter 'Wedge' and Shore Side Detachment.
 Owner: U.S. Federal Government.
 Address: Lock and Dam Road. Phone: 334/289-8152
 Town: Demopolis State: AL County: Marengo
 Railway Connection: None.
 Purpose: Mooring government-owned floating equipment. (See Remarks.)
 Depth Alongside (feet): 5 | | Latitude (decimal): 32.515556
 Total Berthing Space (feet): 50 | | Longitude (decimal): -87.87278
 Remarks: Cutter 'Wedge' (WLR 75307) is based at wharf. U.S. Army Corps of Engineers floating equipment moors along natural bank on upper side. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 183 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 214.6 PWD: 234
Name: **Miller and Co., Demopolis Wharf.**
Location: Mile 214.6, Tombigbee River, approximately 1.2 miles above Demopolis Lock and Datum: NPE
Dam.
Operator: Not operated.
Owner: Miller and Co. Inc.
Address: West Jackson Street. Phone: 334/289-3710
Town: Demopolis State: AL County: Marengo
Railway Connection: One surface track serving lumber yard at rear; connects with Burling-ton Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 32.515278
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -87.85917
Remarks: Facility formerly was used for receipt of logs. An open, 4-acre storage area is located at rear. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 180 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 214.8 PWD: 233
Name: **River City Industries, Demopolis Wharf.**
Location: Mile 214.8, Tombigbee River, approximately 1.4 miles above Demopolis Lock and Datum: NPE
Dam.
Operator: River City Industries, L.L.C.
Owner: River City Industries, L.L.C.
Address: Foot of Marie Street. Phone: 334/289-2175
Town: Demopolis State: AL County: Marengo
Railway Connection: None.
Purpose: Receipt of coal; shipment of gravel and lightweight aggregate.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.515
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.85694
Remarks: A 14-acre open storage area is located at rear. □ □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 181 Mobile District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 215.0 PWD: 232
Name: **Alabama State Docks Department, Demopolis Inland Dock.**
Location: Mile 215.0, Tombigbee River, on lower side of slip, approximately 1.6 miles above Demopolis Lock and Dam Datum: NPE
Operator: Alabama State Docks Department.
Owner: Alabama State Docks Department.
Address: Foot of Jackson Street. Phone: 334/441-7113
Town: Demopolis State: AL County: Marengo
Railway Connection: Two surface tracks, one extending to face of wharf; connect with Norfolk Southern Railway.
Purpose: Shipment of grain; occasional receipt and shipment of general cargo and miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.514167
Total Berthing Space (feet): 498 | | Longitude (decimal): -87.85278
Remarks: Grain elevator located at rear, consisting of eight concrete silos and seven steel bins, has capacity for 362,300 bushels. At time of survey (1997), tenant was using elevator and all landside facilities for manufacturing feed. All shipment of feed stock and finished products was by truck and rail only.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 184 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 216.1 PWD: 231
Name: **Riverview Marina's, Port of Marengo County Demopolis Yacht Basin F**
Location: Mile 216.1, Tombigbee River, approximately 0.9 mile below mouth of Black Warrior River. Datum: NPE
Operator: Riverview Marina's Inc.
Owner: Marengo County Port Authority
Address: U.S. Highway 43. Phone: 334/289-4374
Town: Demopolis State: AL County: Marengo
Railway Connection: None.
Purpose: Fueling towboats and recreational craft.
Depth Alongside (feet): 9 - 16 | 8 - 12 | Latitude (decimal): 32.526667
Total Berthing Space (feet): 240 | 240 | Longitude (decimal): -87.84028
Remarks: Towboats berth bow-to at face of dock for fueling; other craft at rear of face. Three 3-inch pipelines extend to float from three steel, diesel fuel storage tanks, total capacity 1,670 barrels, and one 2-inch pipeline extends from one 480-gallon gasoline storage tank. Basin floats have capacity for thirty 50-, thirty-two 40-, and twenty-two 28-foot recreational vessels.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 185 Mobile District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tombigbee River** Mile: 48.8 PWD: 248
 Name: **Kimberly-Clark Corp., Hooks Lake Yard Dock.**
 Location: Mile 48.8, right bank, Tombigbee River, approximately 3.6 miles above junction with Alabama River. Datum: NPE
 Operator: Kimberly-Clark Corp.
 Owner: Kimberly-Clark Corp.
 Address: Hooks Lake Road. Phone: 334/829-9704
 Town: Hooks Lake State: AL County: Washington
 Railway Connection: None.
 Purpose: Shipment of logs; mooring company-owned floating equipment.
 Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 31.163889
 Total Berthing Space (feet): 4 | 132 | 12 Longitude (decimal): -87.97111
 Remarks: Barges are arranged in tiers 2 barges wide. A 12,000-cord log storage area is located under each crane. An additional 8,000-cord storage area is located at rear. The 800-horsepower towboat 'Eagle' fleets barges.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 952 Mobile District

Port: **Tenn/Tombigbee/Alabam**
 Waterway: **Tombigbee River** Mile: 60.2 PWD: 247
 Name: **Olin Chemical Corp., McIntosh Plant Dock.**
 Location: Mile 60.2, right bank, Tombigbee River, approximately 15 miles above junction with Alabama River. Datum: NPE
 Operator: Olin Chemical Corp.
 Owner: Olin Chemical Corp.
 Address: Industrial Road. Phone: 1-800-297-6546
 Town: McIntosh State: AL County: Washington
 Railway Connection: Surface tracks serving plant at rear; connect with Norfolk Southern Railway.
 Purpose: Shipment of caustic soda.
 Depth Alongside (feet): 15 | | 15 Latitude (decimal): 31.255278
 Total Berthing Space (feet): 200 | | 200 Longitude (decimal): -87.98722
 Remarks: Wharf is adjacent to lower side of entrance to slip. One steel pipe pile turning dolphin is located off lower side of slip entrance. One 4-inch pipeline extends to wharf from two caustic soda storage tanks, total capacity 575,400 gallons.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 942 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 88.9 PWD: 246
Name: **Boise Cascade Corp., Jackson Mill Log Dock.**
Location: Mile 88.9, left bank, Tombigbee River, approximately 0.9 mile below Norfolk Datum: NPE
Southern Railway Bridge.
Operator: Boise Cascade Corp.
Owner: Boise Cascade Corp.
Address: Industrial Road. Phone: 334/246-8221
Town: Jackson State: AL County: Clarke
Railway Connection: None.
Purpose: Receipt of logs.
Depth Alongside (feet): 10 | | Latitude (decimal): 31.48
Total Berthing Space (feet): 500 | | Longitude (decimal): -87.90944
Remarks: Approximately 2 acres of open storage area are located at rear; capacity 1,500 cords of logs. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 062 Mobile District

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 89.5 PWD: 245
Name: **Alabama Electric Cooperative, Leroy Power Plant Dock.**
Location: Mile 89.5, right bank, Tombigbee River, approximately 0.4 mile below Norfolk Datum: NPE
Southern Railway Bridge.
Operator: Alabama Electric Cooperative.
Owner: Alabama Electric Cooperative.
Address: Foot of Carson Road. Phone: 334/246-5746
Town: Leroy State: AL County: Washington
Railway Connection: Surface tracks serving 2-car-capacity car pit at plant in rear; connect with Norfolk Southern
Railway.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 31.491111
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.90833
Remarks: Open storage area located at rear has capacity for 500,000 tons of coal. □ □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 15504 Dock Code: 063 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 91.0 PWD: 244
Name: **Parker Towing Co., Port of Jackson Wharf.**
Location: Mile 91.0, left bank, Tombigbee River, approximately 1.5 mile below U.S. Route 43 Datum: NPE Bridge.
Operator: Parker Towing Co. Inc.
Owner: Jackson Port Authority.
Address: Foot of River Park Drive. Phone: 334/246-2201
Town: Jackson State: AL County: Clarke
Railway Connection: None.
Purpose: Shipment of logs; occasional receipt of gravel and steel.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 31.506111
Total Berthing Space (feet): 370 | | Longitude (decimal): -87.925
Remarks: Approximately 15 acres of open storage area are located at rear.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 077

Port: **Tenn/Tombigbee/Alabam**
Waterway: **Tombigbee River** Mile: 99.0 PWD: 243
Name: **Citadel Cement Co., Leroy Quarry Dock.**
Location: Mile 99.0, right bank, Tombigbee River, approximately 6.5 miles above U.S. Highway 43 Bridge Datum: NPE
Operator: Not operated.
Owner: Citadel Cement Co., a division of Medusa Corp.
Address: County Highway 34. Phone: 334/289-4400 Ex
Town: Leroy State: AL County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 31.561944
Total Berthing Space (feet): 1,510 | | Longitude (decimal): -88.03417
Remarks: Facility formerly was used for shipment of stone from quarry located at rear.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 15504 Dock Code: 902 Mobile District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 0.5 PWD: 112
Name: **Port of Guntersville, Bulk Handling Dock.**
Location: Mile 0.5, left bank, Big Spring Creek, approximately 0.9 mile below CSX Transportation bridge, Guntersvi Datum: NPE
Operator: American Commercial Terminals Inc., a unit of CSX Corp.
Owner: American Commercial Terminals Inc., a unit of CSX Corp.
Address: Foot of Scott Street. Phone: 205/582-3297
Town: Guntersville State: AL County: Marshall
Railway Connection: Two surface tracks in rear; connect with CSX Transportation.
Purpose: Receipt and shipment of miscellaneous bulk materials, including coal, petroleum coke, scrap metal, pig iron, and miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.361111
Total Berthing Space (feet): 240 | | Longitude (decimal): -86.28889
Remarks: *NPE (Guntersville Dam) = 595.0 MSL. Approximately 2
acres of open storage area are located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 022 Nashville District

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 0.6 PWD: 113
Name: **American Commercial Terminals, Port of Guntersville, Dump-Ramp Doc**
Location: Mile 0.6, left bank, Big Spring Creek, approximately 0.8 mile below CSX Transportation bridge, Guntersvi Datum: NPE
Operator: American Commercial Terminals Inc., a unit of CSX Corp.
Owner: American Commercial Terminals Inc., a unit of CSX Corp.
Address: Foot of Scott Street. Phone: 205/582-3297
Town: Guntersville State: AL County: Marshall
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials, including coal, petroleum coke, and miscellaneous ores.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.359722
Total Berthing Space (feet): 195 | | Longitude (decimal): -86.28917
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 023

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Big Spring Creek** Mile: 0.7 PWD: 115
 Name: **American Commercial Terminals, Port of Guntersville, Steel Dock.**
 Location: Mile 0.7, left bank, Big Spring Creek, approximately 0.7 mile below CSX Transportation bridge, Guntersvi Datum: NPE
 Operator: American Commercial Terminals Inc., a unit of CSX Corp.
 Owner: American Commercial Terminals Inc., a unit of CSX Corp.
 Address: Foot of Worth Street. Phone: 205/582-3297
 Town: Guntersville State: AL County: Marshall
 Railway Connection: Two surface tracks along rear of face; connect with CSX Transportation.
 Purpose: Receipt and shipment of pig iron and shredded metal.
 Depth Alongside (feet): 12 | | Latitude (decimal): 34.357778
 Total Berthing Space (feet): 400 | | Longitude (decimal): -86.29056
 Remarks: *NPE (Guntersville Dam) = 595.0 MSL. One 18,000-square-foot storage warehouse for steel and approximately 2 acres of open storage area are located in rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 023

Port: **Tennessee River**
 Waterway: **Big Spring Creek** Mile: 0.7 PWD: 114
 Name: **Cargill Marketing Co., Guntersville North Wharves.**
 Location: Mile 0.7, left bank, Big Spring Creek, approximately 0.7 mile below CSX Transportation bridge, Guntersvi Datum: NPE
 Operator: Cargill Marketing Co. Inc.
 Owner: Cargill Marketing Co. Inc.
 Address: 200 Taylor Street. Phone: 205/582-3121
 Town: Guntersville State: AL County: Marshall
 Railway Connection: Two surface tracks serve undertrack pit and loading spout at rear; connect with CSX Transportation.
 Purpose: Receipt and shipment of grain.
 Depth Alongside (feet): 13 | | Latitude (decimal): 34.358611
 Total Berthing Space (feet): 290 | | Longitude (decimal): -86.28972
 Remarks: Grain elevator, with total capacity for 220,000 bushels, consisting of 8 concrete silos with 5 interstices and 8 steel tanks, is located in rear. Barges moor up to 4-abreast at dolphins.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 032 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Big Spring Creek** Mile: 0.8 PWD: 116
 Name: **American Commercial Terminals, Port of Guntersville, Caustic Dock.**
 Location: Mile 0.8, left Bank, Big Spring Creek, approximately 0.6 mile below CSX Transportation bridge, Guntersvi Datum: NPE
 Operator: American Commercial Terminals Inc., a unit of CSX Corp.
 Owner: American Commercial Terminals Inc., a unit of CSX Corp.
 Address: Foot of Worth Street. Phone: 205/582-3297
 Town: Guntersville State: AL County: Marshall
 Railway Connection: Two surface tracks along rear of face; connect with CSX Transportation.
 Purpose: Receipt of liquid caustic soda.
 Depth Alongside (feet): 12 | | Latitude (decimal): 34.355833
 Total Berthing Space (feet): 200 | | Longitude (decimal): -86.29194
 Remarks: One 6-inch pipeline extends from wharf to one 500,000-gallon steel storage tank located at rear.□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 023

Port: **Tennessee River**
 Waterway: **Big Spring Creek** Mile: 0.9 PWD: 117
 Name: **Amoco Oil Co., Guntersville Lube Plant Dock.**
 Location: Mile 0.9, left bank, Big Spring Creek, approximately 0.5 mile below CSX Transportation bridge, Guntersvi Datum: NPE
 Operator: Amoco Oil Co.
 Owner: Amoco Oil Co.
 Address: East end of Worth Street. Phone: 205/582-5661
 Town: Guntersville State: AL County: Marshall
 Railway Connection: One 3-car-capacity surface track serves plant in rear; connects with CSX Transportation.
 Purpose: Receipt of lubricating oil-base stock.
 Depth Alongside (feet): 17 | | Latitude (decimal): 34.354444
 Total Berthing Space (feet): 150 | | Longitude (decimal): -86.29278
 Remarks: One 4-inch pipeline, with total capacity for 33,300 barrels of lubricating-oil-base stock, extends from wharf to 5 steel storage tanks located at rear. Building located at rear contains blending facilities and storage space for three thousand, 55-gallon drums; twenty-five thousand cases of canned lubricating oil; and eight thousand five-hundred, 5-gallon buckets.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 122 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 1.0 PWD: 118
Name: **Cargill Marketing Co., Guntersville South Wharves.**
Location: Mile 1.0, left bank, Big Spring Creek, approximately 1,500 feet below CSX Transportation bridge, Gunters Datum: NPE
Operator: Cargill Marketing Co. Inc.
Owner: Cargill Marketing Co. Inc.
Address: Railroad Avenue and Brown Street. Phone: 205/582-3121
Town: Guntersville State: AL County: Marshall
Railway Connection: One surface track serves undertrack pit and loading spout in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 34.353056
Total Berthing Space (feet): 610 | - | Longitude (decimal): -86.29361
Remarks: *NPE (Guntersville Dam) = 595.0 MSL. Grain elevator, with capacity for 550,000 bushels, consisting of a timber crib house with 12 bins and 4 steel tanks, is located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 032 Nashville District

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 1.0 PWD: 123
Name: **Cargill North American Oilseed Processing Co., Guntersville Tank F**
Location: Mile 1.0, right bank, Big Spring Creek, at mouth of Polecat Branch, Guntersville. Datum: NPE
Operator: Not operated.
Owner: Cargill North American Oilseed Processing Co.
Address: 2930 Lake Guntersville Park Drive. Phone: 205/582-9942
Town: Guntersville State: AL County: Marshall
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.349167
Total Berthing Space (feet): 195 | | Longitude (decimal): -86.28417
Remarks: Two 6-inch pipelines, with total capacity for 6,300 tons, extending from 5 steel storage tanks, connect to tanks described at Ref. No. 121.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 045

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 1.0 PWD: 122
Name: **Gold Kist, Guntersville Poultry, Feed Mill Dock.**
Location: Mile 1.0, right bank, Big Spring Creek, at mouth of Polecat Branch, Guntersville. Datum: NPE
Operator: Gold Kist Inc.
Owner: Gold Kist Inc.
Address: 2950 Lake Guntersville Park Drive. Phone: 205/582-3164
Town: Guntersville State: AL County: Marshall
Railway Connection: One 5-car-capacity, surface track serves undertrack pit in rear; connects with CSX Transportation.
Purpose: Receipt of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.348889
Total Berthing Space (feet): 400 | | Longitude (decimal): -86.28528
Remarks: Grain elevator, with total capacity for 850,000 bushels, consisting of 13 concrete silos and 4 steel tanks, is located at rear. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 052 Nashville District

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 1.2 PWD: 120
Name: **Cargill North America Oilseed Processing Co., Guntersville Marine**
Location: Mile 1.2, right bank, Big Spring Creek, below CSX Transportation bridge, Guntersville. Datum: NPE
Operator: Cargill North American Oilseed Processing Co.
Owner: Cargill North American Oilseed Processing Co.
Address: 2930 Lake Guntersville Park Drive. Phone: 205/582-9942
Town: Guntersville State: AL County: Marshall
Railway Connection: Two 13-car-capacity, surface tracks serving grain elevator and two serving feed mill; connects with CSX Transportation.
Purpose: Receipt of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 34.347778
Total Berthing Space (feet): 195 | | Longitude (decimal): -86.28917
Remarks: Grain elevator, with capacity for 3,000,000 bushels, consisting of 30 concrete silos with 15 interstices, is located at rear. Facility also receives grain for feed mill located at rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 045

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 1.2 PWD: 121
Name: **Cargill North American Oilseed Processing Co., Guntersville Shippi**
Location: Mile 1.2, right bank, Big Spring Creek, approximately 500 feet below CSX Transportation bridge, Guntersv Datum: NPE
Operator: Cargill North American Oilseed Processing Co.
Owner: Cargill North American Oilseed Processing Co.
Address: 2930 Lake Guntersville Park Drive. Phone: 205/582-9942
Town: Guntersville State: AL County: Marshall
Railway Connection: Two 13-car-capacity, surface tracks serving grain elevator, and two 6-car-capacity serving feed mill; connects with CSX Transportation.
Purpose: Shipment of soybean oil, soybean meal, and soybean husks.
Depth Alongside (feet): 11 | | Latitude (decimal): 34.348333
Total Berthing Space (feet): 200 | | Longitude (decimal): -86.28889
Remarks: *NPE (Guntersville Dam) = 595.0 MSL. Flat storage building, with capacity for 7,000 tons of soybean meal, is located at rear. One 6-inch pipeline extends to wharf from 5 steel storage tanks; total capacity 765,000 gallons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 045

Port: **Tennessee River**
Waterway: **Big Spring Creek** Mile: 1.3 PWD: 119
Name: **The Great Combine, Guntersville Grain Transfer Wharf.**
Location: Mile 1.3, left bank, Big Spring Creek, below CSX Transportation bridge, Guntersville. Datum: NPE
Operator: The Great Combine Inc.
Owner: The Great Combine Inc.
Address: Railroad Avenue. Phone:
Town: Guntersville State: AL County: Marshall
Railway Connection: None.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.348889
Total Berthing Space (feet): 275 | | Longitude (decimal): -86.29417
Remarks: Grain transfer station, with total capacity for 110,000 bushels, consisting of 4 concrete silos and 5 steel tanks, is supplied by truck from grain elevator 1,000 feet in rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 042 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Clinch River** Mile: 2.8 PWD: 177
Name: **Tennessee Valley Port Authority, Kingston Fossil Plant Dock.**
Location: Mile 2.8, right bank, Clinch River, approximately 2,000 feet above Sam Rayburn (Interstate Highway 40) B Datum: NPE
Operator: Not operated.
Owner: Tennessee Valley Port Authority.
Address: Swan Point Road. Phone: 423/717-2500
Town: Kingston State: TN County: Roane
Railway Connection: Trackage serving 2 rotary dumpers at plant in rear; connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 35.893611
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.51556
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45985 Dock Code: 101

Port: **Tennessee River**
Waterway: **Clinch River** Mile: 47.5 PWD: 181
Name: **Tennessee Valley Port Authority, Bull Run Steam Plant Dock.**
Location: Mile 47.5, left bank, Clinch River, approximately 0.5 mile below Edgemoor-Bethel Valley Road Bridge. Datum: NPE
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Phone: 423/945-7271
Town: Edgemoor State: TN County: Anderson
Railway Connection: One loop track serves undertrack pit at power plant in rear; connects with CSX Transportation.
Purpose: Occasional handling of heavy equipment and supplies.
Depth Alongside (feet): 8 | | Latitude (decimal): 36.0125
Total Berthing Space (feet): 180 | | Longitude (decimal): -84.16056
Remarks: Ref. Nos. 178, 179 *NPE (Melton Hill Dam) = 795.0 MSL. Ref.
No. 180 *NPE (Watts Bar Dam) = 741.0 MSL. □-
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46985 Dock Code: 602 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Emory River** Mile: 10.7 PWD: 178
Name: **Bowater Newsprint, Harriman Dock.**
Location: Mile 10.7, left bank, Emory River, approximately 1.5 miles below U.S. Highway 27 Datum: NPE Bridge.
Operator: Not operated.
Owner: Bowater Newsprint, a division of Bowater Inc.
Address: Foot of Clinton Street. Phone: 423/332-6508
Town: Harriman State: TN County: Roane
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 35.94
Total Berthing Space (feet): 585 | | Longitude (decimal): -84.53861
Remarks: Open storage area has capacity for 900 cords of pulpwood.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 46986 Dock Code: 106 Nashville District

Port: **Tennessee River**
Waterway: **Emory River** Mile: 11.1 PWD: 179
Name: **Harbert International, Harriman Transfer Terminal Dock.**
Location: Mile 11.1, left bank, Emory River, approximately 1.5 mile below U.S. Highway 27 Datum: NPE Bridge.
Operator: Harbert International Inc.
Owner: Harbert International Inc.
Address: Foot of Clifty Street. Phone: 615/987-5741
Town: Harriman State: TN County: Roane
Railway Connection: Two surface tracks serve undertrack pits, join 60-car-capacity storage yard; connect with Norfolk Southern Railway and CSX Transportation.
Purpose: Shipment of coal and occasionally stone.
Depth Alongside (feet): | | Latitude (decimal): 35.936944
Total Berthing Space (feet): | | Longitude (decimal): -84.53833
Remarks: *NPE (Watts Bar Dam) = 741.0 MSL.□-□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 46986 Dock Code: 109 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Emory River** Mile: 11.5 PWD: 180
 Name: **Power Paper Corp., Harriman Dock.**
 Location: Mile 11.5, left bank, Emory River, approximately one mile below U.S. Highway 27 Datum: NPE Bridge.
 Operator: Not operated.
 Owner: Power Paper Corp.
 Address: 728 Emory Drive. Phone: 423/882-5151
 Town: Harriman State: TN County: Roane
 Railway Connection: One surface track serves plant in rear; connects with CSX Transportation.
 Purpose: Not used.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.93
 Total Berthing Space (feet): 175 | | Longitude (decimal): -84.53944
 Remarks: One 6-inch pipeline extends from wharf to one 15,000-barrel, steel storage tank. □
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46986 Dock Code: 112 Nashville District

Port: **Tennessee River**
 Waterway: **French Broad River** Mile: 0.5 PWD: 196
 Name: **Burkhart Enterprises, Knoxville Dock.**
 Location: Mile 0.5, right bank, French Broad River. Datum: NPE
 Operator: Burkhart Enterprises Inc.
 Owner: Burkhart Enterprises Inc.
 Address: 2435 Asbury Road. Phone: 615/523-6157
 Town: Knoxville State: TN County: Knox
 Railway Connection: None.
 Purpose: Receipt and shipment of miscellaneous bulk materials, including coke, salt, aggregates, and scrap metal; receipt of steel products.
 Depth Alongside (feet): 15 | 15 | Latitude (decimal): 35.957778
 Total Berthing Space (feet): 600 | | Longitude (decimal): -83.84361
 Remarks: Open storage area has capacity for approximately 200,000 tons of miscellaneous bulk materials. □
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46990 Dock Code: 004 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **French Broad River** Mile: 1.0 PWD: 197
 Name: **Burkhart Enterprises, Forks of the River Slip.**
 Location: Mile 1.0, right bank, French Broad River. Datum: NPE
 Operator: Burkhart Enterprises Inc.
 Owner: Burkhart Enterprises Inc.
 Address: 2435 Asbury Road. Phone: 615/523-6157
 Town: Knoxville State: TN County: Knox
 Railway Connection: None.
 Purpose: Receipt of steel products; receipt and shipment of miscellaneous bulk materials.
 Depth Alongside (feet): 3 - 4 | 3 - 4 | Latitude (decimal): 35.951389
 Total Berthing Space (feet): | 195 | Longitude (decimal): -83.84056
 Remarks: Slip has approximately 20 acres of open storage area.□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 46990 Dock Code: 004 Nashville District

Port: **Tennessee River**
 Waterway: **Hiwassee River** Mile: 16.9 PWD: 168
 Name: **Olin Chemical Corp., Charleston Plant Wharf.**
 Location: Mile 16.9, left bank, Hiwassee River, approximately 1.5 miles above Interstate Highway 75 Bridges. Datum: NPE
 Operator: Olin Chemical Corp.
 Owner: Olin Chemical Corp.
 Address: Lower River Road. Phone: 423/336-4000
 Town: Charleston State: TN County: Bradley
 Railway Connection: Plant trackage in rear; connects with Norfolk Southern Railway.
 Purpose: Shipment of caustic soda and chlorine; receipt of liquid caustic soda.
 Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 35.307778
 Total Berthing Space (feet): 750 | | Longitude (decimal): -84.77944
 Remarks: One 6-inch pipeline extends to wharf from four caustic soda storage tanks, total capacity 800,000 gallons, and one 3-inch pipeline extends from ten chlorine storage tanks, total capacity 4.8 million gallons. One 1-inch, steam- and vapor return lines, and two 3-inch, wastewater recovery lines also serve wharf.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 46980 Dock Code: 169 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Hiwassee River** Mile: 17.3 PWD: 169
Name: **Olin Chemical Corp., Charleston Salt Wharf.**
Location: Mile 17.3, left bank, Hiwassee River, approximately 1.7 miles above Interstate Highway 75 Bridges. Datum: NPE
Operator: Smokey Mountain Transfer Corp.
Owner: Olin Chemical Corp.
Address: Lower River Road. Phone: 423/336-1292
Town: Charleston State: TN County: Bradley
Railway Connection: One surface track serving terminal in rear; connects with Norfolk Southern Railway.
Purpose: Receipt of bulk rock salt, steel products, and other miscellaneous dry bulk commodities.
Depth Alongside (feet): 7 - 5 | | Latitude (decimal): 35.303889
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -84.7725
Remarks: Open storage area at rear has capacity for approximately 31,000 tons of salt. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46980 Dock Code: 169 Nashville District

Port: **Tennessee River**
Waterway: **Hiwassee River** Mile: 18.0 PWD: 170
Name: **Bowater Newsprint, Calhoun Pulpwood-Unloading Dock.**
Location: Mile 18.0, right bank, Hiwassee River, approximately 0.6 mile below Lee Highway (U.S. Highway 11) Bridge Datum: NPE
Operator: Bowater Newsprint, a division of Bowater Inc.
Owner: Bowater Newsprint, a division of Bowater Inc.
Address: Phone: 423/336-7345
Town: Calhoun State: TN County: McMinn
Railway Connection: Three parallel surface tracks on shore at rear, joins additional plant trackage; connects with Norfolk Southern Railway and CSX Transportation.
Purpose: Receipt of pulpwood and wood chips.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.2975
Total Berthing Space (feet): 660 | | Longitude (decimal): -84.76111
Remarks: *NPE (Chickamauga Dam) = 682.5 MSL. Open storage area
at paper mill located in rear has capacity for 15,000 cords of unchipped pulpwood and 20,000 cords of
chipped pulpwood.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46980 Dock Code: 183 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Hiwassee River** Mile: 18.1 PWD: 171
Name: **Bowater Newsprint, Calhoun Fuel Oil Dock.**
Location: Mile 18.1, right bank, Hiwassee River, approximately 0.5 mile below Lee Highway Datum: NPE
(U.S. Highway 11) Bridge
Operator: Bowater Newsprint, a division of Bowater Inc.
Owner: Bowater Newsprint, a division of Bowater Inc.
Address: Phone: 423/336-7345
Town: Calhoun State: TN County: McMinn
Railway Connection: Three parallel surface tracks on shore at rear, joins additional plant trackage; connects
with Norfolk Southern Railway and CSX Transportation.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 35.296667
Total Berthing Space (feet): 225 | | Longitude (decimal): -84.76056
Remarks: At time of survey (1997), facility was being maintained on a standby basis for receipt of fuel oil. One 6-
inch pipeline extends from center cell to 2 steel storage tanks, total capacity 109,150 barrels. One 6-
inch steam line serves wharf.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46980 Dock Code: 183 Nashville District

Port: **Tennessee River**
Waterway: **Hiwassee River** Mile: 18.2 PWD: 172
Name: **Bowater Newsprint, Calhoun Dock.**
Location: Mile 18.2, right bank, Hiwassee River, approximately 0.4 mile below Lee Highway Datum: NPE
(U.S. Highway 11) Bridge
Operator: Bowater Newsprint, a division of Bowater Inc.
Owner: Bowater Newsprint, a division of Bowater Inc.
Address: Phone: 423/336-7345
Town: Calhoun State: TN County: McMinn
Railway Connection: Three parallel surface tracks on shore at rear, joins additional plant trackage; connects
with Norfolk Southern Railway and CSX Transportation.
Purpose: Shipment of newsprint.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.295
Total Berthing Space (feet): 600 | | Longitude (decimal): -84.75944
Remarks: Newsprint storage warehouse has storage capacity for 1,200 rolls.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 46980 Dock Code: 183 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Hiwassee River** Mile: 18.9 PWD: 173
 Name: **Southern Ionics, Calhoun Dock.**
 Location: Mile 18.9, right bank, Hiwassee River, approximately 500 feet above Norfolk Datum: NPE
 Southern Railway Bridge, Cal
 Operator: Southern Ionics Inc.
 Owner: Southern Ionics Inc.
 Address: Foot of Main Street. Phone: 423/336-1395
 Town: Calhoun State: TN County: McMinn
 Railway Connection: None.
 Purpose: Receipt of aluminum trihydrate, magnesium oxide, and lime.
 Depth Alongside (feet): 18 | | Latitude (decimal): 35.288611
 Total Berthing Space (feet): 205 | | Longitude (decimal): -84.75139
 Remarks: Ref. Nos. 169 & 170 *NPE (Chickamauga Dam) = 682.5 MSL.
 Ref. No. 171 *NPE (Watts Bar Dam) = 741.0 MSL. Enclosed
 storage in plant has total capacity of 6,000 tons.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 46980 Dock Code: 189

Port: **Tennessee River**
 Waterway: **Kings Creek** Mile: 553.0 PWD: 176
 Name: **Southern Alloys and Metals, Rockwood Pier.**
 Location: Mile 0.8, left bank, Kings Creek, southeastern tip of promontory, off mile 553.0, Datum: NPE
 Tennessee River.
 Operator: Southern Alloys and Metals Inc.
 Owner: Southern Alloys and Metals Inc.
 Address: Foot of Pumphouse Road. Phone: 423/354-2790
 Town: Rockwood State: TN County: Roane
 Railway Connection: None.
 Purpose: Shipment of scrap metal.
 Depth Alongside (feet): 25 | | Latitude (decimal): 35.828611
 Total Berthing Space (feet): 195 | | Longitude (decimal): -84.67583
 Remarks: *NPE (Watts Bar Dam) = 741.0 MSL. Materials are
 trucked between pier and plant in Rockwood approximately 2 miles north. □ Open storage area at plant
 has capacity for approximately 100,000 tons of scrap iron.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45553 Dock Code: 401 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Little Tennessee River** Mile: 1.3 PWD: 187
 Name: **Tennessee Valley Port Authority, Singleton Marine Ways Dock.**
 Location: Mile 1.3, left bank, Little River, near mile 635.7, left bank Tennessee River. Datum: NPE
 Operator: Not operated.
 Owner: Tennessee Valley Port Authority.
 Address: New Topsail Road. Phone: 423/632-1013
 Town: Vonore State: TN County: Monroe
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 15 | | Latitude (decimal): 35.8625
 Total Berthing Space (feet): 200 | | Longitude (decimal): -83.97417
 Remarks: One 400-ton, side-haul marine railway for hauling-out barges is located in inlet below wharf. □
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45635 Dock Code: 622 Nashville District

Port: **Tennessee River**
 Waterway: **Little Tennessee River** Mile: 18.8 PWD: 186
 Name: **C. Reed Davis Contractors, Port of Tellico, Barge Wharf.**
 Location: Mile 18.8, left bank, Little Tennessee River, approximately 2,000 feet below U.S. Highway 411 Bridge. Datum: NPE
 Operator: C. Reed Davis Contractors Inc.
 Owner: Tellico Reservoir Development Agency.
 Address: Foot of Tellaco Port Road. Phone: 615/966-9786
 Town: Vonore State: TN County: Monroe
 Railway Connection: Two marginal, 28-car-capacity surface tracks at rear of bulkhead; connect with CSX Transportation.
 Purpose: Receipt and shipment of general cargo, including steel products, and miscellaneous bulk materials.
 Depth Alongside (feet): 19 | | Latitude (decimal): 35.605278
 Total Berthing Space (feet): 400 | | Longitude (decimal): -84.21528
 Remarks: Twelve acres of open storage area, including 3/4th-acre of which is paved, is located at rear. □
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45601 Dock Code: 104 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Piney River/Wolf Creek** Mile: 533.3 PWD: 175
Name: **Bowater Newsprint, Spring City Dock.**
Location: Mile 5.0, left bank, Piney River/Wolf Creek Waterway. Datum: NPE
Operator: Not operated.
Owner: Bowater Newsprint, a division of Bowater Inc.
Address: New Lake Road. Phone: 423/332-6508
Town: Spring City State: TN County: Rhea
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.659167
Total Berthing Space (feet): 250 | | Longitude (decimal): -84.85472
Remarks: Open storage area has capacity for 1,400 cords of pulpwood.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45532 Dock Code: 301 Nashville District

Port: **Tennessee River**
Waterway: **Polecat Branch** Mile: 0.3 PWD: 124
Name: **Guntersville Marine, West Dock.**
Location: Mile 0.3, left bank, Polecat Branch, approximately 2,500 feet below CSX Transportation bridge, Guntersvi Datum: NPE
Operator: Guntersville Marine Inc., Harbor Service.
Owner: Guntersville Marine Inc., Harbor Service.
Address: 3700 Lake Guntersville Park Drive. Phone: 205/582-0650
Town: Guntersville State: AL County: Marshall
Railway Connection: None.
Purpose: Shipment and receipt of miscellaneous bulk materials, including coal, coke, bauxite, grain, meal, and fish meal; receipt of steel products; mooring barges for fleetling; mooring towboats.
Depth Alongside (feet): 7 - 9 | | Latitude (decimal): 34.348889
Total Berthing Space (feet): 290 | | Longitude (decimal): -86.28083
Remarks: *NPE (Guntersville Dam) = 595.0 MSL. Bank at west end has fleet capacity for 10 barges, 2-long by 5-abreast. An irregularly shaped slip on east side is used for mooring towboats and for fleetling up to 5 additional barges. Three offshore mooring cells at 400-foot, center-to-center are used for fleetling up to 90 additional barges 9-long by 10-abreast.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45358 Dock Code: 082 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Polecat Branch** Mile: 0.4 PWD: 125
Name: **Guntersville Marine, East Dock.**
Location: Mile 0.4, left bank, Polecat Branch, approximately 1,600 feet below CSX Datum: NPE
Transportation bridge, Guntersvi
Operator: Guntersville Marine Inc., Harbor Service.
Owner: Guntersville Marine Inc., Harbor Service.
Address: 3700 Lake Guntersville Park Drive. Phone: 205/582-0650
Town: Guntersville State: AL County: Marshall
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials, including logs and pulpwood; mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.348056
Total Berthing Space (feet): 565 | | Longitude (decimal): -86.27806
Remarks: Additional company fleet facilities are described under Ref. No. 124. □ Open storage area, with capacity
for approximately 40,000 tons, is located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 082 Nashville District

Port: **Tennessee River**
Waterway: **Polecat Branch** Mile: 0.6 PWD: 128
Name: **Bowater Woodlands Inc., Guntersville Dock.**
Location: Mile 0.6, right bank, Polecat Branch, approximately 1,200 feet below CSX Datum: NPE
Transportation bridge, Guntersv
Operator: Bowater Woodlands Inc.
Owner: Bowater Woodlands Inc.
Address: 361 Signal Point Road. Phone: 205/582-3918
Town: Guntersville State: AL County: Marshall
Railway Connection: None.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 11 | | Latitude (decimal): 34.350278
Total Berthing Space (feet): 750 | | Longitude (decimal): -86.27361
Remarks: Open storage area for 11,000 cords of wood chips is located at rear. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 706

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Polecat Branch** Mile: 0.7 PWD: 127
 Name: **Consolidated Blenders, Guntersville Dock.**
 Location: Mile 0.7, right bank, Polecat Branch, below CSX Transportation Bridge, Guntersville. Datum: NPE
 Operator: Consolidated Blenders Inc.
 Owner: Consolidated Blenders Inc.
 Address: Signal Road. Phone: 205/582-3156
 Town: Guntersville State: AL County: Marshall
 Railway Connection: None.
 Purpose: Receipt of alfalfa, fish meal, corn, and oats.
 Depth Alongside (feet): 15 | | Latitude (decimal): 34.348611
 Total Berthing Space (feet): 190 | | Longitude (decimal): -86.27167
 Remarks: Alfalfa storage elevator, with total capacity for 30,000 tons, consisting of 33 concrete storage silos with 5 interstices and 8 bins, is located at rear. One 160-foot-long by 60-foot-wide warehouse, with total capacity for 3,000 tons of fish meal, is located at rear. A 12- by 24-foot work barge is moored to the upper side of the access trestle.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 701

Port: **Tennessee River**
 Waterway: **Polecat Branch** Mile: 0.8 PWD: 126
 Name: **Gold Kist, Guntersville Feed Mill Dock.**
 Location: Mile 0.8, right bank, Polecat Branch, north side of rectangular slip, below CSX Transportation bridge, G Datum: NPE
 Operator: Gold Kist Inc. (See Remarks.)
 Owner: Gold Kist Inc.
 Address: 4800 Lake Guntersville Park Drive. Phone: 205/582-3114
 Town: Guntersville State: AL County: Marshall
 Railway Connection: Two surface tracks serve undertrack pits at grain elevator in rear; connect with CSX Transportation.
 Purpose: Receipt of corn.
 Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 34.348333
 Total Berthing Space (feet): 580 | | Longitude (decimal): -86.27111
 Remarks: *NPE (Guntersville Dam) = 595.0 MSL. Slip is 400 feet long by 100 feet wide. Grain elevator, with capacity for 100,000 bushels of corn, consisting of 8 concrete silos, is located at rear.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45358 Dock Code: 112 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Soddy Creek** Mile: 0.8 PWD: 167
 Name: **Bowater Newsprint, Soddy Creek Dock.**
 Location: Mile 0.8, left bank, Soddy Creek, near mile 487.5, right bank, Tennessee River. Datum: NPE
 Operator: Bowater Newsprint, a division of Bowater Inc.
 Owner: Bowater Newsprint, a division of Bowater Inc.
 Address: Phone: 423/332-6508
 Town: Soddy-Daisy State: TN County: Hamilton
 Railway Connection: None.
 Purpose: Shipment of pulpwood.
 Depth Alongside (feet): 26 | | Latitude (decimal): 35.268056
 Total Berthing Space (feet): 390 | | Longitude (decimal): -85.11889
 Remarks: *NPE (Chickamauga Dam) = 682.5 MSL. Open storage area
 at rear has capacity for 1,500 cords of pulpwood.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45487 Dock Code: 301

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 0.05 PWD: 001
 Name: **Paducah Municipal Wharf.**
 Location: Mile 0.05, left bank, Tennessee River, foot of Broadway, Paducah. Datum: NPE
 Operator: City of Paducah.
 Owner: City of Paducah.
 Address: Phone: 502/444-8690
 Town: Paducah State: KY County: McCracken
 Railway Connection: None.
 Purpose: Landing for 'American Queen', 'Mississippi Queen', 'Delta Queen', and 'Niagara Princess' excursion vessels. Boarding and disembarking passengers for day trips ashore.
 Depth Alongside (feet): 9 | 9 | Latitude (decimal): 37.088611
 Total Berthing Space (feet): 450 | 450 | Longitude (decimal): -88.59111
 Remarks: *NPE (Dam No. 52) = 301.9 MSL. □ Construction of riverboat-landing facilities in the riprap bank area is partially complete but has been suspended.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45000 Dock Code: 002 Louisville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 0.3 PWD: 002
Name: **Ingram Barge Co., Paducah Landing.**
Location: Mile 0.3., left bank, Tennessee River, foot of Kentucky Avenue, Paducah. Datum: NPE
Operator: Ingram Barge Co.
Owner: Crounse Corp.
Address: 101 Washington Street. Phone: 502/441-1600
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned barges and towboats.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.086389
Total Berthing Space (feet): 1,300 | | Longitude (decimal): -88.59222
Remarks: Paducah Midstream Grocery moors 30-foot launch at this facility for delivery of groceries to towboats in transit. At time of survey (1997), plans called for the crane at the facility to be dismantled.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45000 Dock Code: 012 Louisville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 0.5 PWD: 003
Name: **Paducah River Service, Walker's Midstream Fuel Dock.**
Location: Mile 0.5, left bank, Tennessee River, foot of Jackson Street, Paducah. Datum: NPE
Operator: Paducah River Service, a division of James Marine Inc.
Owner: Walker Boat Yard Inc., a division of Walker of Paducah.
Address: Foot of Jackson Street. Phone: 502/898-7392
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned vessels. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 37.079444
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58972
Remarks: Fleeting area located along lower end of Owens Island, on opposite side of river, has capacity for 30 barges arranged in 15 tiers, each 2 barges wide. Fleeting area at lower end of island on Ohio River side has capacity for an additional 30 barges arranged in 10 tiers, each 3 barges wide.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45000 Dock Code: 018 Louisville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 0.7 PWD: 004
Name: **Ingram Custom Fuel Co., Paducah Wharf.**
Location: Mile 0.7, left bank, Tennessee River, foot of Ohio Street, Paducah. Datum: NPE
Operator: Ingram Barge Co., for Ingram Custom Fuel Co. of Belle Chase, LA.
Owner: Redbird Enterprises.
Address: 200 Ohio Street. Phone: 502/441-1600
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring fueling barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 37.078611
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.58944
Remarks: *NPE (Dam No. 52) = 301.7 MSL. □-□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45000 Dock Code: 020 Louisville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 0.9 PWD: 005
Name: **Paducah River Fuel Service, Mooring Dock.**
Location: Mile 0.9, left bank, Tennessee River, between foots of Norton and Tennessee Streets, Paducah. Datum: NPE
Operator: Paducah River Fuel Service Inc., a division of James Marine Inc.
Owner: Paducah River Fuel Service Inc., a division of James Marine Inc.
Address: 804 South Third Street. Phone: 502/444-0185
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned towboats and fueling barges.
Depth Alongside (feet): 15 | | 9 Latitude (decimal): 37.076944
Total Berthing Space (feet): 600 | | 282 Longitude (decimal): -88.58722
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45000 Dock Code: 018 Louisville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694
Remarks: Two 10- and two 6-inch pipelines extend from wharf
to 20 steel storage tanks located at rear, total capacity 324,000 barrels.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45001 Dock Code: 032 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528
Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No.
7.□NPE (Dam No. 52) = 301.7 MSL
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45001 Dock Code: 032 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 1.4 PWD: 008
 Name: **James Marine Landing, Paducah Wharf.**
 Location: Mile 1.4, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
 Operator: Walker Midstream Service, a division of James Marine Inc.
 Owner: Walker Midstream Service, a division of James Marine Inc.
 Address: 1810 South 4th Street. Phone: 502/898-7392
 Town: Paducah State: KY County: McCracken
 Railway Connection: None.
 Purpose: Mooring company-owned towboats for in-water repairs.
 Depth Alongside (feet): 10 | | Latitude (decimal): 37.07
 Total Berthing Space (feet): 315 | | Longitude (decimal): -88.58139
 Remarks: -□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Dock Code: 602

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 1.7 PWD: 009
 Name: **Lone Star Industries, Paducah Wharf.**
 Location: Mile 1.7, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
 Operator: Lone Star Industries Inc.
 Owner: Lone Star Industries Inc.
 Address: 1816 Wayne Sullivan Drive. Phone: 502/442-5480
 Town: Paducah State: KY County: McCracken
 Railway Connection: One surface track serves loading station at rear; connects with Paducah & Louisville Railroad.
 Purpose: Receipt of bulk cement.
 Depth Alongside (feet): 14 | | Latitude (decimal): 37.068889
 Total Berthing Space (feet): 250 | | Longitude (decimal): -88.58056
 Remarks: One 12-inch pneumatic pipeline extends from wharf to three concrete, cement storage silos located at rear, total capacity 12,000 tons. Two stations for loading trucks (one for bulk cement and one for bags), and one station for loading railroad cars are located at terminal in rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Dock Code: 052 Louisville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 1.75 PWD: 010
 Name: **Paducah-McCracken County Riverport Authority Wharf.**
 Location: Mile 1.75, left bank, Tennessee River, opposite the upper half of Owens Island, Datum: NPE Paducah.
 Operator: Paducah-McCracken County Riverport Authority.
 Owner: Paducah-McCracken County Riverport Authority.
 Address: 2000 Wayne Sullivan Drive. Phone: 502/442-9326
 Town: Paducah State: KY County: McCracken
 Railway Connection: One surface track, capacity 10 railroad cars, serves terminal at rear; connects with Paducah & Louisville Railroad.
 Purpose: Shipment of general cargo, grain alcohol, logs, steel products, and miscellaneous bulk materials, including petroleum coke, sand, salt, manganese ore, and fluorspar.
 Depth Alongside (feet): 12 | | Latitude (decimal): 37.068056
 Total Berthing Space (feet): 700 | | Longitude (decimal): -88.57917
 Remarks: *NPE (Dam No. 52) = 301.7 MSL. Approximately 30,000 square feet of open storage area, with capacity for 5,000 tons of dry bulk materials, is located in rear. One steel frame, metal-covered 25,000-square-foot warehouse building and one 9,600- and one 5,600-square-foot steel frame, metal-covered bulk materials storage buildings are located in rear. Wharf has capacity for mooring 6 barges.

Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45001 Dock Code: 062

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 1.8 PWD: 011
 Name: **Itapco-Paducah Terminal, Iger Wharf.**
 Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Datum: NPE Paducah.
 Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
 Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
 Address: 2300 Meyers Street. Phone: 502/442-1606
 Town: Paducah State: KY County: McCracken
 Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
 Purpose: Receipt of petroleum products and loading midstream fueling barges.
 Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
 Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861
 Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45001 Dock Code: 032 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 1.9 PWD: 012
Name: **Marquette Transportation Co., Paducah Dock.**
Location: Mile 1.9, left bank, Tennessee River, opposite the upper half of Owens Island, Datum: NPE
Paducah.
Operator: Marquette Transportation Co. Inc.
Owner: Marquette Transportation Co. Inc.
Address: 2300 Meyers Street. Phone: 502/443-9404
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned floating equipment and transfer of supplies to moored vessels.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066667
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.57667
Remarks: Operator bases a fleet of 22 towboats at the facility. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45002 Dock Code: 072 Louisville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 100.0 PWD: 054
Name: **Herbert Sangravl Co., New Johnsonville Docks.**
Location: Mile 100.0, right bank, Tennessee River, approximately 1,500 feet below CSX Datum: NPE
Transportation Bridge.
Operator: Herbert Sangravl Co.
Owner: Herbert Sangravl Co.
Address: Herbert Road. Phone: 615/353-2196
Town: New Johnsonvill State: TN County: Humphreys
Railway Connection: None.
Purpose: Lower Dock: Shipment of wood in the rough. Upper Dock: Receipt of sand and gravel; mooring
company-owned equipment.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 36.021111
Total Berthing Space (feet): 300 | | 400 Longitude (decimal): -87.98917
Remarks: *NPE (Kentucky Dam) = 359.0
MSL. *Bulkheads and
breasting dolphins are in line, providing for 700 feet of berthing space. Docks and adjacent natural
bank have capacity for up to 10 barges. □ Approximately 8 acres of open storage area are located in
rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45100 Dock Code: 301 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 100.3 PWD: 055
Name: **Continental Grain Co., New Johnsonville Elevator Dock.**
Location: Mile 100.3, right bank, Tennessee River, approximately 500 feet below CSX Transportation Bridge. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 305 Herbert Road. Phone: 615/535-3366
Town: New Johnsonville State: TN County: Humphreys
Railway Connection: Two surface tracks serve 2 undertrack pits and loading spout at grain elevator in rear; connect with CSX Transportation.
Purpose: Shipment of grain and logs in the rough; receipt of salt and dry bulk fertilizer direct to trucks; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 36.018889
Total Berthing Space (feet): 530 | | Longitude (decimal): -87.98944
Remarks: Grain elevator, consisting of 4 steel storage tanks with total capacity for 750,000 bushels, is located at rear. One steel frame, metal-covered, flat storage building is used to store salt. New Johnsonville Marine fleets barges along natural bank, partly fronted by a row of timber breasting dolphins on the lower side of a rail/highway causeway, located upstream of elevator dock, with capacity for 18 barges arranged in tiers up to 3 barges wide at dolphins, and 30 barges along natural bank.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45100 Dock Code: 501 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 102.1 PWD: 056
Name: **Vanguard Services, New Johnsonville Ore Dock.**
Location: Mile 102.1, right bank, Tennessee River, approximately 1.8 miles above Hickman-Lockhart (U.S. Highway 70) Datum: NPE
Operator: Vanguard Services, a division of Al Johnson Construction Co.
Owner: Vanguard Services, a division of Al Johnson Construction Co.
Address: Foot of Trotters Landing Road. Phone: 615/535-2171
Town: New Johnsonville State: TN County: Humphreys
Railway Connection: None.
Purpose: Receipt of manganese ore.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.991667
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.00139
Remarks: At time of survey (1997), the facility was under construction. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45102 Dock Code: 201 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 102.3 PWD: 057
 Name: **Vanguard Services, New Johnsonville Marine Repair Dock.**
 Location: Mile 102.3, right bank, Tennessee River, approximately 2 miles above Hickman-Lockhart (U.S. Highway 70) Datum: NPE
 Operator: Vanguard Services, a division of Al Johnson Construction Co.
 Owner: Vanguard Services, a division of Al Johnson Construction Co.
 Address: Foot of Trotters Landing Road. Phone: 615/535-2171
 Town: New Johnsonville State: TN County: Humphreys
 Railway Connection: One surface track in rear; connects with CSX Transportation.
 Purpose: Mooring barges for repair; handling construction equipment and supplies.
 Depth Alongside (feet): 17 | | Latitude (decimal): 35.987222
 Total Berthing Space (feet): 195 | | Longitude (decimal): -87.99972
 Remarks: One 230-ton, side-haul marine railway/launching way is located at lower side. □ □
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45102 Dock Code: 201 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 134.9 PWD: 058
 Name: **Koch Asphalt Co., West Tennessee Terminal Dock.**
 Location: Mile 134.9, left bank, Tennessee River, below Alvin C. York (State Highways 20 and 100) Bridge. Datum: NPE
 Operator: Koch Asphalt Co., Division of Koch Fuels Inc.
 Owner: Koch Asphalt Co., Division of Koch Fuels Inc.
 Address: Phone: 901/847-6351
 Town: Perryville State: TN County: Decatur
 Railway Connection: None.
 Purpose: Receipt of asphalt.
 Depth Alongside (feet): 40 | | Latitude (decimal): 35.628889
 Total Berthing Space (feet): 600 | | Longitude (decimal): -88.03417
 Remarks: *NPE (Kentucky Dam) = 359.0 MSL. One 8-inch, steam-traced pipeline extends from platform to 5 steel storage tanks located in rear; total capacity 125,000 barrels. One 3-inch, river water line serves facility.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45134 Dock Code: 802 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 135.3 PWD: 059
Name: **Tinker Sand and Gravel, Perryville Wood Dock.**
Location: Mile 135.3, left bank, Tennessee River, approximately 0.3 mile above Alvin C. York Datum: NPE
(State Highways 20 and 206)
Operator: Tinker Sand and Gravel Inc.
Owner: Tinker Sand and Gravel Inc.
Address: Foot of Dan McFall Road. Phone: 901/847-3311
Town: Perryville State: TN County: Decatur
Railway Connection: None.
Purpose: Shipment of logs in the rough.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.623333
Total Berthing Space (feet): 40 | | Longitude (decimal): -88.03667
Remarks: Approximately 4 acres of open storage area are located in rear. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45135 Dock Code: 602 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 135.5 PWD: 060
Name: **Tinker Sand and Gravel, Perryville Coke Dock.**
Location: Mile 135.5, left bank, Tennessee River, approximately 0.5 mile above Alvin C. York Datum: NPE
(State Highways 20 and 206)
Operator: Tinker Sand and Gravel Inc.
Owner: Tinker Sand and Gravel Inc.
Address: Foot of Dan McFall Road. Phone: 901/847-3311
Town: Perryville State: TN County: Decatur
Railway Connection: None.
Purpose: Receipt of coke and other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.621667
Total Berthing Space (feet): 135 | | Longitude (decimal): -88.03778
Remarks: Approximately 4 acres of partly concrete-paved, open storage area are located in rear. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45135 Dock Code: 602 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 135.6 PWD: 061
 Name: **Tinker Sand and Gravel, Perryville Sand and Gravel Dock.**
 Location: Mile 135.6, left bank, Tennessee River, approximately 0.6 mile above Alvin C. York Datum: NPE
 (State Highways 20 and
 Operator: Tinker Sand and Gravel Inc.
 Owner: Tinker Sand and Gravel Inc.
 Address: Foot of Dan McFall Road. Phone: 901/847-3311
 Town: Perryville State: TN County: Decatur
 Railway Connection: None.
 Purpose: Receipt and occasional shipment of sand and gravel.
 Depth Alongside (feet): 10 | | 10 Latitude (decimal): 35.618611
 Total Berthing Space (feet): 135 | | 135 Longitude (decimal): -88.03806
 Remarks: Operator moors up to 8 barges arranged in 3 tiers, each 2 or 3 barges wide, on left bank of Beech
 River, approximately 800 feet above mouth. □ Approximately 8 acres of open storage area are located
 in rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45135 Dock Code: 602 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 136.0 PWD: 062
 Name: **Teague Brothers Sand and Gravel Co., Perryville Dock.**
 Location: Mile 136.0, right bank, Tennessee River, approximately 1 mile above Alvin C. York Datum: NPE
 (State Highways 20 and
 Operator: Teague Brothers Sand and Gravel Co. Inc.
 Owner: Teague Brothers Sand and Gravel Co. Inc.
 Address: Foot of Cyprus Creek Road. Phone: 901/847-0848
 Town: Perryville State: TN County: Perry
 Railway Connection: None.
 Purpose: Receipt of sand and gravel.
 Depth Alongside (feet): 9 | | Latitude (decimal): 35.6125
 Total Berthing Space (feet): 600 | | Longitude (decimal): -88.03194
 Remarks: *NPE (Kentucky Dam) = 359.0
 MSL. Four acres of
 open storage area located at rear of wharves and an additional four acres are located nearby.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45136 Dock Code: 101 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 14.0 PWD: 024
Name: **Midwest Gateway Terminal Co. Slip.**
Location: Mile 14.0, left bank, Tennessee River, approximately 7 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: Midwest Gateway Terminal Co.
Owner: Midwest Gateway Terminal Co.
Address: Shar-Cal Road. Phone: 502/395-1914
Town: Calvert City State: KY County: Marshall
Railway Connection: None.
Purpose: Receipt of coal, petroleum coke, steel billets, and washed gravel; shipment of scrap metal.
Depth Alongside (feet): | 10 - 12 | 10 Latitude (decimal): 37.053611
Total Berthing Space (feet): | 450 | 200 Longitude (decimal): -88.39
Remarks: Approximately 2 1/2 acres of open storage area, located at rear of upper side of slip, and an additional 5 acres of open storage area are located at rear of lower side of slip.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45014 Dock Code: 102 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 14.1 PWD: 025
Name: **Midwest Gateway Terminal Co. Wharf.**
Location: Mile 14.1, left bank, Tennessee River, approximately 7 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: Midwest Gateway Terminal Co.
Owner: Midwest Gateway Terminal Co.
Address: Shar-Cal Road. Phone: 502/395-1914
Town: Calvert City State: KY County: Marshall
Railway Connection: None.
Purpose: Shipment of grain; receipt of petroleum products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 37.053333
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.38917
Remarks: Grain elevator located at rear consists of 6 steel silos. One 10- and one 6-inch pipelines extending from platform to two steel storage tanks located at rear, available for use for receipt of petroleum products, were not in use at time of survey (1997); total capacity 135,000 barrels. □ Approximately 400 acres of open dry bulk storage area are located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45014 Dock Code: 102 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 16.1 PWD: 026
Name: **Elf Atochem North America, Calvert City Trichloroethane Dock.**
Location: Mile 16.1, left bank, Tennessee River, approximately 5 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: Elf Atochem North America Inc.
Owner: Elf Atochem North America Inc.
Address: 4444 Industrial Parkway. Phone: 502/395-6620
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt of trichloroethylene and 1,1,1-trichloroethane.
Depth Alongside (feet): 12 - 13 | | Latitude (decimal): 37.061944
Total Berthing Space (feet): 263 | | Longitude (decimal): -88.35833
Remarks: NPE (Dam No. 52) = 301.7 MSL. *Wharf is in line with Ref. Nos. 27 and 28, allowing for a total of 1,225 feet of continuous berthing space. ☐ One 6-inch pipeline extends from wharf to one steel, 350,000-gallon trichloroethane storage tank.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45016 Dock Code: 202 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 16.2 PWD: 027
Name: **Elf Atochem North America, Calvert City Caustic Soda and HCL Dock.**
Location: Mile 16.2, left bank, Tennessee River, approximately 5 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: Elf Atochem North America Inc.
Owner: Elf Atochem North America Inc.
Address: 4444 Industrial Parkway. Phone: 502/395-6620
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt of caustic soda; shipment of hydrochloric acid.
Depth Alongside (feet): 12 - 13 | | Latitude (decimal): 37.061667
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.35722
Remarks: NPE (Dam No. 52) = 301.7 MSL. *Wharf is in line with Ref. Nos. 26 and 28, allowing for a total of 1,225 feet of continuous berthing space. ☐ One 4-inch pipeline extends from wharf to one steel, 300,000-gallon hydrochloric acid storage tank.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45016 Dock Code: 202 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 16.3 PWD: 028
Name: **Elf Atochem North America, Calvert City Equipment-Handling Dock.**
Location: Mile 16.3, left bank, Tennessee River, approximately 5 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: Elf Atochem North America Inc.
Owner: Elf Atochem North America Inc.
Address: 4444 Industrial Parkway. Phone: 502/395-6620
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Handling plant equipment; mooring barges.
Depth Alongside (feet): 12 - 13 | | Latitude (decimal): 37.061389
Total Berthing Space (feet): 525 | | Longitude (decimal): -88.35556
Remarks: *Wharf is in line with Ref. Nos. 26 and 27, allowing for a total of 1,225 feet of continuous berthing space. □ A steel catwalk connects lower 2 cells with timber platform (Ref. No. 29), and steel approach to upper center cell continues to next upstream cell. Approach to bulkhead is via an 18-foot-wide concrete roadway.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45016 Dock Code: 202 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 16.7 PWD: 029
Name: **SKW Metals and Alloys, Calvert City Dock.**
Location: Mile 16.7, left bank, Tennessee river, approximately 4.4 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: SKW Metals and Alloys Inc., a division of VIAG Group.
Owner: SKW Metals and Alloys Inc., a division of VIAG Group.
Address: 524 North Main Street. Phone: 502/395-2123
Town: Calvert City State: KY County: Marshall
Railway Connection: One surface track serves plant in rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt of coal, petroleum coke, scrap metal, silicon, gravel, and miscellaneous ores; shipment of ferrosilicon.
Depth Alongside (feet): 17 | | Latitude (decimal): 37.059167
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.34778
Remarks: *NPE (Dam No. 52) = 301.7 MSL. Material is
trucked to open storage area located at plant in rear, capacity 15,000 tons of coal.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45016 Dock Code: 702 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 17.4 PWD: 030
 Name: **The Carbide/Graphite Group, Calvert City Dock.**
 Location: Mile 17.4, left bank, Tennessee River, approximately 3.7 miles below Interstate Highway 24 Bridge. Datum: NPE
 Operator: Not operated.
 Owner: The Carbide/Graphite Group Inc.
 Address: 3204 Industrial Parkway. Phone: 502/395-4143
 Town: Calvert City State: KY County: Marshall
 Railway Connection: One surface track serves plant in rear; connects with Paducah & Louisville Railroad.
 Purpose: Not used.
 Depth Alongside (feet): 15 | | Latitude (decimal): 37.0575
 Total Berthing Space (feet): 420 | | Longitude (decimal): -88.33667
 Remarks: Wharf formerly was used for receipt of limestone. □ Open storage area located at rear has capacity for 20,000 tons. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45017 Dock Code: 502 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 17.6 PWD: 031
 Name: **Air Products & Chemicals, Calvert City Dock.**
 Location: Mile 17.6, left bank, Tennessee River, approximately 3.5 miles below Interstate Highway 24 Bridge. Datum: NPE
 Operator: Air Products & Chemicals Inc.
 Owner: Air Products & Chemicals Inc.
 Address: Industrial Parkway. Phone: 502/395-2245
 Town: Calvert City State: KY County: Marshall
 Railway Connection: None.
 Purpose: Receipt of vinyl acetate monomer.
 Depth Alongside (feet): 12 | | Latitude (decimal): 37.055833
 Total Berthing Space (feet): 140 | | Longitude (decimal): -88.33306
 Remarks: One 8-inch pipeline extends from wharf to two steel storage tanks at plant 2 miles at rear; total capacity 2,500,000 gallons. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45017 Dock Code: 602 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 17.8 PWD: 032
Name: **Westlake Monomers Corp., Calvert City Dock.**
Location: Mile 17.8, left bank, Tennessee River, approximately 3.3 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: Westlake Monomers Corp.
Owner: Westlake Monomers Corp.
Address: Industrial Parkway. Phone: 502/395-3505
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Shipment of chlorine.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.054444
Total Berthing Space (feet): 515 | | Longitude (decimal): -88.32833
Remarks: *NPE (Dam No. 52) = 301.7 MSL. One 10-inch pipeline extends from wharf to two steel, vinyl chloride storage tanks, total capacity 1 million gallons. Two 3-inch pipelines extend to seven chlorine storage tanks, total capacity 765,000 gallons.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45017 Dock Code: 802

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 171.0 PWD: 063
Name: **International Paper Co., Saltillo Woodyard Dock.**
Location: Mile 171.0, left bank, Tennessee River, approximately 1 mile above upstream end of Swallow Bluff Island, Datum: NPE
Operator: International Paper Co.
Owner: International Paper Co.
Address: Foot of Point Pleasant Lane. Phone: 901/549-3367
Town: Saltillo State: TN County: Decatur
Railway Connection: None.
Purpose: Shipment of logs in the rough.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.386944
Total Berthing Space (feet): 440 | | Longitude (decimal): -88.18639
Remarks: Approximately 2 acres of open storage area located at rear has capacity for 5,000 tons of logs.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45171 Dock Code: 202 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 172.2 PWD: 064
Name: **Saltillo Ferry Landings.**
Location: Mile 172.2, left and right bank, Tennessee River, approximately 2.2 miles above upstream end of Swallow Datum: NPE
Operator: Hardin County, Tennessee.
Owner: Hardin County, Tennessee.
Address: Phone:
Town: Saltillo State: TN County: Hardin
Railway Connection: None.
Purpose: Landing for vehicular ferry.
Depth Alongside (feet): 4 | | 4 Latitude (decimal): 35.373333
Total Berthing Space (feet): | | 20 Longitude (decimal): -88.19944
Remarks: Continued from HWY CONN: State Highway 128, each asphalt, 15-18 and 20 feet wide. Ref. No. 61
63 *NPE (Kentucky Dam) = 359.0 MSL. Ref. Nos. 62 &
*NPE (Pickwick Dam) = 414.0 MSL.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45172 Dock Code: 202 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 18.0 PWD: 033
Name: **B.F. Goodrich Corp., Calvert City Propane Dock.**
Location: Mile 18.0, left bank, Tennessee River, approximately 3.1 miles below Interstate Highway 24 Bridge. Datum: NPE
Operator: B.F. Goodrich Corp., CAO Division.
Owner: B.F. Goodrich Corp., CAO Division.
Address: 2468 Industrial Parkway. Phone: 502/395-4462
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt of liquid propane; shipment of gasoline, butadiene, and propylene.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.053889
Total Berthing Space (feet): 727 | | Longitude (decimal): -88.32667
Remarks: Two 12-inch pipelines extend from wharf to underground cavern storage at plant located in rear, total capacity 200,000 barrels; and one 6-inch pipeline extends to wharf from two gasoline storage tanks and two butadiene storage tanks, total capacity 15,000 and 76,000 barrels, respectively.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45017 Dock Code: 902 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 18.1 PWD: 034
Name: **B. F. Goodrich Corp., Calvert City Caustic Soda Dock.**
Location: Mile 18.1, left bank, Tennessee River, lower side of slip, approximately 3.0 miles below Interstate High Datum: NPE
Operator: B. F. Goodrich Corp., CAO Division.
Owner: B. F. Goodrich Corp., CAO Division.
Address: 2468 Industrial Parkway. Phone: 502/395-4462
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt and shipment of caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.052222
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.32444
Remarks: Two 6-inch pipelines extend from wharf to four steel storage tanks, total capacity 2.4 million gallons.
Slip is 80 feet wide, shared with Ref. No. 35.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45017 Dock Code: 902 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 18.1 PWD: 035
Name: **B. F. Goodrich, Calvert City Salt Dock.**
Location: Mile 18.1, left bank, Tennessee River, upper side of slip, approximately 3.0 miles below Interstate High Datum: NPE
Operator: B. F. Goodrich Corp., CAO Division.
Owner: B. F. Goodrich Corp., CAO Division.
Address: 2468 Industrial Parkway. Phone: 502/395-4462
Town: Calvert City State: KY County: Marshall
Railway Connection: Plant trackage in rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.052222
Total Berthing Space (feet): 700 | | Longitude (decimal): -88.32389
Remarks: *Ref. No. 34 - NPE (Dam No. 52) = 301.7 MSL. Ref. Nos. 35 and 36 - NPE
(Kentucky Dam) = 359.0 MSL. Open storage area at head of slip has capacity for 12,600 tons of salt.
Slip is 80 feet wide, shared with Ref. No. 34.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45017 Dock Code: 902 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 189.8 PWD: 065
Name: **City of Savannah, Riverboat Landing.**
Location: Mile 189.8, right bank, Tennessee River, approximately 0.5 mile above U.S. Route 64 Bridge, Savannah. Datum:
Operator: City of Savannah, Tennessee.
Owner: City of Savannah, Tennessee.
Address: Riverside Park. Phone: 901/925-5595
Town: Savannah State: TN County: Hardin
Railway Connection: None.
Purpose: Boarding and disembarking of riverboat passengers.
Depth Alongside (feet): | | Latitude (decimal): 35.225278
Total Berthing Space (feet): 300 | | Longitude (decimal): -88.25778
Remarks: Concrete walkways and picnic facilities are located at rear.□□
Year of Last Survey: 1997 Corps of Engns Waterway Code: 45189 Dock Code: 801

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 2.0 PWD: 013
Name: **Ingram Paducah, Sand Yard Dock.**
Location: Mile 2.0, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Ingram Materials Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 2445 S. Fourth Street. Phone: 502/442-9326
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer, petroleum coke, sand, potash, gravel, and other dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066389
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.57583
Remarks: *NPE (Dam No. 52) = 301.7 MSL. Bulk storage facilities at terminal located in rear include a 3,000-ton-capacity timber storage dome for coke; a 9,000-ton-capacity timber fertilizer warehouse; and an open storage area for 120,000 tons of miscellaneous commodities.
Year of Last Survey: 1997 Corps of Engns Waterway Code: 45002 Dock Code: 312 Louisville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 2.1 PWD: 014
Name: **Hutson, Paducah Dock.**
Location: Mile 2.1, left bank, Tennessee River, opposite the upper half of Owens Island, Datum: NPE
Paducah.
Operator: Hutson Co. Inc. and Consolidated Grain and Barge Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 110 Locust Drive. Phone: 502/443-2100
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.065278
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57306
Remarks: Two grain hopper tanks and three steel, grain storage tanks located at rear, managed by Consolidated Grain and Barge Co., have a combined storage capacity of 201,000 bushels. One 8-inch pipeline extends from wharf to two steel, fertilizer storage tanks located at rear, managed by Hutson Co., have total storage capacity of 3.6 million gallons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Dock Code: 312 Louisville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 201.7 PWD: 066
Name: **Rock Pile, Shiloh Battlefield Boat Landing.**
Location: Mile 201.7, left bank, Tennessee River, approximately 4.8 miles above upstream end Datum:
of Diamond Island.
Operator: ???Not used.???
Owner: ???Not operated.???
Address: Phone: 901/689-5696
Town: Hamburg State: TN County: Hardin
Railway Connection: None.
Purpose: Boarding and disembarking passengers.
Depth Alongside (feet): | | Latitude (decimal): 35.104722
Total Berthing Space (feet): 30 | | Longitude (decimal): -88.30056
Remarks: The 'Niagara Princess' riverboat lands and reboards passengers for day tours of the Shiloh Civil War battlefield.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45201 Dock Code: 701

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 207.8 PWD: 067
 Name: **Lone Star Industries, Hardin County Counce Dock.**
 Location: Mile 207.8, left bank, Tennessee River, approximately 1 mile above Pickwick Dam. Datum: NPE
 Operator: Lone Star Industries.
 Owner: Hardin County Port Authority.
 Address: Foot of Hardin Dock Road. Phone: 502/442-5480
 Town: Counce State: TN County: Hardin
 Railway Connection: None.
 Purpose: Shipment of logs in the rough and pulpwood.
 Depth Alongside (feet): 17 | | Latitude (decimal): 35.059722
 Total Berthing Space (feet): 600 | | Longitude (decimal): -88.22639
 Remarks: Approximately 1.5 acres of open storage area are located at rear. □ □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45207 Dock Code: 702 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 23.0 PWD: 039
 Name: **Vulcan Materials Co., Gilbertsville BRT 2 Dock.**
 Location: Mile 23.0, right bank, Tennessee River, between Lazy Beaver Lake and Reed Harbor, approximately 3,000 feet Datum: NPE
 Operator: Vulcan Materials Co.
 Owner: Vulcan Materials Co.
 Address: Phone: 502/362-1260
 Town: Gilbertsville State: KY County: Livingston
 Railway Connection: Two surface tracks on rail trestle over barge slipways, northerly track serving 2 undertrack pits; join additional terminal trackage; connect with Paducah & Louisville Railroad. (See Remarks.)
 Purpose: Shipment of coal.
 Depth Alongside (feet): 15 | | Latitude (decimal): 37.016667
 Total Berthing Space (feet): 1,159 | | Longitude (decimal): -88.25528
 Remarks: Rail trackage, with 100-car storage capacity, is located at terminal. □ □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45022 Dock Code: 701 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 23.0 PWD: 040
Name: **Vulcan Materials Co., Gilbertsville BRT 4 Dock.**
Location: Mile 23.0, right bank, Tennessee River, Lazy Beaver Lake, north of Reed Harbor, Datum: NPE
approximately 3,000 feet
Operator: Vulcan Materials Co.
Owner: Vulcan Materials Co.
Address: Phone: 502/362-1260
Town: Gilbertsville State: KY County: Livingston
Railway Connection: None.
Purpose: Receipt and shipment of coal; receipt of sand; shipment of stone and crushed stone; mooring barges.
Depth Alongside (feet): 19 | | Latitude (decimal): 37.018889
Total Berthing Space (feet): 621 | | Longitude (decimal): -88.25472
Remarks: Fleeting for 100 barges is available in basin.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45022 Dock Code: 701 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 23.0 PWD: 036
Name: **Vulcan Materials Co., Gilbertsville First Ramp Dock.**
Location: Mile 23.0, right bank, Tennessee River, lower side of Reed Harbor, approximately Datum: NPE
3,000 feet above Kentuc
Operator: Vulcan Materials Co.
Owner: Vulcan Materials Co.
Address: Phone: 502/362-1260
Town: Gilbertsville State: KY County: Livingston
Railway Connection: Two 200-car-capacity surface tracks serve two undertrack pits at terminal in rear; connects
with Paducah & Louisville Railroad.
Purpose: Shipment of crushed stone and coal; mooring barges. (See Remarks.)
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 37.014167
Total Berthing Space (feet): 195 | 20 | 24 Longitude (decimal): -88.25861
Remarks: Basin has total capacity for 60 barges.□Twelve acres of open storage area, with capacity for
approximately 6,000,000 tons of limestone, are located at terminal in rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45022 Dock Code: 701 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 23.0 PWD: 037
Name: **Vulcan Materials Co., Gilbertsville Second Ramp Dock.**
Location: Mile 23.0, right bank, Tennessee River, lower side of Reed Harbor, approximately 3,000 feet above Kentuc Datum: NPE
Operator: Vulcan Materials Co.
Owner: Vulcan Materials Co.
Address: Phone: 502/362-1260
Town: Gilbertsville State: KY County: Livingston
Railway Connection: Two 200-car-capacity, surface tracks serve 2 undertrack pits at terminal in rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of sand; shipment of stone, crushed stone, and coal; mooring barges. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 37.013333
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.25611
Remarks: Barge-fleeting area, with storage space for up to 90 barges, is located along a stone-revetted bank with shore moorings on opposite side of harbor. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45022 Dock Code: 701 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 23.0 PWD: 038
Name: **Vulcan Materials Co., Gilbertsville Service Dock.**
Location: Mile 23.0, right bank, Tennessee River, lower side, inner end of Reed Harbor, approximately 3,000 feet a Datum: NPE
Operator: Vulcan Materials Co.
Owner: Vulcan Materials Co.
Address: Phone: 502/362-1259
Town: Gilbertsville State: KY County: Livingston
Railway Connection: None.
Purpose: Mooring towboats and barges; performing repairs to company-owned vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.015
Total Berthing Space (feet): 700 | | Longitude (decimal): -88.25694
Remarks: *NPE (Kentucky Dam) = 359.0 MSL. A double-berth marine railway, with 500-ton-capacity each, is maintained at the site for servicing company-owned barges. An adjacent, stone-revetted bank with shore moorings has storage space for up to 9 barges.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45022 Dock Code: 701 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 238.9 PWD: 068
Name: **LaRoche Industries, Cherokee Dock.**
Location: Mile 238.9, left bank, Tennessee River, approximately 2.5 miles above Natchez Trace Parkway Bridge. Datum: NPE
Operator: LaRoche Industries Inc.
Owner: LaRoche Industries Inc.
Address: Phone: 205/359-7260
Town: Cherokee State: AL County: Colbert
Railway Connection: Seven surface tracks serving plant in rear; connect with Norfolk Southern Railway.
Purpose: Shipment of dry and liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 34.806389
Total Berthing Space (feet): 390 | | Longitude (decimal): -87.92639
Remarks: One 8- and one 6-inch pipelines extend to wharf from three steel storage tanks at plant located in rear, total capacity 4,400,000 gallons of liquid fertilizer. Capacity for dry bulk storage is 12,000 tons within a domed storage building, plus 15,000 tons within the plant.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45238 Dock Code: 802 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 24.8 PWD: 043
Name: **Crounse Corp., Grand Rivers Topside Repair Dock.**
Location: Mile 24.8, right bank, Tennessee River, lower side, inner end of cove, approximately 2.5 miles above Ken Datum: NPE
Operator: Crounse Corp.
Owner: Crounse Corp.
Address: 247 Terminal Road. Phone: 502/444-9611
Town: Grand Rivers State: KY County: Livingston
Railway Connection: None.
Purpose: Mooring and repairing company-owned towboats.
Depth Alongside (feet): 5 | 0 - 5 | 0 - 5 Latitude (decimal): 36.993333
Total Berthing Space (feet): 100 | 200 | 200 Longitude (decimal): -88.23028
Remarks: -□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45024 Dock Code: 905 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 24.8 PWD: 041
Name: **Vulcan Materials Co., Gilbertsville BRT 3 Dock.**
Location: Mile 24.8, right bank, Tennessee River, slip off lower side of cove, approximately 2.5 miles above Kentu Datum: NPE
Operator: Not operated.
Owner: Vulcan Materials Co.
Address: 247 Terminal Road. Phone: 502/362-1260
Town: Grand Rivers State: KY County: Livingston
Railway Connection: One surface track on trestle serves undertrack barge-loading bin, joins terminal trackage, including 230-car-capacity loaded- and empty car storage yards; connects with Illinois Central Gulf Railroad.Railroad.R
Purpose: Not used.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 36.992222
Total Berthing Space (feet): 600 | | Longitude (decimal): -88.23389
Remarks: *NPE (Kentucky Dam) = 359.0 MSL. Trestle piers and a single steel dolphin on outer side at slip entrance restrict operating width to 80 feet or 2 barge widths. Empty barges enter outer row, are transferred to inner row at head of slip, and loaded under trestle; all controlled by cable and winch system. Two offshore, steel sheetpile, cellular breasting dolphins at angle to shore at entrance to cove are used for storing 12 barges.□Open storage area is described under Ref. No. 42.

Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45024 Dock Code: 901 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 24.8 PWD: 042
Name: **Vulcan Materials Co., Grand Rivers Unloading Dock.**
Location: Mile 24.8, right bank, Tennessee River, lower side 1,000 feet inside cove, approximately 2.5 miles above Datum: NPE
Operator: Not operated.
Owner: Vulcan Materials Co.
Address: 247 Terminal Road. Phone: 502/362-1260
Town: Grand Rivers State: KY County: Livingston
Railway Connection: One surface track on trestle serves undertrack barge-loading bin, joins terminal trackage, including 230-car-capacity loaded- and empty car storage yards; connects with Paducah & Louisville Railroad.Railroad.
Purpose: Not used.
Depth Alongside (feet): 9 - 10 | 9 - 10 | 9 - 10 Latitude (decimal): 36.992222
Total Berthing Space (feet): 450 | | Longitude (decimal): -88.23222
Remarks: Several small floats moored along bank at rear of dolphins are used to moor pushboats. Nine barges can be stored at dolphins 3-abreast.□Open storage area located at rear has capacity for 80,000 tons. Additional storage area for approximately 60 barges is available at shore moorings along upper side of cove.

Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45024 Dock Code: 901 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 245.3 PWD: 069
Name: **Tennessee Valley Authority, Colbert Steam Plant Dock.**
Location: Mile 245.3, left bank, Tennessee River, approximately 9 miles above Natchez Trace Parkway Bridge. Datum: NPE
Operator: Tennessee Valley Authority.
Owner: Tennessee Valley Authority.
Address: Foot of Steamplant Road. Phone: 205/383-7152
Town: Pride State: AL County: Colbert
Railway Connection: None.
Purpose: Receipt of coal; occasional receipt of fuel oil; mooring towboats and barges. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 34.742778
Total Berthing Space (feet): 4,130 | | Longitude (decimal): -87.84306
Remarks: *NPE (Pickwick Dam) = 414.0
MSL. One 10-inch pipeline extends from cell at upper end to 3 steel, fuel oil storage tanks; total capacity 204,500 barrels. One small steel float located near lower side of lower loading tower is used for mooring workboats. Up to 65 loaded and empty barges, arranged in 15 tiers up to 6-wide, moor at outer end of wharf and along 1,000 feet of natural bank with shore moorings partly fronted by a row of timber breasting dolphins; moorings are also located at lower end of wharf. Open storage area at plant, with capacity for 800,000 tons of coal, is located at rear.

Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45245 Dock Code: 202 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 247.5 PWD: 070
Name: **Black Eagle Minerals, Pride Transloader Dock.**
Location: Mile 247.5, left bank, Tennessee River, approximately 11 miles above Natchez Trace Parkway Bridge. Datum: NPE
Operator: Black Eagle Minerals L.L.C.
Owner: Black Eagle Minerals L.L.C.
Address: Phone: 205/314-0888
Town: Pride State: AL County: Colbert
Railway Connection: One 106-car-capacity, loop track serves loading facility; connects with Norfolk Southern Railway.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 22 | | Latitude (decimal): 34.730278
Total Berthing Space (feet): 1,250 | 915 | Longitude (decimal): -87.80583
Remarks: Fleeting area is located approximately 500 feet below wharf and has capacity for 27 empty barges arranged in tiers up to 3-wide. Loaded barges are stored along upper 1,000 feet of wharf with capacity for 30 barges arranged in tiers 3-wide. □ Open storage area, with capacity for 300,000 tons of coal, served by a traveling dual stacker, is located at rear. At time of survey (1997), plans called for the construction of a second dock at this facility.

Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45247 Dock Code: 402 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 247.9 PWD: 071
 Name: **Golden Poultry Feed Mill Dock.**
 Location: Mile 247.9, left bank, Tennessee River, approximately 11.5 miles above Natchez Trace Parkway Bridge. Datum: NPE
 Operator: Golden Poultry Feed Mill.
 Owner: Golden Poultry Feed Mill.
 Address: Foot of Golden Road. Phone: 205/389-9591
 Town: Pride State: AL County: Colbert
 Railway Connection: None.
 Purpose: Receipt of corn.
 Depth Alongside (feet): 15 | | Latitude (decimal): 34.730278
 Total Berthing Space (feet): 200 | | Longitude (decimal): -87.79944
 Remarks: Storage silos at mill have storage capacity for 870,000 bushels of raw corn and manufactured feed in 13 cells with interstices. Trucks are loaded with feed corn from an overhead hopper in the mill; loading rate 250 tons per hour.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45247 Dock Code: 902

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 252.4 PWD: 072
 Name: **Murphy Oil U.S.A., Sheffield Terminal Dock.**
 Location: Mile 252.4, left bank, Tennessee River, approximately 4 miles below O'Neal (U.S. Highways 43 and 72) Bri Datum: NPE
 Operator: Murphy Oil U.S.A. Inc.
 Owner: Murphy Oil U.S.A. Inc.
 Address: 136 Blackwell Road. Phone: 205/383-3541
 Town: Sheffield State: AL County: Colbert
 Railway Connection: None.
 Purpose: Receipt of petroleum products.
 Depth Alongside (feet): 10 | | Latitude (decimal): 34.750833
 Total Berthing Space (feet): 90 | | Longitude (decimal): -87.72361
 Remarks: Two 8- and one 6-inch pipelines extend from wharf to six steel storage tanks located at terminal in rear; total capacity 115,000 barrels. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45252 Dock Code: 502 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 255.4 PWD: 073
Name: **River Excursions, Florence Riverboat Landing.**
Location: Mile 255.4, right bank, Tennessee River, approximately 1 mile below O'Neal (U.S. Datum: NPE
Routes 43 and 72) Bridge
Operator: River Excursions Inc.
Owner: City of Florence.
Address: McFarland Park. Phone: 205/766-4421
Town: Florence State: AL County: Lauderdale
Railway Connection: None.
Purpose: Mooring excursion vessel; boarding and disembarking of excursion passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.780833
Total Berthing Space (feet): 85 | | Longitude (decimal): -87.6875
Remarks: Excursion boat moors to outer face of float. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45255 Dock Code: 401

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 256.5 PWD: 074
Name: **Florence-Lauderdale County Port Authority, Cooperative Dock.**
Location: Mile 256.5, right bank, Tennessee River, approximately 0.2 miles above O'Neal (U.S. Datum: NPE
Highways 43 and 72)
Operator: Lauderdale County Cooperative Inc.
Owner: Florence-Lauderdale County Port Authority.
Address: South Water Street. Phone: 205/767-5388
Town: Florence State: AL County: Lauderdale
Railway Connection: None.
Purpose: Shipment of grain; mooring barges for fleetings. (See Remarks.)
Depth Alongside (feet): 16 | | Latitude (decimal): 34.7875
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.66972
Remarks: Grain elevator, with capacity for 290,000 bushels, consisting of 14 concrete silos and 4 steel tanks, is
located at rear. Muscle Shoals Marine Service operates a fleetings area at shore moorings below wharf
with capacity for 12 barges arranged in a block 6-long by 2-wide.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45256 Dock Code: 401 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 256.6 PWD: 075
Name: **Florence-Lauderdale County Port Authority Dock.**
Location: Mile 256.6, right bank, Tennessee River, approximately 0.3 miles above O'Neal (U.S. Highways 43 and 72) Datum: NPE
Operator: Hills Marine Inc.
Owner: Florence-Lauderdale County Port Authority.
Address: 851 South Water Street. Phone: 205/767-5388
Town: Florence State: AL County: Lauderdale
Railway Connection: One surface track at rear of wharf joins platform-level track serving warehouse; connects with CSX Transportation.
Purpose: Handling miscellaneous bulk materials, including receipt of potash, stone, and salt; shipment of fertilizer, coal, petroleum coke, iron ore fines, and cottonseed.
Depth Alongside (feet): 16 | | Latitude (decimal): 34.789167
Total Berthing Space (feet): 500 | | Longitude (decimal): -87.66917
Remarks: One 24,000-square-foot, steel frame, metal-covered storage warehouse, with capacity for approximately 9,500 tons of dry bulk fertilizer, is located in rear. Open storage area at terminal includes space for 9,000 tons of coke and 3,000 tons of salt.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45256 Dock Code: 601

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 256.6 PWD: 076
Name: **Tennessee Southern Railroad Co., Florence Dock.**
Location: Mile 256.6, north side of Patton Island, Florence. Datum: NPE
Operator: Tennessee Southern Railroad Co.
Owner: Florence-Lauderdale County Port Authority.
Address: Canal Street. Phone: 205/767-5388
Town: Florence State: AL County: Lauderdale
Railway Connection: Tennessee Southern Railroad: one surface track at rear; connects with 100-car-capacity storage yard.
Purpose: Receipt and shipment of miscellaneous bulk materials, primarily receipt of sand and gravel, and shipment of fertilizer.
Depth Alongside (feet): 16 | | Latitude (decimal): 34.788889
Total Berthing Space (feet): 700 | | Longitude (decimal): -87.66833
Remarks: *NPE (Pickwick Dam) = 414.0 MSL. -
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45256 Dock Code: 701 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 256.9 PWD: 077
Name: **Hill's Marine, Florence Dock.**
Location: Mile 256.9, approximately 0.5 mile below Canal Causeway, Florence. Datum: NPE
Operator: Hill's Marine Inc.
Owner: Florence-Lauderdale County Port Authority.
Address: 901 South Court Street. Phone: 205/767-5388
Town: Florence State: AL County: Lauderdale
Railway Connection: Two surface tracks serve terminal in rear; connects with Tennessee Southern Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, primarily steel coil; mooring barges for repair and fleeting. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 34.791667
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.66722
Remarks: A side-haul marine railway, capable of handling 195-foot barges, is available for repair to barges and other floating equipment. Fleeting area at shore moorings below wharf has capacity for 8 barges arranged in a block 4-long by 2-wide. Company-owned tugboats are available for maneuvering loaded or empty barges. □ Approximately 10 acres of open storage area are located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45256 Dock Code: 801 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 257.0 PWD: 078
Name: **Cargill Salt Terminal, Florence Dock.**
Location: Mile 257.0, approximately 0.4 mile below Canal Causeway, Florence. Datum: NPE
Operator: Hill's Marine Inc.
Owner: Florence-Lauderdale County Port Authority.
Address: 390 Canal Street. Phone: 205/767-5388
Town: Florence State: AL County: Lauderdale
Railway Connection: None.
Purpose: Receipt of salt and potash.
Depth Alongside (feet): 15 | | Latitude (decimal): 34.793056
Total Berthing Space (feet): 60 | | Longitude (decimal): -87.66639
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45257 Dock Code: 001

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 257.1 PWD: 079
Name: **FL Sand and Gravel, Florence Wharf.**
Location: Mile 257.1, north side of Patton Island, approximately 0.2 mile below Canal Causeway, Florence. Datum: NPE
Operator: FL Sand and Gravel Co.
Owner: Florence-Lauderdale County Port Authority.
Address: 290 Patton Island Road. Phone: 205/767-5388
Town: Florence State: AL County: Lauderdale
Railway Connection: Two surface tracks in rear; connect to Tennessee Southern Railway.
Purpose: Receipt of sand and gravel; shipment of sand, gravel, and limestone.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.7925
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.66528
Remarks: Approximately 3 acres of open storage are located at rear.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45257 Dock Code: 201 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 258.0 PWD: 080
Name: **Southern Ready-Mix of North Alabama, Florence Dock.**
Location: Mile 258.0, right bank, Tennessee River, approximately 1.5 miles below Wilson Lock and Dam, Florence. Datum: NPE
Operator: Southern Ready-Mix of North Alabama Inc.
Owner: Southern Ready-Mix of North Alabama Inc.
Address: 1506 Union Avenue. Phone: 205/766-0859
Town: Florence State: AL County: Lauderdale
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.798889
Total Berthing Space (feet): 45 | | Longitude (decimal): -87.65389
Remarks: *NPE (Pickwick Dam) = 440 MSL. -□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45257 Dock Code: 801 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 259.5 PWD: 083
Name: **Tennessee Valley Port Authority, Florence Fleet Harbor Dock.**
Location: Mile 259.5, left bank, Tennessee River, east side of Fleet Harbor, immediately above Wilson Lock and Dam Datum: NPE
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Phone:
Town: Sheffield State: AL County: Lawrence
Railway Connection: One surface track at rear of wharf, joins additional trackage; connects with Norfolk Southern Railway.
Purpose: Handling construction materials and equipment; mooring Tennessee Valley Port Authority equipment for maintenance and repair.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 34.788056
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.62333
Remarks: *NPE (Wilson Dam) = 507.5 MSL. Facility performs maintenance and repair work on Tennessee Valley Port Authority floating equipment.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45259 Dock Code: 511 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 259.5 PWD: 081
Name: **Tennessee Valley Port Authority, Florence Service Dock.**
Location: Mile 259.5, right bank, Tennessee River, lower side of cove, above Wilson Lock and Dam, Florence. Datum: NPE
Operator: Tennessee Valley Port Authority, Division of Services and Field Operations.
Owner: Tennessee Valley Port Authority, Division of Services and Field Operations.
Address: Wilson Lock Access Road. Phone:
Town: Florence State: AL County: Lauderdale
Railway Connection: None.
Purpose: Handling buoys and equipment for controlling secondary channel navigation.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.807222
Total Berthing Space (feet): 150 | | Longitude (decimal): -87.62778
Remarks: Maintenance and service building is located at rear. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45259 Dock Code: 511 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 259.6 PWD: 084
Name: **Occidental Chemical Corp., Muscle Shoals Plant, Chemical Dock.**
Location: Mile 259.6, left bank, Tennessee River, west side of Fleet Harbor, immediately above Wilson Lock and Dam Datum: NPE
Operator: Occidental Chemical Corp.
Owner: Occidental Chemical Corp.
Address: Phone: 205/389-2253
Town: Sheffield State: AL County: Colbert
Railway Connection: Trackage serving plant located approximately 1 1/2 miles south; connects with Norfolk Southern Railway.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 13 | | Latitude (decimal): 34.786667
Total Berthing Space (feet): 390 | | Longitude (decimal): -87.6225
Remarks: One 6-inch pipeline extends from wharf to one 375,000-gallon, caustic soda storage tank. Seven cellular dolphins in harbor are used to moor up to ten barges in transit to and from dock.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45259 Dock Code: 602 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 259.6 PWD: 085
Name: **Occidental Chemical Corp., Muscle Shoals Plant, Salt Dock.**
Location: Mile 259.6, left bank, Tennessee River, west side of Fleet Harbor, immediately above Wilson Lock and Dam Datum: NPE
Operator: Not operated.
Owner: Occidental Chemical Corp.
Address: Phone: 205/389-2253
Town: Sheffield State: AL County: Colbert
Railway Connection: Trackage serving plant located approximately 1 1/2 miles south; connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 34.7875
Total Berthing Space (feet): 415 | | Longitude (decimal): -87.62139
Remarks: -□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45259 Dock Code: 602 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 259.6 PWD: 082
Name: **U.S. Army Corps of Engineers, Florence Repair Station Wharf.**
Location: Mile 259.6, right bank, Tennessee River, upper side of cove, above Wilson Lock and Dam, Florence. Datum: NPE
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: Wilson Lock Access Road. Phone:
Town: Florence State: AL County: Lauderdale
Railway Connection: None.
Purpose: Handling lock-and-dam apparatus for repair and maintenance.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.8075
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.62667
Remarks: Repair facilities are located inside building at rear. □ □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45259 Dock Code: 501 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 260.4 PWD: 086
Name: **Southern Reclamation Co., Sheffield Dock.**
Location: Mile 260.4, left bank, Tennessee River, lower side of inlet, approximately 0.8 mile above Wilson Lock an Datum: NPE
Operator: Southern Reclamation Co., a division of Reynolds Metals Co.
Owner: Southern Reclamation Co., a division of Reynolds Metals Co.
Address: 1065 River Road. Phone: 205/386-8314
Town: Sheffield State: AL County: Colbert
Railway Connection: Two marginal surface tracks along rear of face; connect with Southern Railway.
Purpose: Occasional receipt of semi-finished aluminum.
Depth Alongside (feet): 14 | | Latitude (decimal): 34.797778
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.59778
Remarks: *Ref. No. 79 NPE (Wilson Dam) = 507.5 MSL. Ref. Nos. 80 &
80 NPE (Wheeler Dam) = 556.0 MSL.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45260 Dock Code: 401 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 282.1 PWD: 087
Name: **Champion International Corp., Courtland Mill Car-Float Slip.**
Location: Mile 282.1, left bank, Tennessee River, approximately 7.2 miles above General Joe Datum: NPE
Wheeler Lock and Dam.
Operator: Not operated.
Owner: Champion International Corp.
Address: Wheeler Dam Road. Phone: 205/637-6759
Town: Courtland State: AL County: Lawrence
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 34.746389
Total Berthing Space (feet): 1 | | Longitude (decimal): -87.30667
Remarks: Slip is occasionally used to fleet barges at plant. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45282 Dock Code: 002 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 282.2 PWD: 088
Name: **Champion International Corp., Courtland Mill Dock.**
Location: Mile 282.2, left bank, Tennessee River, approximately 7 miles above General Joe Datum: NPE
Wheeler Lock and Dam.
Operator: Champion International Corp.
Owner: Champion International Corp.
Address: Wheeler Dam Road. Phone: 205/637-6759
Town: Courtland State: AL County: Lawrence
Railway Connection: One surface track at rear; connects to plant and to Norfolk Southern Railway.
Purpose: Receipt of wood chips.
Depth Alongside (feet): 16 | | Latitude (decimal): 34.746111
Total Berthing Space (feet): 1,133 | | Longitude (decimal): -87.30472
Remarks: - □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45282 Dock Code: 002 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 293.0 PWD: 089
Name: **Tennessee Valley Port Authority, Browns Ferry Nuclear Plant, Barge**
Location: Mile 293.0, right bank, Tennessee River, approximately 11.5 miles below Norfolk Datum: NPE
Southern Railway bridge
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Foot of Browns Ferry Road. Phone: 205/729-3547
Town: Browns Ferry State: AL County: Limestone
Railway Connection: None.
Purpose: Handling miscellaneous electric-power-generating equipment; handling heavy-lift items.
Depth Alongside (feet): 12 | | 8 Latitude (decimal): 34.715
Total Berthing Space (feet): 70 | | 70 Longitude (decimal): -87.12778
Remarks: -□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45294 Dock Code: 001 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 293.8 PWD: 090
Name: **Tennessee Valley Port Authority, Browns Ferry Nuclear Plant, Small**
Location: Mile 293.8, right bank, Tennessee River, approximately 10.5 miles below Norfolk Datum: NPE
Southern Railway bridge
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Foot of Browns Ferry Road. Phone: 205/729-3547
Town: Browns Ferry State: AL County: Limestone
Railway Connection: None.
Purpose: Mooring Tennessee Valley Port Authority small craft.
Depth Alongside (feet): 0 - 12 | | 0 - 12 Latitude (decimal): 34.707222
Total Berthing Space (feet): 74 | | 74 Longitude (decimal): -87.12417
Remarks: An approximate 220- by 180-foot-long by 125-foot wide, rectangular basin is located parallel to river.
One 16-foot-wide, concrete, boat-launching ramp is located on outer side of basin.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45294 Dock Code: 001 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 298.0 PWD: 091
 Name: **Stein of Alabama, Trico Steel Decatur Dock.**
 Location: Mile 298.0, left bank, Tennessee River, below Finley Island. Datum: NPE
 Operator: Stein of Alabama L.L.C.
 Owner: Morgan County Economic Association.
 Address: Mallard-Fox Creek Industrial Park. Phone: 205/353-4720
 Town: Decatur State: AL County: Morgan
 Railway Connection: LLX Railroad: trackage at rear serves steel mill, open storage area, and three rail spurs extending full length of dock; connects with Norfolk Southern Railroad.
 Purpose: Receipt of pig iron, manganese, and scrap metal; shipment of steel coil.
 Depth Alongside (feet): 15 | | Latitude (decimal): 34.659722
 Total Berthing Space (feet): 450 | | Longitude (decimal): -87.075
 Remarks: Rail yard, with capacity for 600 cars, is located at rear.□□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45297 Dock Code: 401

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 298.5 PWD: 092
 Name: **Hill's Marine Enterprises, Mallard-Fox Dock.**
 Location: Mile 298.5, left bank, Tennessee River, opposite upper end of Finley Island. Datum: NPE
 Operator: Hill's Marine Enterprises Inc.
 Owner: Morgan County Economic Development Association.
 Address: Foot of Red Hat Road. Phone: 205/355-7558
 Town: Decatur State: AL County: Morgan
 Railway Connection: LLX Railroad: One surface track serves dock, with one surface spur serving rear of storage building; connects to Norfolk Southern Railroad.
 Purpose: Receipt and shipment of steel coil, logs in the rough, potash, and miscellaneous dry bulk materials.
 Depth Alongside (feet): 12 | | Latitude (decimal): 34.656111
 Total Berthing Space (feet): 1000 | | Longitude (decimal): -87.06889
 Remarks: On-site, marine repair capabilities provide welding and fiberglass repairs to vessel decks and interiors, and to hatch covers. More extensive mechanical repairs are available through subcontractors. One 24,000-square-foot, steel frame, metal-covered, heated storage building and approximately 3 acres of open storage area serve wharf. An additional 32,00-square-foot storage building is located 1 mile to rear. Two tugboats are usually moored at the wharf for switching and fleeting. Wharf provides mooring space for 6 barges upstream and 12 barges downstream (carried 3-abreast).
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45298 Dock Code: 502

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 299.5 PWD: 093
Name: **Amoco Chemicals Corp., Decatur Plant Dock.**
Location: Mile 299.5, left bank, Tennessee River, approximately 5 miles below Norfolk Datum: NPE
Southern Railway bridge at D
Operator: Amoco Chemicals Corp.
Owner: Amoco Chemicals Corp.
Address: Foot of Finley Island Road. Phone: 205/340-5560
Town: Decatur State: AL County: Morgan
Railway Connection: Plant trackage in rear; connects with Norfolk Southern Railway.
Purpose: Receipt of mixed xylenes and occasionally fuel oil; shipment of aromatics.
Depth Alongside (feet): 22 | | Latitude (decimal): 34.649444
Total Berthing Space (feet): 650 | | Longitude (decimal): -87.05361
Remarks: *NPE (Wheeler Dam) = 556.0
MSL. Pipelines extend
from wharf to chemical plant located in rear.
Commodity P/L Tanks Capacity (gallons) Xylene 1 @ 8' 9
24,000,000 1 @ 10' Aromatics 2 @
6' 6 10,000,000 1 @ 8' Fuel Oil 1
@ 6' 3 6,900,000 One 6- and one unused, 4-inch steam lines serve wharf.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45299 Dock Code: 502 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 3.4 PWD: 015
Name: **Walker Boat Yard, Paducah Lower Landing.**
Location: Mile 3.4, left bank, Tennessee River, approximately 1.9 miles below George Rogers Datum: NPE
Clark Memorial (U.S. H
Operator: Hartley Marine, d.b.a. Walker Boat Yard Inc.
Owner: Hartley Marine, d.b.a. Walker Boat Yard Inc.
Address: Clarks River Road. Phone: 502/444-4047
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring towboats; mooring barges for fleetings; training vessel operators and engineers. (See
Remarks.)
Depth Alongside (feet): 6 | | Latitude (decimal): 37.058333
Total Berthing Space (feet): 780 | | Longitude (decimal): -88.55389
Remarks: Four fleetings vessels are based at wharf. A total of 30 barges can be fleetings at shore moorings
adjacent to lower side of wharf, miles 2.5 to 3.4. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45003 Dock Code: 002 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 3.6 PWD: 016
Name: **Walker Boat Yard, Paducah Upper Wharf.**
Location: Mile 3.6, left bank, Tennessee River, approximately 1.7 miles below George Rogers Clark Memorial (U.S. H) Datum: NPE
Operator: Hartley Marine, d.b.a. Walker Boat Yard Inc.
Owner: Hartley Marine, d.b.a. Walker Boat Yard Inc.
Address: Clarks River Road. Phone: 502/444-4047
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring floating drydocks.
Depth Alongside (feet): 30 | 20 - 30 Latitude (decimal): 37.058333
Total Berthing Space (feet): 560 | 660 Longitude (decimal): -88.55389
Remarks: One 2,500-, one 1,800-, one 1,600-, and one 300-ton floating drydocks are moored at wharf. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45003 Dock Code: 002 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 3.8 PWD: 017
Name: **Jimar Paving Paducah Wharf.**
Location: Mile 3.8, left bank, Tennessee River, approximately 1.5 miles below George Rogers Clark Memorial (U.S. H) Datum: NPE
Operator: Jimar Paving Inc.
Owner: Jimar Paving Inc.
Address: 4100 Clarks River Road. Phone: 502/443-8717
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Occasional receipt of sand.
Depth Alongside (feet): 12 | Latitude (decimal): 37.055833
Total Berthing Space (feet): 195 | Longitude (decimal): -88.55056
Remarks: Ready-mix asphalt plant and open storage area for 15,000 tons of sand and 10,000 tons of gravel are located at rear. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45003 Dock Code: 802 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 301.0 PWD: 095
Name: **Alabama State Docks, Decatur Dock A.**
Location: Mile 301.0, left bank, Tennessee River, lower side and inner end of Decatur State Docks Basin. Datum: NPE
Operator: Decatur Transit Inc.
Owner: Alabama State Docks Department.
Address: State Docks Road. Phone: 205/353-1715
Town: Decatur State: AL County: Morgan
Railway Connection: One carfloor-level track serves rear of transit shed; connects with Norfolk Southern Railway.
Purpose: Receipt of liquid, streptomycin solubles.
Depth Alongside (feet): 15 | | Latitude (decimal): 34.638889
Total Berthing Space (feet): 530 | | Longitude (decimal): -87.03417
Remarks: One 4-inch pipeline extends from inner cell from one, 940,000-gallon, steel storage tank located at rear. At time of survey (1997), the 9,000-square-foot transit shed was under lease to 3M Company for industrial storage. Approximately 1 1/4 acres of open storage area are located in rear of shed.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45301 Dock Code: 332 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 301.0 PWD: 094
Name: **Alabama State Docks, Vulcan Aggregate Dock.**
Location: Mile 301.0, left bank, Tennessee River, lower side and outer end of Decatur State Docks Basin. Datum: NPE
Operator: Vulcan Materials Inc.
Owner: Alabama State Docks Department.
Address: State Docks Road. Phone: 205/353-1715
Town: Decatur State: AL County: Morgan
Railway Connection: One surface spur; connects with Norfolk Southern Railroad.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.639722
Total Berthing Space (feet): 462 | | Longitude (decimal): -87.0325
Remarks: Open storage area, wity capacity for approximately 10,000 tons of sand and gravel, is located at rear. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45301 Dock Code: 332 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 301.0 PWD: 098
 Name: **Cerestar USA Decatur Wharf.**
 Location: Mile 301.0, left bank, Tennessee River, outer end and upper side of Decatur State Docks Basin. Datum: NPE
 Operator: Cerestar USA Decatur Inc., a company of Eridania Beghin-Say.
 Owner: Cerestar USA Decatur Inc., a company of Eridania Beghin-Say.
 Address: State Docks Road. Phone: 205/355-8815
 Town: Decatur State: AL County: Morgan
 Railway Connection: Four surface tracks serving undertrack pit; connect with Norfolk Southern Railway.
 Purpose: Receipt of corn for processing; mooring barges. (See Remarks.)
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 34.6375
 Total Berthing Space (feet): 350 | | Longitude (decimal): -87.03306
 Remarks: Eleven concrete silos, with total capacity for 400,000 bushels, are located at processing plant in rear.
 Two 20-foot-diameter, steel sheet pile, breasting dolphins, occasionally used for mooring barges awaiting berthing assignments, are located approximately 1,000 feet riverward of wharf and are spaced 300 feet apart.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45301 Dock Code: 330

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 301.0 PWD: 097
 Name: **Cerestar USA Decatur, Dock B.**
 Location: Mile 301.0, left bank, Tennessee River, inner end and upper side of Decatur State Docks Basin. Datum: NPE
 Operator: Cerestar USA Decatur Inc., a company of Eridania Beghin-Say.
 Owner: Cerestar USA Decatur Inc., a company of Eridania Beghin-Say.
 Address: State Docks Road. Phone: 205/355-8815
 Town: Decatur State: AL County: Morgan
 Railway Connection: One surface track on apron; connects with Norfolk Southern Railway.
 Purpose: Shipment of milled feed.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 34.636944
 Total Berthing Space (feet): 480 | | Longitude (decimal): -87.03417
 Remarks: Approximately 1 1/2 acres of open storage area are located at rear.□□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45301 Dock Code: 330

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 301.0 PWD: 096
 Name: **Medusa Cement Co., Decatur Terminal Dock.**
 Location: Mile 301.0, left bank, Tennessee River, inner side of Decatur State Docks Basin. Datum: NPE
 Operator: Medusa Cement Co.
 Owner: Alabama State Docks Department.
 Address: State Docks Road. Phone: 205/351-6336
 Town: Decatur State: AL County: Morgan
 Railway Connection: None.
 Purpose: Receipt of bulk cement.
 Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 34.638056
 Total Berthing Space (feet): 285 | | Longitude (decimal): -87.03444
 Remarks: *NPE (Wheeler Dam) = 556.0
 MSL. One 8-inch
 pneumatic pipeline, with total capacity for 5,280 tons of bulk cement, extends from wharf to 3 steel
 storage tanks located at terminal in rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45301 Dock Code: 342 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 302.0 PWD: 099
 Name: **Monsanto Co., Decatur Coal Dock.**
 Location: Mile 302.0, left bank, Tennessee River, approximately 2.3 miles below Norfolk Southern Railway bridge. Datum: NPE
 Operator: Monsanto Co.
 Owner: Monsanto Co.
 Address: Phone: 205/552-2526
 Town: Decatur State: AL County: Morgan
 Railway Connection: One surface track serves undertrack pit in rear, joins additional trackage; connects with Norfolk Southern Railway.
 Purpose: Receipt of coal for plant consumption.
 Depth Alongside (feet): 12 | | Latitude (decimal): 34.636389
 Total Berthing Space (feet): 1,160 | | Longitude (decimal): -87.01778
 Remarks: *NPE (Wheeler Dam) = 556.0
 MSL. Open storage
 area, with capacity for 50,000 tons of coal for plant consumption, is located in rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45302 Dock Code: 002 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 302.1 PWD: 100
Name: **Monsanto Co., Decatur Chemical Dock.**
Location: Mile 302.1, left bank, Tennessee River, approximately 2.2 miles below Norfolk Datum: NPE
Southern Railway bridge.
Operator: Monsanto Co.
Owner: Monsanto Co.
Address: Phone: 205/552-2912
Town: Decatur State: AL County: Morgan
Railway Connection: One surface track serves liquid-unloading facilities in rear, joins additional plant trackage;
connects with Norfolk Southern Railway.
Purpose: Receipt of vinyl acetate, acrylonitrile, and styrene; shipment of adiponitrile.
Depth Alongside (feet): 18 | | Latitude (decimal): 34.635
Total Berthing Space (feet): 800 | | Longitude (decimal): -87.01583
Remarks: Pipelines extend from wharves to chemical plant located in
rear:

	Tanks	Capacity (gallons)		Commodity	P/L
	12'	3	3.85 million	□ Vinyl acetate	6' 1 335,000 □ Acrylonitrile
				Styrene	10' 1 145,000 □

Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45302 Dock Code: 002 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 303.5 PWD: 101
Name: **Morgan Metals, Decatur Slip.**
Location: Mile 303.5, left bank, Tennessee River, approximately 0.8 mile below Norfolk Datum: NPE
Southern Railway bridge, De
Operator: Not operated.
Owner: Alabama Farmers Cooperative.
Address: Phone: 205/353-6844 Ex
Town: Decatur State: AL County: Morgan
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.622778
Total Berthing Space (feet): 1 | | Longitude (decimal): -86.99417
Remarks: -□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45303 Dock Code: 602 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 303.6 PWD: 104
Name: **Decatur Transit, Fleeting Moorings.**
Location: Mile 303.6-304.4, right bank, Tennessee River, below Norfolk Southern Railway Bridge, Decatur. Datum: NPE
Operator: Decatur Transit Inc.
Owner: Decatur Transit Inc.
Address: Phone: 205/353-1715
Town: Decatur State: AL County: Limestone
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 - 12 | 8 - 12 Latitude (decimal): 34.619722
Total Berthing Space (feet): 18 | 18 Longitude (decimal): -86.98111
Remarks: Identical fleets are arranged 6 barges long by 3-wide.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45304 Dock Code: 401 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 303.8 PWD: 102
Name: **Port of Decatur, Ingalls Dock.**
Location: Mile 303.8, left bank, Tennessee River, approximately 2,500 feet below Norfolk Southern Railway bridge, Datum: NPE
Operator: Not operated.
Owner: Decatur Transit Inc.
Address: 701 Market Street N.W. Phone: 205/353-1715
Town: Decatur State: AL County: Morgan
Railway Connection: One surface track serves adjacent shipyard; connects with CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 15 - 17 | Latitude (decimal): 34.6225
Total Berthing Space (feet): 75 | Longitude (decimal): -86.98944
Remarks: *NPE (Wheeler Dam) = 556.0 MSL. Graving dock: A
120- by 100-foot dredged slip with sloping banks, revetted with concrete slabs, is located approximately 2,000 feet below wharf. Building and launching ways, located adjacent to wharf, were not in operation at time of survey (1997).
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45303 Dock Code: 802 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 304.1 PWD: 103
Name: **Port of Decatur, River Terminal Dock.**
Location: Mile 304.1, left bank, Tennessee River, below Norfolk Southern Railway Bridge, Datum: NPE
Decatur.
Operator: Port of Decatur, Division of Decatur Transit Inc.
Owner: Decatur Transit Inc.
Address: 500 Market Street N.W. Phone: 205/353-1715
Town: Decatur State: AL County: Morgan
Railway Connection: Two 26-car-capacity surface tracks along rear of wharf; connect with Norfolk Southern
Railway. One 5-car-capacity track in rear; connects with CSX Transportation.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including salt and fertilizer; receipt of steel
products, asphalt, and ethanol; shipment of coal tar; mooring barges for fleet and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 34.619722
Total Berthing Space (feet): 1,800 | | Longitude (decimal): -86.98556
Remarks: Two 8-inch pipelines extending from wharf to 6 steel storage tanks, with total capacity for 23,800
barrels of ethanol, are located in rear. Two 6-inch pipelines extend from wharf to truck-/rail-loading
station. One 39,000-square-foot, brick and steel, storage warehouse serves terminal. Two 3-inch
steam lines serve wharf for cleaning barges. A maximum of 54 barges arranged in 9 rows each, 6
barges wide, designated as 'Fleet I,' can be fleet at wharf. □ Approximately 7 acres of open storage
area, including 10,000 square feet for salt, are located at rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45304 Dock Code: 112 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 305.2 PWD: 105
Name: **Alabama Farmers Cooperative, Decatur Fertilizer Wharf.**
Location: Mile 305.2, left bank, Tennessee River, approximately 700 feet above Keller Datum: NPE
Memorial (U.S. Highway 31) B
Operator: Alabama Farmers Cooperative Inc.
Owner: Alabama Farmers Cooperative Inc.
Address: Foot of Somerville Road N.E. Phone: 205/353-6844 Ex
Town: Decatur State: AL County: Morgan
Railway Connection: None.
Purpose: Receipt of dry and liquid fertilizer, and molasses.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.61
Total Berthing Space (feet): 195 | | Longitude (decimal): -86.97222
Remarks: *NPE (Wheeler Dam) = 556.0
MSL. One 6-inch
pipeline extends from lower cell to three fertilizer storage tanks; total storage capacity 2,687,000
gallons.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45305 Dock Code: 302 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 305.2 PWD: 106
 Name: **Alabama Farmers Cooperative, Decatur Grain Wharf.**
 Location: Mile 305.2, left bank, Tennessee River, approximately 1,000 feet above Keller Memorial (U.S. Highway 31) Datum: NPE
 Operator: Alabama Farmers Cooperative Inc.
 Owner: Alabama Farmers Cooperative Inc.
 Address: Foot of Somerville Road N.E. Phone: 205/353-6844 Ex
 Town: Decatur State: AL County: Morgan
 Railway Connection: Two 8-car-capacity, surface tracks serve undertrack pits and loading spout; connect with CSX Transportation.
 Purpose: Receipt and shipment of grain.
 Depth Alongside (feet): 10 | | Latitude (decimal): 34.609444
 Total Berthing Space (feet): 300 | | Longitude (decimal): -86.97111
 Remarks: Grain elevator, with total capacity for 400,000 bushels, consisting of 28 concrete silos with 11 interstices, and 2 steel tanks, is located at rear. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45305 Dock Code: 302 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 305.7 PWD: 107
 Name: **Bunge Corp., Decatur Dock.**
 Location: Mile 305.7, left bank, Tennessee River, approximately 0.7 mile above Keller Memorial (U.S. Highway 31) B Datum: NPE
 Operator: Bunge Corp.
 Owner: Bunge Corp.
 Address: 1400 Market Street N.E. Phone: 205/350-4550
 Town: Decatur State: AL County: Morgan
 Railway Connection: Seven 48-car-capacity, surface tracks serve undertrack pits and loading spout; connect with CSX Transportation.
 Purpose: Receipt of soybeans; shipment of soybean oil and soybean products.
 Depth Alongside (feet): 29 | | Latitude (decimal): 34.606389
 Total Berthing Space (feet): 575 | | Longitude (decimal): -86.96444
 Remarks: One 4-inch pipeline extends to wharf from 6 steel, soybean oil storage tanks; total capacity 3.5 million gallons. Grain elevator, with total capacity for 7,600,000 bushels, consisting of 7 steel tanks, is located in rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45305 Dock Code: 712 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 305.7 PWD: 108
 Name: **Bunge Corp., Decatur Slip.**
 Location: Mile 305.7, left bank, Tennessee River, approximately 0.7 mile above Keller Memorial (U.S. Route 31) Bri Datum: NPE
 Operator: Not operated.
 Owner: Bunge Corp.
 Address: 1400 Market Street N.E. Phone: 205/350-4550
 Town: Decatur State: AL County: Morgan
 Railway Connection: Two surface tracks on downstream side; connect with CSX Transportation.
 Purpose: Not used.
 Depth Alongside (feet): 16 | | Latitude (decimal): 34.605
 Total Berthing Space (feet): 1 | | Longitude (decimal): -86.96361
 Remarks: *NPE (Wheeler Dam) = 556.0 MSL. At time of survey
 (1997), construction for refinery was underway adjacent to slip.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45305 Dock Code: 712 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 306.3 PWD: 109
 Name: **ConAgra, Decatur Flour Milling Co. Dock.**
 Location: Mile 306.3, left bank, Tennessee River, approximately 1.4 miles above Keller Memorial (U.S. Route 31) Br Datum: NPE
 Operator: ConAgra Inc.
 Owner: ConAgra Inc.
 Address: 2050 Market Street, N.E. Phone: 205/552-4769
 Town: Decatur State: AL County: Morgan
 Railway Connection: Four surface tracks serving undertrack pits and loading spout; connect with CSX Transportation.
 Purpose: Receipt of grain.
 Depth Alongside (feet): 14 | | Latitude (decimal): 34.601389
 Total Berthing Space (feet): 250 | | Longitude (decimal): -86.95694
 Remarks: Grain elevator, with total capacity for 1,800,000 bushels, consisting of 90 concrete silos with interstices and 2 steel tanks, is located in rear. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45306 Dock Code: 202 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 324.0 PWD: 110
Name: **NASA, Marshall Space Flight Center Dock.**
Location: Mile 324.0, right bank, Tennessee River, approximately 9.5 miles below U.S. Highway 231 bridge, Huntsvil Datum: NPE
Operator: National Aeronautics and Space Administration.
Owner: U.S. Government.
Address: Foot of Shield Road. Phone: 205/453-0716
Town: Huntsville State: AL County: Madison
Railway Connection: None.
Purpose: Occasional receipt of missile components, space, and test hardware.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 34.585833
Total Berthing Space (feet): 1 | 1 | 4 Longitude (decimal): -86.67528
Remarks: *Ref. Nos. 103 and 104 NPE (Wheeler Dam) = 556.0 MSL. Ref.
No. 105 NPE (Guntersville Dam) = 595.0 MSL. Barges are
designed to berth stern-to-face. Wharves are designed specifically to handle large rocket components.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45324 Dock Code: 001 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 336.5 PWD: 111
Name: **Baker Sand and Gravel Co., Hobbs Island Dock.**
Location: Mile 336.5, right bank, Tennessee River, approximately 3 miles above U.S. Highway 231 bridge, Huntsville Datum: NPE
Operator: Baker Sand and Gravel Co.
Owner: Baker Sand and Gravel Co.
Address: Foot of Bill Matthews Road. Phone: 205/881-4951
Town: Huntsville State: AL County: Madison
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 | | | Latitude (decimal): 34.536111
Total Berthing Space (feet): 400 | | | Longitude (decimal): -86.54528
Remarks: *Additional berthing space for 7 barges is available approximately 1,500 feet upstream at the remains of an abandoned, railroad-car ferry wharf. □ At time of survey (1997), a new bulkhead consisting of steel H-piles and steel plates with tie-backs, with gravel-surfaced solid fill, was under construction along face of existing wharf. □ Open storage area, with capacity for approximately 15,000 tons of sand, is located in rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45336 Dock Code: 501 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 380.4 PWD: 129
Name: **Scottsboro Development Corp., Dock.**
Location: Mile 380.4, right bank, Tennessee River, approximately 5.5 miles below Robert T. 'Bob' Jones (State High) Datum: NPE
Operator: Not operated.
Owner: Scottsboro Development Corps.
Address: Foot of Goosepond Island Road. Phone: 205/259-4561
Town: Scottsboro State: AL County: Jackson
Railway Connection: Trackage serving plant in rear; connects with Norfolk Southern Railway.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 34.5825
Total Berthing Space (feet): 310 | | 18 Longitude (decimal): -86.04056
Remarks: At time of survey (1997), plant was not in operation. ☐☐
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45380 Dock Code: 501 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 385.8 PWD: 130
Name: **Scottsboro and Fort Payne Forest Products, Dock.**
Location: Mile 385.8, right bank, Tennessee River, lower side of slip below Robert T. 'Bob' Jones (State Highway 3) Datum: NPE
Operator: Not operated.
Owner: Scottsboro and Fort Payne Forest Products.
Address: Foot of Dock Street. Phone: 205/574-2560
Town: Scottsboro State: AL County: Jackson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.643056
Total Berthing Space (feet): 350 | | Longitude (decimal): -85.98028
Remarks: Open storage area has normal capacity for 1,000 cords of pulpwood and a maximum capacity for 2,300 cords. ☐
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45385 Dock Code: 701 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 390.3 PWD: 131
 Name: **Mannington Bellefonte, Barge-Loading Dock.**
 Location: Mile 390.3, right bank, Tennessee River, approximately 5.5 miles above Robert T. Datum: NPE
 'Bob' Jones (State High)
 Operator: Not operated.
 Owner: Baker Sand and Gravel Co. Inc.
 Address: Foot of Barge Dock Road. Phone: 205/881-4951
 Town: Bellefonte State: AL County: Jackson
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 34.687778
 Total Berthing Space (feet): 160 | | Longitude (decimal): -85.92722
 Remarks: NPE (Guntersville Dam) = 595.0
 MSL. -
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45390 Dock Code: 401 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 391.3 PWD: 132
 Name: **Tennessee Valley Port Authority, Bellefonte Nuclear Plant, Barge T**
 Location: Mile 391.3, right bank, Tennessee River, approximately 6.5 miles above Robert T. Datum: NPE
 'Bob' Jones (State High)
 Operator: Not operated.
 Owner: Tennessee Valley Port Authority.
 Address: Phone: 205/574-8700
 Town: Bellefonte State: AL County: Jackson
 Railway Connection: Trackage at plant in rear; connects with Norfolk Southern Railway.
 Purpose: Not used.
 Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 34.699444
 Total Berthing Space (feet): 2 | | Longitude (decimal): -85.92139
 Remarks: Slip is 70 feet wide. At time of survey (1997), the nuclear power plant located in rear was in a
 permanent, maintenance status. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45391 Dock Code: 201 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 4.4 PWD: 018
Name: **Livingston Point, River Terminal Dock.**
Location: Mile 4.4, right bank, Tennessee River, approximately 1 mile below George Rogers Clark Memorial (U.S. Hig Datum: NPE
Operator: Quincy Soybean Co. of Arkansas.
Owner: Quincy Soybean Co. of Arkansas.
Address: Phone: 502/898-8811
Town: Ledbetter State: KY County: Livingston
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 21 | | Latitude (decimal): 37.050278
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.54417
Remarks: *NPE (Dam No. 52) = 301.7 MSL. Grain elevator
located at rear, consisting of 9 steel silos, has capacity for 1,700,000 bushels.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45004 Dock Code: 401 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 4.5 - PWD: 019
Name: **Paducah River Service, Lower Dock.**
Location: Mile 4.5-4.7, left bank, Tennessee River, approximately 2,000 feet below George Rogers Clark Memorial (U Datum: NPE
Operator: Paducah River Service, a division of James Marine Inc.
Owner: Paducah River Service, a division of James Marine Inc.
Address: 4540 Clarks River Road. Phone: 502/898-7392
Town: Reidland State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks; mooring barges for fleetling. (See Remarks.)
Depth Alongside (feet): 25 | | 20 Latitude (decimal): 37.042778
Total Berthing Space (feet): 750 | | 450 Longitude (decimal): -88.53639
Remarks: One 1,150-, two 500-, and one 350-ton floating drydocks are moored at wharf. Operator maintains a
fleetling area on opposite side of river between miles 7.0 and 10.5, with capacity for 230 barges
arranged in 77 tiers, each 3 barges wide.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45005 Dock Code: 102 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 4.7 - PWD: 020
 Name: **Paducah River Service, Repair Dock.**
 Location: Mile 4.7-5.0, left bank, Tennessee River, approximately 1,000 feet below George Rogers Clark Memorial (U) Datum: NPE
 Operator: Paducah River Service, a division of James Marine Inc.
 Owner: Paducah River Service, a division of James Marine Inc.
 Address: 4540 Clarks River Road. Phone: 502/898-7392
 Town: Reidland State: KY County: McCracken
 Railway Connection: None.
 Purpose: Mooring vessels for repair; mooring floating drydocks; mooring barges for fleetings. (See Remarks.)
 Depth Alongside (feet): 25 | | 20 Latitude (decimal): 37.039444
 Total Berthing Space (feet): 1615 | | 1,220 Longitude (decimal): -88.53306
 Remarks: One 2,500-, two 2,200-, and one 2,000-ton floating drydocks are moored at wharf. Operator maintains a fleetings area on opposite side of river between miles 7.0 and 10.5, with capacity for 230 barges arranged in 77 tiers, each 3 barges wide.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45005 Dock Code: 102 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 403.0 PWD: 133
 Name: **Serodino Inc., Lower Stevenson Dock.**
 Location: Mile 403.0, right bank, Tennessee River, below Captain John Snodgrass (State Highway 117) Bridge. Datum: NPE
 Operator: Not operated.
 Owner: Serodino Inc.
 Address: Phone: 423/266-1855
 Town: Stevenson State: AL County: Jackson
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 14 | | Latitude (decimal): 34.833611
 Total Berthing Space (feet): 585 | | Longitude (decimal): -85.80361
 Remarks: -□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45403 Dock Code: 001 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 403.5 PWD: 134
Name: **Serodino Inc., Upper Stevenson Dock.**
Location: Mile 403.5, right bank, Tennessee River, approximately 0.4 mile above Captain John Snodgrass (State High) Datum: NPE
Operator: Not operated.
Owner: Serodino Inc.
Address: Phone: 423/266-1855
Town: Stevenson State: AL County: Jackson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 34.836667
Total Berthing Space (feet): 585 | | Longitude (decimal): -85.80083
Remarks: *NPE (Guntersville Dam) = 595.0 MSL. -
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45403 Dock Code: 001 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 405.2 PWD: 135
Name: **Mead Corp., Stevenson Mill Dock.**
Location: Mile 405.2, right bank, Tennessee River, approximately 2 miles above Captain John Snodgrass (State Highw) Datum: NPE
Operator: Mead Corp.
Owner: Mead Corp.
Address: Foot of Mead Road. Phone: 205/437-2161
Town: Stevenson State: AL County: Jackson
Railway Connection: Two surface tracks serving plant in rear; connects with CSX Transportation.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 22 | | Latitude (decimal): 34.8575
Total Berthing Space (feet): 390 | | Longitude (decimal): -85.77861
Remarks: One 8-inch, steam-traced pipeline extends from wharf to one 95,200-barrel, steel storage tank and one 150,000-'day' tank located at plant in rear. One 3-inch steam line serves wharf. Oil-spill-containment boom is available. Wharf also serves as plant water, intake crib.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45405 Dock Code: 201 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 407.2 PWD: 136
Name: **Tennessee Valley Port Authority, Widows Creek Steam Plant, Coal Do**
Location: Mile 407.2, right bank, Tennessee River, approximately 7 miles below CSX Datum: NPE
Transportation bridge at Bridge
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Steam Plant Road. Phone: 205/437-4203
Town: Stevenson State: AL County: Jackson
Railway Connection: One surface track serves rotary car dumper, rate 800 tons per hour; connects with CSX Transportation.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.880833
Total Berthing Space (feet): 1,650 | | Longitude (decimal): -85.75472
Remarks: Open storage area at rear has capacity for over 1,000,000 tons. Twelve loaded barges can be berthed at wharf 4- to 6-abreast.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45407 Dock Code: 301 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 407.7 PWD: 137
Name: **Tennessee Valley Port Authority, Widows Creek, Fleeting Wharf.**
Location: Mile 407.7, right bank, Tennessee River, approximately 6.5 miles below CSX Datum: NPE
Transportation bridge at Brid
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Phone: 205/437-4203
Town: Stevenson State: AL County: Jackson
Railway Connection: Trackage serving plant in rear; connects with CSX Transportation.
Purpose: Mooring vessels and empty barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.885833
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.75056
Remarks: Ref Nos. 133, 138 *NPE (Guntersville Dam) = 595.0 MSL. Ref.
No. 135 *NPE (Nickajack Dam) = 634.0 MSL. Fleeting area
has capacity for 18 barges moored 3-long and 6-abreast.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45407 Dock Code: 301 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 413.4 PWD: 138
Name: **Alabama State Docks, Bridgeport Inland Dock.**
Location: Mile 413.4, right bank, Tennessee River, approximately 3,000 feet below CSX Transportation bridge at Bri Datum: NPE
Operator: Southeast Wood Fiber L.L.C.
Owner: Alabama State Docks Department.
Address: Phone: 205/495-9511
Town: Bridgeport State: AL County: Jackson
Railway Connection: Trackage serving TAC Alloys Division Plant in rear; connects with CSX Transportation.
Purpose: Shipment of logs in the rough and occasional shipment of ferrosilicon alloys.
Depth Alongside (feet): 11 | | Latitude (decimal): 34.945
Total Berthing Space (feet): 500 | | Longitude (decimal): -85.7
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45413 Dock Code: 601 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 423.7 PWD: 139
Name: **Port of Nickajack Wharf.**
Location: Mile 423.7, left bank, Tennessee River, approximately 0.8 miles below Nickajack Lock and Dam. Datum: NPE
Operator: Parker Towing Co. Inc.
Owner: Nickajack Port Authority.
Address: Phone: 423/837-1050
Town: New Hope State: TN County: Marion
Railway Connection: None.
Purpose: Shipment of pulpboard; receipt of pig iron, pumice rock, and other dry bulk materials.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 35.008889
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.63333
Remarks: Approximately 10 acres of open storage area are located at rear.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45423 Dock Code: 902

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 430.3 PWD: 140
Name: **Serodino Inc., Hales Bar, Shipyard Pier.**
Location: Mile 430.3, left bank, Tennessee River, approximately 0.5 mile above Marion County Memorial (U.S. Highway 412) Datum: NPE
Operator: Serodino Inc.
Owner: Serodino Inc.
Address: Phone: 423/942-7000
Town: Halletown State: TN County: Marion
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; occasional handling of specialized cargo.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 35.035278
Total Berthing Space (feet): 35 | 400 | 400 Longitude (decimal): -85.53861
Remarks: One 600- and one 200-ton-capacity, side-haul marine railways are located below pier. Approximately 200 feet of additional berthing space is available at bank on either side of pier, and space for up to 8 barges in slip on upper side adjacent to Ref. No. 141. In addition, barges can be stored in an offshore fleeting area (Ref. No. 142).
Year of Last Survey: 1997 Corps of Engineers Waterway Code: 45430 Dock Code: 202 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 430.4 PWD: 141
Name: **Serodino Inc., Hales Bar, Bulk Handling Pier.**
Location: Mile 430.4, left bank, Tennessee River, approximately 0.5 miles above Marion County Memorial (U.S. Highway 412) Datum: NPE
Operator: Serodino Inc.
Owner: Serodino Inc.
Address: Phone: 423/942-7000
Town: Halletown State: TN County: Marion
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including coal; receipt of steel products.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 35.035833
Total Berthing Space (feet): 35 | 280 | 280 Longitude (decimal): -85.53778
Remarks: *NPE (Nickajack Dam) = 634.0 MSL. Approximately 1.4 acres of open storage area are located at rear.
Year of Last Survey: 1997 Corps of Engineers Waterway Code: 45430 Dock Code: 202 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 430.4 PWD: 142
Name: **Serodino Inc., Hales Bar, Fleeting Mooring.**
Location: Mile 430.4, left bank, Tennessee River, approximately 0.5 miles above Marion County Memorial (U.S. Highw Datum: NPE
Operator: Serodino Inc.
Owner: Serodino Inc.
Address: Phone: 423/942-7000
Town: Haletown State: TN County: Marion
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.034444
Total Berthing Space (feet): 36 | | Longitude (decimal): -85.5425
Remarks: Fleeting area has capacity for 36 barges arranged in a block 4-long by 9-wide.□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45430 Dock Code: 202 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 431.1 PWD: 143
Name: **Tennessee Consolidated Coal Co., Hales Bar, Lock Terminal Dock.**
Location: Mile 431.1, right bank, Tennessee River, approximately 1.5 miles above Marion County Memorial (U.S. High Datum: NPE
Operator: Tennessee Consolidated Coal Co.
Owner: Tennessee Consolidated Coal Co.
Address: Foot of Lock and Dam Road. Phone: 423/658-5115
Town: Hales Bar Lock State: TN County: Marion
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 50 | 20 | Latitude (decimal): 35.047778
Total Berthing Space (feet): 880 | | Longitude (decimal): -85.5425
Remarks: Slipway is 60 feet wide. Thirty empty barges can be berthed at dolphins on lower side, 5 in loading area, and 30 loaded at concrete-retaining wall and bank on upper side of slipway. Open storage area at rear has capacity for 100,000 tons of coal.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45431 Dock Code: 101 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 433.2 PWD: 144
Name: **Signal Mountain Cement Co., Bennett Lake Quarry Dock.**
Location: Mile 433.2, right bank, Tennessee River, approximately 3.5 miles above Marion County Memorial (U.S. High Datum: NPE
Operator: Signal Mountain Cement Co.
Owner: Signal Mountain Cement Co.
Address: Foot of Bennett Lake Road. Phone: 423/942-2636
Town: Bennett Lake State: TN County: Marion
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.079444
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -85.52333
Remarks: *NPE (Nickajack Dam) = 634.0 MSL. All shipments from
this quarry are destined for the cement plant dock described under Ref. No. 145. ☐ Open storage area
at rear has capacity for 35,000 tons of stone; additional areas are available at quarry.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45432 Dock Code: 001 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 45.3 PWD: 045
Name: **Consolidated Grain and Barge Co., Murray Grain Elevator Dock.**
Location: Mile 45.3, left bank, Tennessee River, lower side of Anderson Creek, at mouth, Datum: NPE
approximately 3.5 miles a
Operator: Consolidated Grain and Barge Co.
Owner: Hutson Co. Inc.
Address: Phone: 502/474-2295
Town: Murray State: KY County: Calloway
Railway Connection: None.
Purpose: Shipment of grain; occasional shipment of dry bulk materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.723056
Total Berthing Space (feet): 480 | | Longitude (decimal): -88.11278
Remarks: Grain elevator, consisting of 6 steel silos with capacity for 500,000 bushels, is located at rear. ☐
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45045 Dock Code: 003

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 45.3 PWD: 044
Name: **Hutson Co., Port of Murray Fertilizer Dock.**
Location: Mile 45.3, left bank, Tennessee River, lower side of Anderson Creek, at mouth, Datum: NPE
approximately 3.5 miles a
Operator: Hutson Co. Inc.
Owner: Hutson Co. Inc.
Address: Phone: 502/474-2295
Town: Murray State: KY County: Calloway
Railway Connection: None.
Purpose: Receipt of fertilizer and other dry bulk materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 36.723611
Total Berthing Space (feet): 520 | | Longitude (decimal): -88.11111
Remarks: *NPE (Kentucky Dam) = 359.0
MSL. Face of wharf is
in line with Ref. No. 45, allowing for a total of 1,120 feet of continuous berthing space. □ Concrete and
steel storage building, and storage tank located in rear has combined capacity for 36,000 tons of bulk
materials.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45045 Dock Code: 002 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 454.4 PWD: 145
Name: **Signal Mountain Cement Co., Chattanooga Stone Dock.**
Location: Mile 454.4, right bank, Tennessee River, opposite lower end of Williams Island. Datum: NPE
Operator: Serodino Inc.
Owner: Signal Mountain Cement Co.
Address: 1201 Suck Creek Road. Phone: 423/886-0814
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Norfolk Southern trackage serves plant in rear.
Purpose: Receipt of crushed limestone, coal, and petroleum coke.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.098611
Total Berthing Space (feet): 880 | | Longitude (decimal): -85.35111
Remarks: Covered storage area at plant in rear has capacity for 10,000 tons of stone. □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45454 Dock Code: 501 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.1 PWD: 149
Name: **Commercial Metal, Chattanooga Dock.**
Location: Mile 456.2, right bank, Tennessee River, opposite Williams Island, Chattanooga. Datum: NPE
Operator: Commercial Metal Inc.
Owner: Commercial Metal Inc.
Address: 624 Terminal Road. Phone: 423/266-0806
Town: Chattanooga State: TN County: Hamilton
Railway Connection: One surface track at rear; connects to Norfolk Southern Railroad.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.08
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.34083
Remarks: An electric, barge-positioning winch is mounted to rear of dock.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45456 Dock Code: 201

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.1 PWD: 146
Name: **Mid-South Terminals, Chattanooga Dock A.**
Location: North side of dredged harbor, on right bank of Tennessee River, at mile 456.1, Datum: NPE
Chattanooga.
Operator: Midsouth Terminals, a division of Serodino Inc.
Owner: Midsouth Terminals, a division of Serodino Inc.
Address: 615 Hudson Road. Phone: 423/697-1790
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Surface track located at rear; connects with Norfolk Southern Railroad.
Purpose: Receipt of finished steel products; shipment of fertilizer and crushed marble.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 35.077778
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.33611
Remarks: An electric, barge-positioning winch is mounted on center cell.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45456 Dock Code: 102 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.1 PWD: 150
Name: **Robmer Properties, Chattanooga Dock.**
Location: Mile 456.3, right bank, Tennessee River, opposite Williams Island, Chattanooga. Datum: NPE
Operator: Robmer Properties.
Owner: Robmer Properties.
Address: 619 Terminal Road. Phone: 423/756-3671
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Occasional shipment of scrap metal.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.078611
Total Berthing Space (feet): 450 | | Longitude (decimal): -85.34111
Remarks: Open storage area at rear has capacity for approximately 1 acre of scrap metal.□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45456 Dock Code: 301 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.2 PWD: 151
Name: **Ergon, Chattanooga Terminal Dock.**
Location: Mile 456.3, right bank, Tennessee River, opposite Williams Island, Chattanooga. Datum: NPE
Operator: Ergon Inc.
Owner: Ergon Inc.
Address: 617 Terminal Road. Phone: 423/266-6723
Town: Chattanooga State: TN County: Hamilton
Railway Connection: One surface track serving 5 unloading stations at terminal in rear; connects with Norfolk Southern Railway.
Purpose: Receipt and occasional shipment of asphalt, caustic soda, and styrenemonomer.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.075278
Total Berthing Space (feet): 425 | | Longitude (decimal): -85.34167
Remarks: Three 8-inch pipelines extend from wharf to storage tanks at terminal in rear:

Capacity	Commodity	Tanks
2	Asphalt	Caustic soda
315,000 gallons	4 Styrene monomer	630,000 gallons
	295,000 barrels	

Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45456 Dock Code: 401 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.2 PWD: 147
Name: **Medusa Cement Co., Chattanooga Dock.**
Location: North side of dredged harbor, on right bank of Tennessee River, at mile 456.1, Datum: NPE
Chattanooga.
Operator: Medusa Cement Co.
Owner: Medusa Cement Co.
Address: 611 Hudson Road. Phone: 423/756-1324
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Surface track serves terminal in rear; connects with Norfolk Southern Railway.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 35.077222
Total Berthing Space (feet): 338 | | Longitude (decimal): -85.33611
Remarks: One 12-inch pneumatic pipeline extends from wharf to 3 steel storage silos located at rear; total capacity 6,000 tons.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45456 Dock Code: 101 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.4 PWD: 148
Name: **Mid-South Terminals, Chattanooga Dock B.**
Location: North side of dredged harbor, on right bank of Tennessee River, at mile 456.1, Datum: NPE
Chattanooga.
Operator: Midsouth Terminals, a division of Serodino Inc.
Owner: Midsouth Terminals, a division of Serodino Inc.
Address: Terminal Road. Phone: 423/266-1855
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including grain, salt, and petroleum coke; receipt of steel products.
Depth Alongside (feet): 11 | | Latitude (decimal): 35.076111
Total Berthing Space (feet): 490 | | Longitude (decimal): -85.33667
Remarks: *NPE (Nickajack Dam) = 634.0 MSL. Open storage area at rear has capacity for approximately 10,000 square feet of steel products. Additional open storage area for approximately 15,000 tons of bulk materials is available at Ramsey Trucking Co. property located 800 feet north of wharf.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45456 Dock Code: 102 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 456.9 PWD: 152
Name: **Ashland Petroleum Co., Chattanooga Terminal Dock.**
Location: Mile 456.9, right bank, Tennessee River, approximately 1,000 feet above upper end Datum: NPE
of Williams Island, Ch
Operator: Ashland Petroleum Co., division of Ashland Inc.
Owner: Ashland Petroleum Co., division of Ashland Inc.
Address: 817 Pineville Road. Phone: 423/756-8275
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Receipt of asphalt and No. 6 oil; fueling towboats.
Depth Alongside (feet): 14 - 15 | | Latitude (decimal): 35.066667
Total Berthing Space (feet): 420 | | Longitude (decimal): -85.33917
Remarks: *NPE (Nickajack Dam) = 634.0
MSL. Pipelines connect
wharf with storage tanks at terminal in rear:
Commodity Pipelines Tanks
Capacity (Barrels)No. 6 oil 2 @ 6'
8 480,000 Asphalt 1 @ 8' 2 98,000Fueling 1
@ 3' 1 80,000 Upper and
lower cells each have a driveway approach, and float has a stairway approach from bulkhead.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45456 Dock Code: 901 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 462.0 PWD: 153
Name: **ABB CE Power Products Manufacturing, Chattanooga Dock.**
Location: Mile 462.0, left bank, Tennessee River, approximately 1.7 miles below P. R. Olgiati Datum: NPE
(Interstate Highway)
Operator: ABB CE Power Products Manufacturing, a division of Combustion Engineering Inc.
Owner: ABB CE Power Products Manufacturing, a division of Combustion Engineering Inc.
Address: Below foot of 19th Street. Phone: 423/752-2540
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Plant trackage, including 4-rail, heavy-load tracks under bridge crane; connects with
Norfolk Southern Railroad and CSX Transportation.
Purpose: Receipt and shipment of steel fabrications; receipt of steel and plant raw materials; handling heavy-lift
items.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.037778
Total Berthing Space (feet): 260 | | Longitude (decimal): -85.32583
Remarks: Steel fabrication plant located in rear produces steam-supply units, boilers, and heavy equipment for
power plants and heavy industry.□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45465 Dock Code: 002 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 462.3 PWD: 154
Name: **Southern Foundry Supply, Chattanooga Dock.**
Location: Mile 462.3, left bank, Tennessee River, approximately 1.5 miles below P. R. Olgiati Datum: NPE
(Interstate Highway)
Operator: Southern Foundry Supply Inc.
Owner: Southern Foundry Supply Inc.
Address: 950 19th Street. Phone: 423/756-6070
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Two surface tracks serving plant in rear; connects with Norfolk Southern Railroad and
CSX Transportation.
Purpose: Receipt and shipment of scrap metal and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.041111
Total Berthing Space (feet): 195 | | Longitude (decimal): -85.32667
Remarks: Open storage area at rear has capacity for approximately 5,000 tons of material. □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 012 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 462.5 PWD: 155
Name: **Charleston Marine Fleeting, Chattanooga Mooring.**
Location: Mile 462.5, left bank, Tennessee River, approximately 1.2 miles below P.R. Olgiati Datum: NPE
(Interstate Highway 1)
Operator: Charleston Marine Transport Inc.
Owner: Charleston Marine Transport Inc.
Address: West Ninth Street. Phone:
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 35.044444
Total Berthing Space (feet): 35 | | Longitude (decimal): -85.32778
Remarks: At time of survey (1997), deck barge with crane was not available. □ □
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 015

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 462.7 PWD: 156
Name: **Dixie Portland Flour Mills, Chattanooga Dock.**
Location: Mile 462.7, left bank, Tennessee River, approximately one mile below P. R. Olgati Datum: NPE
(Interstate Highway 1)
Operator: Dixie Portland Flour Mills Inc.
Owner: Dixie Portland Flour Mills Inc.
Address: 1120 W. Ninth Street. Phone: 615/267-4837
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Receipt of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.046944
Total Berthing Space (feet): 195 | | Longitude (decimal): -85.32639
Remarks: *NPE (Nickajack Dam) = 634.0
MSL. Grain is trucked to
plant for milling.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 022 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 463.1 PWD: 158
Name: **Southern Electric Fleeting Co., Chattanooga Mooring.**
Location: Mile 463.1 to 463.4, right bank, Tennessee River, approximately 0.6 to 0.3 miles Datum: NPE
below P. R. Olgati (In
Operator: Southern Electric Fleeting Co. Inc.
Owner: Southern Electric Fleeting Co. Inc.
Address: 515 River Street. Phone: 423/266-18855
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting; occasional receipt of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 35.053611
Total Berthing Space (feet): 2270 | | Longitude (decimal): -85.32667
Remarks: Thirty-six barges can moor at cells and spudded barges in a block 12 barges long by 3-wide. Fleeted
barges can be maneuvered to provide access to Amoco terminal near upper end of fleeting area. Two
6-inch pipelines extend from the Amoco wharf to 8 steel storage tanks, total capacity 128,000 barrels.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 251 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 463.1 PWD: 157
Name: **Vulcan Materials Co., Sand & Gravel Chattanooga Dock.**
Location: Mile 463.1, left bank, Tennessee River, approximately 0.6 mile below P. R. Olgati Datum: NPE
(Interstate Highway 1)
Operator: Vulcan Materials Co.
Owner: Vulcan Materials Co.
Address: 515 South River Street. Phone: 423/265-3657
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Two surface tracks serving plant in rear; connects with Norfolk Southern Railway and CSX
Transportation.
Purpose: Receipt and occasional shipment of sand and gravel.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 35.051111
Total Berthing Space (feet): 195 | 400 | 195 Longitude (decimal): -85.32444
Remarks: Open storage area at rear has capacity for approximately 100,000 tons of sand and gravel. Upper
dock area has holding capacity for 15 barges arranged in tiers up to 4-wide.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 034

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 463.6 PWD: 159
Name: **Vulcan Materials Co., Chattanooga Batch Plant Dock.**
Location: Mile 463.6, right bank, Tennessee River, below P. R. Olgati (Interstate Highway 124) Datum: NPE
Bridge, Chattanooga
Operator: Not operated.
Owner: Vulcan Materials Co.
Address: 650 Manufacturers Road. Phone: 423/265-3657
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.058611
Total Berthing Space (feet): 195 | | Longitude (decimal): -85.31861
Remarks: *NPE (Nickajack Dam) = 634.0
MSL. Ready-mix
concrete plant is located in rear.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 281 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 463.8 PWD: 160
Name: **JIT Terminal, Chattanooga Dock.**
Location: Mile 463.8, right bank, Tennessee River, above P. R. Olgiati (Interstate Highway 124) Datum: NPE
Bridge, Chattanooga
Operator: JIT Inc.
Owner: JIT Inc.
Address: 530 Manufacturers Road. Phone: 423/266-1600
Town: Chattanooga State: TN County: Hamilton
Railway Connection: One 5-car-capacity surface track in rear; connects with Norfolk Southern Railway.
Purpose: Receipt of steel products and caustic soda.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.059167
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.31556
Remarks: One concrete block, and one steel frame, steel-covered warehouse, located at terminal, have total capacity for 63,000 square feet of storage space. One 3-inch pipeline extends from wharf to 6 steel storage tanks; total capacity 2.5 million gallons of caustic soda.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 211

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 463.9 PWD: 161
Name: **Ross's Landing, Excursion Boat Dock.**
Location: Mile 463.9, left bank, Tennessee River, approximately 600 feet above P. R. Olgiati Datum: NPE
(Interstate Highway 1
Operator: Chattanooga Riverboat Co.
Owner: Chattanooga Riverboat Co.
Address: 201 Riverfront Parkway. Phone: 423/266-4488
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Landing for excursion boat 'Southern Belle.'
Depth Alongside (feet): 15 | | Latitude (decimal): 35.056667
Total Berthing Space (feet): 260 | | Longitude (decimal): -85.31111
Remarks: *NPE (Nickajack Dam) = 634.0 MSL. Excursion vessel
'Southern Belle' operates on a regular daily schedule during the period of May through October.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 225 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 464.4 PWD: 162
Name: **Chattanooga Star, Excursion Boat Dock.**
Location: Mile 464.4, right bank, Tennessee River, approximately 0.1 mile above Market Street Datum: NPE
Bridge, Chattanooga.
Operator: Tennessee Riverboat Co.
Owner: Tennessee Riverboat Co.
Address: Foot of Tremont Street. Phone: 423/265-4522
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Mooring excursion vessel; boarding and disembarking passengers.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.059444
Total Berthing Space (feet): 134 | | 44 Longitude (decimal): -88.305
Remarks: Moored barge has enclosed workshop superstructure. Auxiliary barge has office constructed on deck. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45465 Dock Code: 240

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 467.5 PWD: 164
Name: **Cargill Foods, Flour Milling Chattanooga Dock.**
Location: Mile 467.5, left bank, Tennessee River, approximately 0.5 mile below mouth of Datum: NPE
Chickamauga Creek.
Operator: Cargill Foods, a division of Cargill Inc.
Owner: Cargill Foods, a division of Cargill Inc.
Address: 1 Riverside Lane. Phone: 423/697-6238
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Four 20-car-capacity surface tracks serve undertrack pit and loading spout; connects with
Norfolk Southern Railway.
Purpose: Receipt of wheat.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.083333
Total Berthing Space (feet): 512 | | Longitude (decimal): -85.27611
Remarks: Grain elevator located in rear, consisting of 29 concrete silos with 11 interstices and 2 steel tanks, has
total capacity for 2,000,000 bushels. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45465 Dock Code: 232 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 468.0 PWD: 165
Name: **ADM, Chattanooga Oil Refining Dock.**
Location: Mile 468.0, left bank, Tennessee River, approximately 0.5 mile below mouth of Chickamauga Creek. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Foot of Judd Road. Phone: 423/629-5495
Town: Chattanooga State: TN County: Hamilton
Railway Connection: Four 41-car-capacity surface tracks serve undertrack pit and loading spout; connects with Norfolk Southern Railway.
Purpose: Receipt and shipment of grain; receipt of soybean oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.087222
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -85.27222
Remarks: Grain elevator located in rear, consisting of 38 concrete silos with 19 interstices, has total capacity for 2,147,000 bushels. One 8-inch pipeline extends from wharf to 2 steel, soybean oil storage tanks; total capacity 5.3 million gallons.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45465 Dock Code: 242 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 472.0 PWD: 166
Name: **U.S. Coast Guard, Chattanooga Moorings.**
Location: Mile 472.0, left bank, Tennessee River, lower side of cove, approximately one mile above Chickamauga Dam Datum: NPE
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 3551 Harrison Pike. Phone: 423/622-2214
Town: Chattanooga State: TN County: Hamilton
Railway Connection: None.
Purpose: Handling navigation aids; mooring USCGC 'Ouachita.'
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.096389
Total Berthing Space (feet): 190 | | Longitude (decimal): -85.20944
Remarks: *NPE (Chickamauga Dam) = 682.5 MSL. One 4-inch sewer line serves wharf.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45472 Dock Code: 002 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 579.2 PWD: 174
Name: **Tennessee Valley Port Authority, Watts Bar, Steam Plant Dock.**
Location: Mile 529.2, right bank, Tennessee River, approximately 0.7 mile below Watts Bar Datum: NPE
Operator: Tennessee Valley Port Authority.
Owner: Tennessee Valley Port Authority.
Address: Phone: 423/365-8767
Town: Watts Bar State: TN County: Roane
Railway Connection: Plant trackage in rear; connects with Norfolk Southern Railway.
Purpose: Occasional handling of equipment; shipment of slag from site cleanup. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.61
Total Berthing Space (feet): 1,430 | | Longitude (decimal): -84.77861
Remarks: At time of survey (1997), former coal-receiving wharf was inactive. □ Open storage area at plant has capacity for 300,000 tons of coal. □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45529 Dock Code: 101 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 584.0 PWD: 182
Name: **McKinnon Bridge Co., Loudon Wharf.**
Location: Mile 584.0, left bank, Tennessee River, approximately 1 mile below Interstate Highway 75 Bridge. Datum: NPE
Operator: McKinnon Bridge Co.
Owner: McKinnon Bridge Co.
Address: Corporate Park Drive. Phone: 615/794-2252
Town: Loudon State: TN County: Loudon
Railway Connection: None.
Purpose: Handling heavy-lift construction equipment; fleeting barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.765278
Total Berthing Space (feet): 800 | | Longitude (decimal): -84.38472
Remarks: - □ □
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45584 Dock Code: 025

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 6.0 PWD: 021
 Name: **Ashland Petroleum Co., Paducah Terminal Dock.**
 Location: Mile 6.0, left bank, Tennessee River, approximately 0.7 mile above George Rogers Clark Memorial (U.S. Hi) Datum: NPE
 Operator: Ashland Petroleum Co., a division of Ashland Oil Inc.
 Owner: Ashland Petroleum Co., a division of Ashland Oil Inc.
 Address: 201 Ashland Road. Phone: 502/898-2451
 Town: Reidland State: KY County: McCracken
 Railway Connection: None.
 Purpose: Receipt of petroleum products; loading midstream fueling barges with diesel fuel.
 Depth Alongside (feet): 14 | | Latitude (decimal): 37.029722
 Total Berthing Space (feet): 200 | | Longitude (decimal): -88.52167
 Remarks: Three 8-inch pipelines with connections at each level extend from wharf to seven steel storage tanks located at terminal in rear, total capacity 158,000 barrels. At time of survey (1997), the steel-decked dock structure was scheduled to be replaced by a floating platform moored between the lower dolphins.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45006 Dock Code: 002 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 600.3 PWD: 184
 Name: **Fort Loudon Terminal Co. Dock.**
 Location: Mile 600.3, right bank, Tennessee River, approximately 2.1 miles below Fort Loudoun Lock and Dam. Datum: NPE
 Operator: Fort Loudon Terminal Co. Inc.
 Owner: Fort Loudon Terminal Co. Inc.
 Address: Industrial Park Drive. Phone: 423/986-6545
 Town: Lenoir City State: TN County: Loudon
 Railway Connection: Two surface tracks serve terminal; connect to Norfolk Southern Railway.
 Purpose: Receipt and shipment of miscellaneous dry bulk and break-bulk commodities, including fertilizer, salt, steel products, and magnesium oxide.
 Depth Alongside (feet): 11 | | Latitude (decimal): 35.778889
 Total Berthing Space (feet): 1,850 | | Longitude (decimal): -84.27639
 Remarks: Terminal has approximately 30 acres of open storage area for bulk commodities. Three storage warehouses have a total capacity of 600,000 square feet. One 8-inch pipeline extends from wharf to rail/truck-loading station.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45600 Dock Code: 201 Nashville District

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 601.1 PWD: 185
Name: **Vulcan Materials Co., Lenoir City Barge Dock.**
Location: Mile 601.1, right bank, Tennessee River, approximately 1.3 miles below Fort Loudoun Lock and Dam. Datum: NPE
Operator: Not operated.
Owner: Vulcan Materials Co.
Address: Industrial Park Drive. Phone: 423/986-6545
Town: Lenoir City State: TN County: Loudon
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 35.787222
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.26333
Remarks: Ref. No. 181 *NPE (Watts Bar Dam) = 741.0 MSL. Ref. No.
182 *NPE (Tellico/Fort Loudoun Dam) = 813.0 MSL.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45601 Dock Code: 101

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 646.0 PWD: 188
Name: **Signal Mountain Cement Co., Knoxville Public River Terminal.**
Location: Mile 646.0, right bank, Tennessee River, approximately 0.5 mile below CSX Transportation bridge, Knoxville Datum: NPE
Operator: Not operated.
Owner: Signal Mountain Cement Co. Inc.
Address: 2318 Neyland Drive. Phone: 615/886-0814
Town: Knoxville State: TN County: Knox
Railway Connection: Trackage in rear; connects with Norfolk Southern Railway and CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.942778
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.93111
Remarks: *NPE (Ft. Loudon Dam) = 813.0 MSL. -
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45647 Dock Code: 011 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 647.0 PWD: 189
Name: **C. Reed Davis Contractors, Blount Avenue River Terminal Dock.**
Location: Mile 647.0, left bank, Tennessee River, approximately 700 feet below Norfolk Southern Railway bridge, Kn Datum: NPE
Operator: C. Reed Davis Contractors Inc.
Owner: American Limestone Co., a division of ASARCO Inc.
Address: 2209 Blount Avenue. Phone: 615/966-9786
Town: Knoxville State: TN County: Knox
Railway Connection: None.
Purpose: Handling heavy-lift construction equipment; occasional receipt and shipment of miscellaneous bulk materials; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 11 | | Latitude (decimal): 35.951389
Total Berthing Space (feet): 650 | | Longitude (decimal): -83.92167
Remarks: Fleeting area, located at shore moorings on upper side, has capacity for 20 barges arranged in a block 10-long by 2-wide. □ Open storage area at rear has capacity for 20,000 tons of material.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45647 Dock Code: 002 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 647.8 PWD: 190
Name: **Star of Knoxville Riverboat Dock.**
Location: Mile 647.8, right bank, Tennessee River, approximately 0.5 mile above U.S. Route 441 Highway Bridge, Kno Datum: NPE
Operator: Tennessee Riverboat Co.
Owner: Tennessee Riverboat Co.
Address: 300 Neyland Drive. Phone: 423/525-7827
Town: Knoxville State: TN County: Knox
Railway Connection: None.
Purpose: Mooring excursion vessel; boarding and disembarking excursion passengers.
Depth Alongside (feet): 18 | | Latitude (decimal): 35.959722
Total Berthing Space (feet): 130 | | Longitude (decimal): -83.91389
Remarks: -□□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45647 Dock Code: 160

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 647.9 PWD: 191
Name: **Southern States Asphalt, Knoxville Asphalt Wharf.**
Location: Mile 647.9, left bank, Tennessee River, above Gay Street Bridge, Knoxville. Datum: NPE
Operator: Southern States Asphalt, a division of Ashland Inc.
Owner: Southern States Asphalt, division of Ashland Inc.
Address: 1808 Jones Street. Phone: 423/577-5151
Town: Knoxville State: TN County: Knox
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 35.959444
Total Berthing Space (feet): 300 | | Longitude (decimal): -83.91111
Remarks: Two 8-inch pipelines connect to 6 steel storage tanks, total capacity 254,000 barrels. At time of survey (1997), only one of the pipelines was in service.□
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45647 Dock Code: 010

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 648.1 PWD: 192
Name: **Ron Conley Enterprises, Texaco Knoxville Dock.**
Location: Mile 648.1, left bank, Tennessee River, approximately 0.4 mile above Gay Street Bridge, Knoxville. Datum: NPE
Operator: Not operated.
Owner: Ron Conley Enterprises.
Address: 701 Langford Avenue. Phone: 423/971-4680
Town: Knoxville State: TN County: Knox
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 35.961111
Total Berthing Space (feet): 520 | | Longitude (decimal): -83.90778
Remarks: *NPE (Ft. Loudon Dam) = 813.0 MSL. At time of survey
(1997), the warehouse located at rear was leased to a building supply company.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45647 Dock Code: 032 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 648.3 PWD: 193
Name: **Ron Conley Enterprises, Cargill Knoxville Dock.**
Location: Mile 648.3, left bank, Tennessee River, below South Knoxville Boulevard Bridge, Datum: NPE
Knoxville.
Operator: Not operated.
Owner: Ron Conley Enterprises.
Address: 915 Langford Avenue. Phone: 615/546-7647
Town: Knoxville State: TN County: Knox
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 2 - 4 | | Latitude (decimal): 35.961944
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.90444
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45647 Dock Code: 042 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 648.6 PWD: 194
Name: **Regal Corp., Knoxville Terminal Wharf.**
Location: Mile 648.6, right bank, Tennessee River, below South Knoxville Boulevard Bridge, Datum: NPE
Knoxville.
Operator: Not operated.
Owner: Regal Corp.
Address: 1220 Riverside Drive. Phone: 423/546-4423
Town: Knoxville State: TN County: Knox
Railway Connection: One surface track at rear; connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.963611
Total Berthing Space (feet): 688 | | Longitude (decimal): -83.90167
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45647 Dock Code: 051 Nashville District

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 651.5 PWD: 195
 Name: **Volunteer Asphalt Co., Knoxville Dock.**
 Location: Mile 651.5, left bank, Tennessee River, approximately 1.5 miles below junction of Holston and French Bro Datum: NPE
 Operator: Volunteer Asphalt Co.
 Owner: Volunteer Asphalt Co.
 Address: 3111 McClure Lane. Phone: 423/577-4403
 Town: Knoxville State: TN County: Knox
 Railway Connection: One surface track serves terminal in rear; connects with Norfolk Southern Railway.
 Purpose: Receipt of asphalt.
 Depth Alongside (feet): 10 | | Latitude (decimal): 35.954444
 Total Berthing Space (feet): 295 | | Longitude (decimal): -83.86111
 Remarks: One 8- and one 6-inch pipelines extend from wharf to 6 steel storage tanks, total capacity 178,500 barrels.□
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45647 Dock Code: 072 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 66.2 PWD: 046
 Name: **U.S. Coast Guard, Group Tennessee River Pier.**
 Location: Mile 66.2, left bank, Tennessee River, lower side of cove, below Scott-Fitzhugh (U.S. Highway 79) Bridge Datum: NPE
 Operator: U.S. Coast Guard.
 Owner: U.S. Government.
 Address: Foot of Coast Guard Road. Phone: 901/642-4457
 Town: Paris State: KY County: Henry
 Railway Connection: None.
 Purpose: Mooring government-owned vessels; handling navigation aids.
 Depth Alongside (feet): 16 | 8 - 16 | 8 - 16 Latitude (decimal): 36.426111
 Total Berthing Space (feet): | 122 | 122 Longitude (decimal): -88.07972
 Remarks: One 4-inch, sanitary sewer line serves pier. USCGC 'Cimarron' berths at pier. A concrete-launching ramp is located adjacent to inner side of pier. Additional berthing space is available at a 50- by 5-foot polyurethane float anchored parallel to and 100 feet inside pier location.
 Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45066 Dock Code: 002 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 7.3 PWD: 022
 Name: **Trinity Marine, SynTechnics Wharf.**
 Location: Mile 7.3, left bank, Tennessee River, approximately 2.7 miles above George Rogers Clark Memorial (U.S. H) Datum: NPE
 Operator: Trinity Marine.
 Owner: SynTechnics Inc., FRP Division.
 Address: 700 Terrace Lane. Phone: 502/898-7303
 Town: Reidland State: KY County: McCracken
 Railway Connection: One surface track serves plant in rear; connects with Paducah & Louisville Railroad.
 Purpose: Mooring barges for installation of hatch covers.
 Depth Alongside (feet): 10 | | Latitude (decimal): 37.020278
 Total Berthing Space (feet): 390 | | Longitude (decimal): -88.4925
 Remarks: *NPE (Dam No. 52) = 301.7 MSL. Plant located in rear manufactures fiberglass barge hatch covers.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45007 Dock Code: 902

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 9.3 PWD: 023
 Name: **Hite Painting Marine Railway.**
 Location: Mile 9.3, left bank, Tennessee River, approximately 0.6 mile below mouth of Cypress Creek. Datum: NPE
 Operator: Hite Painting Inc.
 Owner: Hite Painting Inc.
 Address: 476 Riverside Lane. Phone: 502/443-6139
 Town: Reidland State: KY County: McCracken
 Railway Connection: None.
 Purpose: Sandblasting and painting of barges; performing light repairs to barges.
 Depth Alongside (feet): 22 | 22 | Latitude (decimal): 37.025556
 Total Berthing Space (feet): 250 | 200 | Longitude (decimal): -88.46333
 Remarks: One 300-ton side-haul marine railway for hauling-out barges is located on river bank (maximum dimensions 200 by 35 feet). Compressors in elevated building located at rear deliver air for operation of sandblast and paint spray equipment. Light repairs are performed on barges hauled-out on the railway or moored to the barge. At time of survey (1997), plans were to construct a second identical railway 400 feet downstream from the present railway. Arcwelding and acetylene torch equipment is available for light repairs to barge hulls and decks.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45009 Dock Code: 301

Port Series No. 64 **Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee** **Waterways, and Alabama River**

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 95.5 PWD: 048
Name: **Scepter Ingot Casting, New Johnsonville Alumina Dock.**
Location: Mile 95.5, right bank, Tennessee River, lower side at entrance to Leach Bay, Datum: NPE
approximately 5 miles below
Operator: Not operated.
Owner: Scepter Ingot Casting Inc.
Address: Foot of Scepter Lane. Phone: 615/535-3565
Town: New Johnsonvill State: TN County: Humphreys
Railway Connection: Plant trackage in rear; connects with CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.076389
Total Berthing Space (feet): 380 | | Longitude (decimal): -87.95472
Remarks: -□□
Year of Last Survey: 1997 Corps of Engrns Waterway Code: 45095 Dock Code: 501 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 95.5 PWD: 047
Name: **Scepter Ingot Casting, New Johnsonville Crane Dock.**
Location: Mile 95.5, right bank, Tennessee River, lower side at entrance to Leach Bay, Datum: NPE
approximately 5 miles below
Operator: Scepter Ingot Casting Inc.
Owner: Scepter Ingot Casting Inc.
Address: Foot of Scepter Lane. Phone: 615/535-3565
Town: New Johnsonvill State: TN County: Humphreys
Railway Connection: Plant trackage in rear; connects with CSX Transportation.
Purpose: Receipt of refined and scrap aluminum.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.076944
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.95583
Remarks: NPE (Kentucky Dam) = 359.0
MSL. *Leach Bay, an
inlet approximately 750 feet long and 400 feet wide, has holding capacity for 20 barges.□-
Year of Last Survey: 1997 Corps of Engrns Waterway Code: 45095 Dock Code: 501 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 98.0 PWD: 049
 Name: **E.I. du Pont de Nemours & Co., New Johnsonville Plant Dock.**
 Location: Mile 98.0, right bank, Tennessee River, approximately 2.5 miles below CSX Transportation Bridge. Datum: NPE
 Operator: E.I. duPont de Nemours & Co. Inc.
 Owner: E.I. duPont de Nemours & Co. Inc.
 Address: Foot of DuPont Road. Phone: 615/535-7485
 Town: New Johnsonvill State: TN County: Humphreys
 Railway Connection: One surface track serves plant in rear; connects with CSX Transportation.
 Purpose: Receipt of chlorine.
 Depth Alongside (feet): 20 | | Latitude (decimal): 36.05
 Total Berthing Space (feet): 260 | | Longitude (decimal): -87.98194
 Remarks: Five 3-inch pipelines extend from wharf to 4 steel storage tanks at plant located in rear, total capacity 143,400 gallons. Wharf is equipped with compressed air lines.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45098 Dock Code: 001 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 98.5 PWD: 050
 Name: **Hall-Buck Marine, New Johnsonville Ore Dock.**
 Location: Mile 98.5, right bank, Tennessee River, approximately 2 miles below CSX Transportation Bridge. Datum: NPE
 Operator: Hall-buck Marine Inc.
 Owner: Hall-Buck Marine Inc.
 Address: Foot of DuPont Road. Phone: 615/535-2742
 Town: New Johnsonvill State: TN County: Humphreys
 Railway Connection: One surface track serves plant in rear; connects with CSX Transportation.
 Purpose: Receipt of titanium ore and calcine coke.
 Depth Alongside (feet): 16 | | Latitude (decimal): 36.044444
 Total Berthing Space (feet): 195 | | Longitude (decimal): -87.9875
 Remarks: Five barge positioning winches are mounted on breasting barges. Enclosed storage area, with capacity for 50,000 tons of titanium ore and 4,000 tons of coke, is located at rear.
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45098 Dock Code: 501

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 99.0 PWD: 051
Name: **Tennessee Valley Authority, Johnsonville Steam Plant, Fuel Oil Doc**
Location: Mile 99.0, right bank, Tennessee River, approximately 1.5 miles below CSX Railroad Datum: NPE
Bridge.
Operator: Tennessee Valley Authority.
Owner: Tennessee Valley Authority.
Address: Steamplant Road Phone: 615/535-8209
Town: New Johnsonvill State: TN County: Humphreys
Railway Connection: One surface track, not in use at time of survey (1997), serves rotary dumper and undertrack pit at power plant in rear; connects with CSX Transportation.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.036389
Total Berthing Space (feet): 460 | | Longitude (decimal): -87.98972
Remarks: *NPE (Kentucky Dam) = 359.0
MSL. One 12-inch
pipeline extends from wharf to 5 steel, fuel oil storage tanks at power plant located in rear; total
capacity 54,800 barrels.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45099 Dock Code: 601 Nashville District

Port: **Tennessee River**
Waterway: **Tennessee River** Mile: 99.5 PWD: 052
Name: **Tennessee Valley Authority, Johnsonville Steam Plant, Coal Dock.**
Location: Mile 99.5, right bank, Tennessee River, inner side of rectangular basin, Datum: NPE
approximately 1 mile below CSX
Operator: Tennessee Valley Authority.
Owner: Tennessee Valley Authority.
Address: Steamplant Road. Phone: 615/535-8209
Town: New Johnsonvill State: TN County: Humphreys
Railway Connection: One surface track, not in use at time of survey (1997), serves rotary dumper and undertrack pit at power plant in rear; connects with CSX Transportation.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 36.031667
Total Berthing Space (feet): 2,940 | | Longitude (decimal): -87.98778
Remarks: One 1 1/2-inch, fueling pipeline for floating equipment extends to center cell from one 240-barrel storage tank. One 30- by 10-foot, steel float moored at upper end is used for mooring towboat. Open storage area, with capacity for 1,500,000 tons of coal for plant consumption, is located in rear.
Year of Last Survey: 1997 Corps of Engrs Waterway Code: 45099 Dock Code: 601 Nashville District

Port Series No. 64

Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee Waterways, and Alabama River

Port: **Tennessee River**
 Waterway: **Tennessee River** Mile: 99.5 PWD: 053
 Name: **Tennessee Valley Authority, Johnsonville Steam Plant, Mooring Dock**
 Location: Mile 99.5, right bank, Tennessee River, outer and upper sides of a rectangular basin, approx. 1 mile bel Datum: NPE
 Operator: Tennessee Valley Authority.
 Owner: Tennessee Valley Authority.
 Address: Steamplant Road. Phone: 615/535-8209
 Town: New Johnsonvill State: TN County: Humphreys
 Railway Connection: None.
 Purpose: Mooring barges and towboats.
 Depth Alongside (feet): 14 | 14 | Latitude (decimal): 36.029444
 Total Berthing Space (feet): 2,000 | 200 | Longitude (decimal): -87.99139
 Remarks: One 3,600-foot-long by 920-foot-wide rectangular harbor, with storage capacity for 130 barges, is situated parallel to river. □
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45099 Dock Code: 601 Nashville District

Port: **Tennessee River**
 Waterway: **Tennessee River.** Mile: 466.5 PWD: 163
 Name: **Centre South Riverport Wharf.**
 Location: Mile 466.5, left bank, Tennessee River, approximately 3.5 miles below Chickamauga Lock and Dam. Datum: NPE
 Operator: Parker Towing Co.
 Owner: Hamilton County Port.
 Address: 359 River Terminal Road. Phone: 423/698-7727
 Town: Chattanooga State: TN County: Hamilton
 Railway Connection: One 20-car-caoacity surface spur; connects with other spurs serving industrial park; connects with Norfolk Southern Railroad.
 Purpose: Receipt of steel coil; receipt and shipment of miscellaneous bulk commodities.
 Depth Alongside (feet): 12 | | Latitude (decimal): 35.076667
 Total Berthing Space (feet): 230 | | Longitude (decimal): -88.27972
 Remarks: -□□
 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45465 Dock Code: 059

Port Series No. 64
Ports on Tennessee River, Tennessee-Tombigbee and Black Warrior-Tombigbee
Waterways, and Alabama River

Port: **Tennessee River**
Waterway: **Tennessee River.** Mile: 592.8 PWD: 183
Name: **A. E. Staley Co., Loudon Dock.**
Location: Mile 592.8, right bank, Tennessee River, approximately 1.2 miles above U.S. Route 11 Highway Bridge. Datum: NPE
Operator: Walker of Paducah.
Owner: A. E. Staley Co.
Address: 198 Blair Bend Road. Phone: 423/458-5681, e
Town: Loudon State: TN County: Loudon
Railway Connection: One surface track at rear of wharf and 16 tracks in feed mill yard at rear; connect to Norfolk Southern Railroad.
Purpose: Shipment of alcohol and corn gluten pellets; receipt of corn.
Depth Alongside (feet): 12 - 15 | 12 - 15 | 12 - 15 Latitude (decimal): 35.73
Total Berthing Space (feet): 390 | 390 | 585 Longitude (decimal): -84.32361
Remarks: Corn storage, consisting of six silos, has total capacity of 600,000 bushels. Two 8-inch pipelines extend from Cell No. 1 to three steel, alcohol storage tanks; total capacity is 1,600,000 gallons.
Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45592 Dock Code: 601
